

approved by the OMB under the PRA and displays a currently valid OMB Control Number. In addition, notwithstanding any other provisions of law, no person shall generally be subject to penalty for failing to comply with a collection of information that does not display a valid Control Number. See 5 CFR 1320.5(a) and 1320.6. The DOL obtains OMB approval for this information collection under Control Number 1245-0003. The current approval is scheduled to expire on March 31, 2019; however, the DOL notes that existing information collection requirements submitted to the OMB receive a month-to-month extension while they undergo review. New requirements would only take effect upon OMB approval. For additional substantive information about this ICR, see the related notice published in the **Federal Register** on May 20, 2016 (80 FR 42842).

Interested parties are encouraged to send comments to the OMB, Office of Information and Regulatory Affairs at the address shown in the **ADDRESSES** section within thirty (30) days of publication of this notice in the **Federal Register**. In order to help ensure appropriate consideration, comments should mention OMB Control Number 1245-0003. The OMB is particularly interested in comments that:

- Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;
- Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;
  - Enhance the quality, utility, and clarity of the information to be collected; and
  - Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses.

*Agency:* DOL-OLMS.

*Title of Collection:* Labor Organization and Auxiliary Reports.

*OMB Control Number:* 1245-0003.

*Affected Public:* Private Sector—not-for-profit institutions.

*Total Estimated Number of Respondents:* 37,414.

*Total Estimated Number of Responses:* 37,414.

*Total Estimated Annual Time Burden:* 4,593,235 hours.

*Total Estimated Annual Other Costs Burden:* \$0.

**Authority:** 44 U.S.C. 3507(a)(1)(D).

Dated: May 9, 2016.

**Michel Smyth,**  
*Departmental Clearance Officer.*

[FR Doc. 2016-11695 Filed 5-17-16; 8:45 am]

**BILLING CODE 4510-CP-P**

---

## NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

[Notice: (16-036)]

### NASA Advisory Council; Science Committee; Planetary Protection Subcommittee; Meeting

**AGENCY:** National Aeronautics and Space Administration.

**ACTION:** Notice of meeting.

**SUMMARY:** In accordance with the Federal Advisory Committee Act, Public Law 92-463, as amended, the National Aeronautics and Space Administration (NASA) announces a meeting of the Planetary Protection Subcommittee of the NASA Advisory Council (NAC). This Subcommittee reports to the Science Committee of the NAC. The meeting will be held for the purpose of soliciting, from the scientific community and other persons, scientific and technical information relevant to program planning.

**DATES:** Wednesday, June 1, 2016, 9:30 a.m. to 5:00 p.m., and Thursday, June 2, 2016, 8:45 a.m. to 3:30 p.m., Local Time.

**ADDRESSES:** NASA Headquarters, Room 1Q39, 300 E Street SW., Washington, DC 20546.

**FOR FURTHER INFORMATION CONTACT:** Ms. Ann Delo, Science Mission Directorate, NASA Headquarters, Washington, DC 20546, (202) 358-0750, fax (202) 358-2779.

**SUPPLEMENTARY INFORMATION:** The meeting will be open to the public up to the capacity of the room. The meeting will also be available telephonically and by WebEx. Any interested person may call the conference call number 1-888-324-3811 (USA toll free) or 1-210-234-8402, passcode 94125, to participate in this meeting by telephone. The WebEx link is <https://nasa.webex.com/>. The meeting number on June 1, 2016, is 995 907 813, passcode Protection 601. The meeting number on June 2, 2016, is 998 659 198, passcode Protection 602. The agenda for the meeting includes the following topics:

—Updates on Planetary Protection in the Mars Exploration Program

—Planetary Protection Technology Investments

Attendees will be requested to sign a register and to comply with NASA security requirements, including the presentation of a valid picture ID to Security before access to NASA Headquarters. Due to the Real ID Act, Public Law 109-13, any attendees with drivers licenses issued from non-compliant states/territories must present a second form of ID. [Federal employee badge; passport; active military identification card; enhanced driver's license; U.S. Coast Guard Merchant Mariner card; Native American tribal document; school identification accompanied by an item from LIST C (documents that establish employment authorization) from the "List of the Acceptable Documents" on Form I-9]. Non-compliant states/territories are: American Samoa, Illinois, Minnesota, Missouri, New Mexico and Washington. Foreign nationals attending this meeting will be required to provide a copy of their passport and visa in addition to providing the following information no less than 10 working days prior to the meeting: full name; gender; date/place of birth; citizenship; visa information (number, type, expiration date); passport information (number, country, expiration date); employer/affiliation information (name of institution, address, country, telephone); title/position of attendee; and home address to Ann Delo via email at [ann.b.delo@nasa.gov](mailto:ann.b.delo@nasa.gov) or by fax at (202) 358-2779. U.S. citizens and Permanent Residents (green card holders) are requested to submit their name and affiliation 3 working days prior to the meeting to Ann Delo. It is imperative that this meeting be held on these dates to accommodate the scheduling priorities of the key participants.

**Patricia D. Rausch,**

*Advisory Committee Management Officer,  
National Aeronautics and Space Administration.*

[FR Doc. 2016-11698 Filed 5-17-16; 8:45 am]

**BILLING CODE 7510-13-P**

---

## NUCLEAR REGULATORY COMMISSION

[Docket Nos. 52-025 and 52-026; NRC-2008-0252]

**Vogtle Electric Generating Station, Units 3 and 4; Southern Nuclear Operating Company, Main Control Room Emergency Habitability System (VES) Design Changes**

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Exemption and combined license amendment; issuance.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is granting an exemption to allow a departure from the certification information of Tier 1 of the generic design control document (DCD) and is issuing License Amendment No. 48 to Combined Licenses (COLs), NPF-91 and NPF-92. The COLs were issued to Southern Nuclear Operating Company, Inc. (SNC); Georgia Power Company; Oglethorpe Power Corporation; MEAG Power SPVM, LLC; MEAG Power SPVJ, LLC; MEAG Power SPVP, LLC; Authority of Georgia; and the City of Dalton, Georgia (together “the licensee”) for construction and operation of the Vogtle Electric Generating Plant (VEGP) Units 3 and 4, located in Burke County, Georgia.

The granting of the exemption allows the changes to Tier 1 information asked for in the amendment. Because the acceptability of the exemption was determined in part by the acceptability of the amendment, the exemption and amendment are being issued concurrently.

**ADDRESSES:** Please refer to Docket ID NRC-2008-0252 when contacting the NRC about the availability of information regarding this document. You may access information related to this document, which the NRC possesses and is publicly available, using any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2008-0252. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC’s Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select “ADAMS Public Documents” and then select “Begin Web-based ADAMS Search.” For problems with ADAMS, please contact the NRC’s Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document. The request for the amendment and exemption was submitted by letter dated May 7, 2015, and it is available in

ADAMS under Accession No. ML15127A469.

- *NRC’s PDR:* You may examine and purchase copies of public documents at the NRC’s PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**FOR FURTHER INFORMATION CONTACT:** Paul Kallan, Office of New Reactors, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-2809, email: [Paul.Kallan@nrc.gov](mailto:Paul.Kallan@nrc.gov).

#### **SUPPLEMENTARY INFORMATION:**

##### **I. Introduction**

The NRC is granting an exemption from paragraph B of Section III, “Scope and Contents,” of appendix D, “Design Certification Rule for the AP1000,” to part 52 of title 10 of the *Code of Federal Regulations* (10 CFR), and is issuing License Amendment No. 48 to COLs NPF-91 and NPF-92, to the licensee. The exemption is required by paragraph A.4 of section VIII, “Processes for Changes and Departures,” appendix D, to 10 CFR part 52 to allow the licensee to depart from Tier 1 information. With the requested amendment, the licensee sought proposed changes that would revise ASME safety classification and transition location, equipment orientation and removal, and identification of the number of emergency air storage tanks. The proposed changes to the Main Control Room Emergency Habitability System (VES) revises Tier 1 and corresponding information in COL Appendix C, Figure 2.2.5-1. It also revises Tier 2 information in the UFSAR.

Part of the justification for granting the exemption was provided by the review of the amendment. Because the exemption is necessary in order to issue the requested license amendment, the NRC granted the exemption and issued the amendment concurrently, rather than in sequence. This included issuing a combined safety evaluation containing the NRC staff’s review of both the exemption request and the license amendment. The exemption met all applicable regulatory criteria set forth in 10 CFR 50.12, 10 CFR 52.7, and Section VIII.A.4 of appendix D to 10 CFR part 52. The license amendment was found to be acceptable as well. The combined safety evaluation is available in ADAMS under Accession No. ML16053A177.

Identical exemption documents (except for referenced unit numbers and license numbers) were issued to the licensee for VEGP Units 3 and 4 (COLs NPF-91 and NPF-92). The exemption documents for VEGP Units 3 and 4 can be found in ADAMS under Accession

Nos. ML16053A133 and ML16053A136, respectively. The exemption is reproduced (with the exception of abbreviated titles and additional citations) in Section II of this document. The amendment documents for COLs NPF-91 and NPF-92 are available in ADAMS under Accession Nos. ML16053A146 and ML16053A148, respectively. A summary of the amendment documents is provided in Section III of this document.

##### **II. Exemption**

Reproduced below is the exemption document issued to Vogtle Units 3 and Unit 4. It makes reference to the combined safety evaluation that provides the reasoning for the findings made by the NRC (and listed under Item 1) in order to grant the exemption:

1. In a letter dated May 7, 2015, the licensee requested from the Commission an exemption from the provisions of 10 CFR part 52, appendix D, Section III.B, as part of license amendment request 15-006, “Main Control Room Emergency Habitability System (VES) Design Changes (LAR-15-006).”

For the reasons set forth in Section 3.1, “Evaluation of Exemption,” of the NRC staff’s Safety Evaluation, which can be found in ADAMS under Accession No. ML16053A177, the Commission finds that:

- A. The exemption is authorized by law;
- B. the exemption presents no undue risk to public health and safety;
- C. the exemption is consistent with the common defense and security;
- D. special circumstances are present in that the application of the rule in this circumstance is not necessary to serve the underlying purpose of the rule;
- E. the special circumstances outweigh any decrease in safety that may result from the reduction in standardization caused by the exemption; and
- F. the exemption will not result in a significant decrease in the level of safety otherwise provided by the design.

2. Accordingly, the licensee is granted an exemption from the certified DCD Tier 1, as described in the licensee’s request dated May 7, 2015. This exemption is related to, and necessary for the granting of License Amendment No. 48, which is being issued concurrently with this exemption.

3. As explained in Section 5.0, “Environmental Consideration,” of the NRC staff’s Safety Evaluation (ADAMS Accession No. ML16053A177), this exemption meets the eligibility criteria for categorical exclusion set forth in 10 CFR 51.22(c)(9). Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental

assessment needs to be prepared in connection with the issuance of the exemption.

4. This exemption is effective as of the date of its issuance.

### III. License Amendment Request

By letter dated May 07, 2015, the licensee requested that the NRC amend the COLs for VEGP, Units 3 and 4, COLs NPF-91 and NPF-92. The proposed amendment is described in Section I of this **Federal Register** notice.

The Commission has determined for these amendments that the application complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations. The Commission has made appropriate findings as required by the Act and the Commission's rules and regulations in 10 CFR Chapter I, which are set forth in the license amendment.

A notice of consideration of issuance of amendment to facility operating license or combined license, as applicable, proposed no significant hazards consideration determination, and opportunity for a hearing in connection with these actions, was published in the **Federal Register** on July 21, 2015 (80 FR 43123). No comments were received during the 30-day comment period.

The Commission has determined that these amendments satisfy the criteria for categorical exclusion in accordance with 10 CFR 51.22. Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared for these amendments.

### IV. Conclusion

Using the reasons set forth in the combined safety evaluation, the staff granted the exemption and issued the amendment that the licensee requested on May 7, 2015. The exemption and amendment were issued on March 30, 2016 as part of a combined package to the licensee (ADAMS Accession No. ML16053A091).

Dated at Rockville, Maryland, this 11th day of May 2016.

For the Nuclear Regulatory Commission.

**John McKirgan,**

*Acting Chief, Licensing Branch 4, Division of New Reactor Licensing, Office of New Reactors.*

[FR Doc. 2016-11733 Filed 5-17-16; 8:45 am]

BILLING CODE 7590-01-P

## NUCLEAR REGULATORY COMMISSION

[Docket Nos. 52-017; NRC-2008-0066]

### Dominion Virginia Power; North Anna, Unit 3

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Combined license application; receipt.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is giving notice once each week for four consecutive weeks of the North Anna Unit 3 combined license (COL) application from Dominion Virginia Power (Dominion).

**DATES:** May 18, 2016.

**ADDRESSES:** Please refer to Docket ID NRC-2008-0066 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2008-0066. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document.

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**FOR FURTHER INFORMATION CONTACT:** James Shea, Office of New Reactors, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-1388, email: [James.Shea@nrc.gov](mailto:James.Shea@nrc.gov).

**SUPPLEMENTARY INFORMATION:** The Virginia Electric and Power Company, doing business as Dominion Virginia

Power (Applicant) has filed an application for a COL with the NRC under Section 103 of the Atomic Energy Act of 1954, as amended, and part 52 of title 10 of the *Code of Federal Regulations* (10 CFR), "Licenses, Certifications, and Approvals for Nuclear Power Plants." Through the Application, which is currently under review by the NRC staff, the Applicant seeks to construct and operate an Economic Simplified Boiling-Water Reactor at the North Anna Power Station, which is located in Louisa County, Virginia. An applicant may seek a COL in accordance with subpart C of 10 CFR part 52. The information submitted by the applicant includes certain administrative information, such as financial qualifications submitted pursuant to 10 CFR 52.77, as well as technical information submitted pursuant to 10 CFR 52.79. These notices are being provided in accordance with the requirements in 10 CFR 50.43(a)(3).

Dated at Rockville, Maryland, this 11th day of May, 2016.

For the Nuclear Regulatory Commission.

**Ronaldo Jenkins,**

*Chief, Licensing Branch 3, Division of New Reactor Licensing, Office of New Reactors.*

[FR Doc. 2016-11750 Filed 5-17-16; 8:45 am]

BILLING CODE 7590-01-P

## OFFICE OF PERSONNEL MANAGEMENT

### Excepted Service; January 2016

**AGENCY:** U.S. Office of Personnel Management (OPM).

**ACTION:** Notice.

**SUMMARY:** This notice identifies Schedule A, B, and C appointing authorities applicable to a single agency that were established or revoked from January 1, 2016, to January 31, 2016.

**FOR FURTHER INFORMATION CONTACT:** Senior Executive Resources Services, Senior Executive Services and Performance Management, Employee Services, 202-606-2246.

**SUPPLEMENTARY INFORMATION:** In accordance with 5 CFR 213.103, Schedule A, B, and C appointing authorities available for use by all agencies are codified in the Code of Federal Regulations (CFR). Schedule A, B, and C appointing authorities applicable to a single agency are not codified in the CFR, but the Office of Personnel Management (OPM) publishes a notice of agency-specific authorities established or revoked each month in the **Federal Register** at [www.gpo.gov/fdsys/](http://www.gpo.gov/fdsys/). OPM also