

Element	C	Si	Mn	P	S
Weight%	0.90–1.05	0.15–0.35	0.30–0.50	Less than or equal to 0.03.	Less than or equal to 0.006.

• Physical properties:

Width less than or equal to 150mm.	Flatness of less than 0.2% of nominal strip width.
Width of 150 to 330mm.	Flatness of less than 5 mm of nominal strip width.

• Microstructure: Completely free from decarburization. Carbides are spheroidal and fine within 1% to 4% (area percentage) and are undissolved in the uniform tempered martensite;

- Surface roughness: less than or equal to 0.80 µm Rz;
- Non-metallic inclusion:
 - Sulfide inclusion less than or equal to 0.04% (area percentage)
 - Oxide inclusion less than or equal to 0.05% (area percentage); and
 - The mill test certificate must demonstrate that the steel is proprietary grade “PK” and specify the following:
 - The exact tensile strength, which must be greater than or equal to 1600 N/mm²;
 - The exact hardness, which must be greater than or equal to 465 Vickers hardness number;
 - The exact elongation, which must be between 2.5% and 9.5%; and
 - Certified as having residual compressive stress within a range of 100 to 400 N/mm².

The products subject to this investigation are currently classified in the Harmonized Tariff Schedule of the United States (“HTSUS”) under item numbers: 7209.15.0000, 7209.16.0030, 7209.16.0060, 7209.16.0070, 7209.16.0091, 7209.17.0030, 7209.17.0060, 7209.17.0070, 7209.17.0091, 7209.18.1530, 7209.18.1560, 7209.18.2510, 7209.18.2520, 7209.18.2580, 7209.18.6020, 7209.18.6090, 7209.25.0000, 7209.26.0000, 7209.27.0000, 7209.28.0000, 7209.90.0000, 7210.70.3000, 7211.23.1500, 7211.23.2000, 7211.23.3000, 7211.23.4500, 7211.23.6030, 7211.23.6060, 7211.23.6090, 7211.29.2030, 7211.29.2090, 7211.29.4500, 7211.29.6030, 7211.29.6080, 7211.90.0000, 7212.40.1000, 7212.40.5000, 7225.50.6000, 7225.50.8080, 7225.99.0090, 7226.92.5000, 7226.92.7050, and 7226.92.8050. The products subject to the investigation may also enter under the following HTSUS numbers: 7210.90.9000, 7212.50.0000, 7215.10.0010, 7215.10.0080, 7215.50.0016, 7215.50.0018, 7215.50.0020, 7215.50.0061, 7215.50.0063, 7215.50.0065, 7215.50.0090, 7215.90.5000, 7217.10.1000, 7217.10.2000, 7217.10.3000, 7217.10.7000, 7217.90.1000, 7217.90.5030, 7217.90.5060, 7217.90.5090, 7225.19.0000, 7226.19.1000, 7226.19.9000, 7226.99.0180, 7228.50.5015, 7228.50.5040, 7228.50.5070, 7228.60.8000, and 7229.90.1000.

The HTSUS subheadings above are provided for convenience and CBP purposes

only. The written description of the scope of the investigation is dispositive.

[FR Doc. 2016–12191 Filed 5–23–16; 8:45 am]

BILLING CODE 3510–DS–P

DEPARTMENT OF COMMERCE

International Trade Administration

Application(s) for Duty-Free Entry of Scientific Instruments

Pursuant to Section 6(c) of the Educational, Scientific and Cultural Materials Importation Act of 1966 (Pub. L. 89–651, as amended by Pub. L. 106–36; 80 Stat. 897; 15 CFR part 301), we invite comments on the question of whether instruments of equivalent scientific value, for the purposes for which the instruments shown below are intended to be used, are being manufactured in the United States.

Comments must comply with 15 CFR 301.5(a)(3) and (4) of the regulations and be postmarked on or before June 13, 2016. Address written comments to Statutory Import Programs Staff, Room 3720, U.S. Department of Commerce, Washington, DC 20230. Applications may be examined between 8:30 a.m. and 5:00 p.m. at the U.S. Department of Commerce in Room 3720.

Docket Number: 15–051. Applicant: Iowa State University of Science and Technology, 211 TASF, Ames, IA 50011–3020. Instrument: Electron Microscope. Manufacturer: FEI, Co., Czech Republic and Great Britain. Intended Use: The instrument will be used to perform microstructure examination, compositional analysis and orientation analysis on materials such as metals, compounds, alloys, oxides and organic materials. Justification for Duty-Free Entry: There are no instruments of the same general category manufactured in the United States. Application accepted by Commissioner of Customs: April 13, 2016.

Docket Number: 15–055. Applicant: Rutgers University, 136 Frelinghuysen Road, Piscataway, NJ 08854. Instrument: Optical Floating Zone Furnace. Manufacturer: Crystal Systems Corporation, Japan. Intended Use: The instrument will be used to grow high quality bulk single crystals of a variety of complex quantum materials including multiferroics, ferroelectrics and low-symmetry magnets. Research projects will include the duality

between FR and PUA states in hexagonal manganites, the duality between Ising triangular antiferromagnetism and improper ferroelectricity in hexagonal systems, the domains and domain walls in other polar or chiral magnets, the domains and domain walls in new hybrid improper ferroelectrics, the domains and domain walls in metastable phases at the phase boundaries, and magnetic skyrmion in non-centrosymmetric magnets. The instrument is equipped with 5 high power (1000 W in total) continuous wavelength laser diodes as a heating source. Five lasers ensure temperature homogeneity along the azimuthal direction around the crystal rod to be greater than 95%. The maximum temperature gradient along the growth direction is greater than 150 degrees Celsius/mm. Crystal growth can go from extremely stable and slow growth to very rapid quenching mode, 0.01 to 300 mm/h. This enables the growth of incongruently melting and highly evaporating materials. Justification for Duty-Free Entry: There are no instruments of the same general category manufactured in the United States. Application accepted by Commissioner of Customs: April 29, 2016.

Docket Number: 15–058. Applicant: UChicago Argonne, 9700 South Cass Avenue, Lemont, IL 60439–4873. Instrument: IEX ARPES Cryo-Manipulator. Manufacturer: Omnic, Hansjoerg Ruppender, Germany. Intended Use: The instrument will be used to cool and position single crystal and thin film samples in an angle-resolved photoemission spectroscopy (ARPES) chamber. ARPES is used to map the electronic band structure of material. Samples include high-temperature superconductors, graphene, and other low dimensional materials, metals and complex oxides. The instrument’s unique features include ultra-high vacuum compatible, six-axes of motion with a specified range x: +/- 10mm, 1µm, +/- 0.05µm, y: +/- 10mm, 1µm, +/- 0.05µm, z: 300mm, 1µm, +/- 0.05µm, polar rotation: 360 degrees, 0.005 degrees, 0.0001 degrees, flip rotation: -15/+60 degrees, .1 degree, 0.05 degrees, azimuthal rotation: +/-90 degrees, .1 degree, 0.05 degrees, a low base temperature of 5.5K and high vibrational stability (motion at the sample < 500 nm). Justification for

Duty-Free Entry: There are no instruments of the same general category manufactured in the United States. Application accepted by Commissioner of Customs: March 2, 2016.

Docket Number: 16–003. Applicant: Oregon Health & Science University, 3181 SW Sam Jackson Park Road, Portland, OR 97239. Instrument: Electron Microscope. Manufacturer: FEI Company, the Netherlands. Intended Use: The instrument will be used to study how genomic features in model systems and humans encode the molecular, cellular and tissue structures that comprise normal and diseased tissues and apply the resulting information to improve management of human diseases including cancer, cardiovascular disease, immunodeficiency and dementia. Justification for Duty-Free Entry: There are no instruments of the same general category manufactured in the United States. Application accepted by Commissioner of Customs: April 15, 2016.

Docket Number: 16–006. Applicant: Texas Southwestern Medical Center, 5323 Harry Hinos Blvd., Dallas, TX 75390. Instrument: Electron Microscope. Manufacturer: FEI Company, the Netherlands. Intended Use: The instrument will be used to learn how imaged proteins and molecules perform their cellular functions, which can be used to understand cases where these proteins and molecules malfunction and cause disease, such as cancer. Justification for Duty-Free Entry: There are no instruments of the same general category manufactured in the United States. Application accepted by Commissioner of Customs: May 6, 2016.

Docket Number: 16–009. Applicant: Stanford University, 299 Campus Drive West, Stanford, CA 94305–5126. Instrument: Electron Microscope. Manufacturer: FEI Company, Netherlands. Intended Use: The instrument will be used to determine the structures of proteins and protein complexes to atomic (3.5 angstroms+) or near atomic (10 angstroms+) resolution. Determining the structures to such high resolution will give insight into the basic biology of systems such as tissue samples, whole cells and purified proteins. Justification for Duty-Free Entry: There are no instruments of the same general category manufactured in the United States. Application accepted by Commissioner of Customs: March 2, 2016.

Dated: May 16, 2016.

Gregory W. Campbell,

Director of Subsidies Enforcement, Enforcement and Compliance.

[FR Doc. 2016–12176 Filed 5–23–16; 8:45 am]

BILLING CODE 3510–DS–P

DEPARTMENT OF COMMERCE

International Trade Administration

[A–570–029]

Certain Cold-Rolled Steel Flat Products From the People’s Republic of China: Final Affirmative Determination of Sales at Less Than Fair Value, and Final Affirmative Determination of Critical Circumstances

AGENCY: Enforcement and Compliance, International Trade Administration, Department of Commerce.

SUMMARY: The Department of Commerce (the Department) determines that certain cold-rolled steel flat products (cold-rolled steel) from the People’s Republic of China (the PRC) are being, or are likely to be, sold in the United States at less than fair value (LTFV), as provided in section 735 of the Tariff Act of 1930, as amended (the Act). The period of investigation is January 1, 2015, through June 30, 2015. The estimated weighted-average dumping margin of sales at LTFV is shown in the “Final Determination” section of this notice.

DATES: *Effective Date:* May 24, 2016.

FOR FURTHER INFORMATION CONTACT: Scott Hoefke or Robert James, AD/CVD Operations, Office VI, Enforcement and Compliance, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue NW., Washington, DC 20230; telephone (202) 482–4947 or (202) 482–0679, respectively.

SUPPLEMENTARY INFORMATION:

Background

On March 7, 2016, the Department published its preliminary affirmative determination of sales at LTFV and preliminary affirmative determination of critical circumstance in LTFV investigation of cold-rolled steel from the PRC.¹ We invited interested parties to comment on our preliminary determinations. We only received comments regarding the scope of this

¹ See *Antidumping Duty Investigation of Certain Cold-Rolled Steel Flat Products From the People’s Republic of China: Affirmative Preliminary Determination of Sales at Less Than Fair Value, and Preliminary Affirmative Determination of Critical Circumstances*, 81 FR 11751 (March 7, 2016) (*Preliminary Determination*).

investigation. No interested party requested a hearing.

Scope of the Investigation

The products covered by this investigation are certain cold-rolled (cold-reduced), flat-rolled steel products, whether or not annealed, painted, varnished, or coated with plastics or other non-metallic substances from the PRC. For a full description of the scope of this investigation, see the “Scope of the Investigation,” in Appendix I.

Since the *Preliminary Determination*, eight interested parties (*i.e.*, JFE Steel Corporation, Electrolux Home Products, Inc., Electrolux Home Care Products, Inc., ArcelorMittal USA LLC, AK Steel Corporation, Nucor Corporation, Steel Dynamics Inc., and United States Steel Corporation) commented on the scope of the investigation. The Department reviewed these comments and has made no changes to the scope of the investigation. For further discussion, see the Final Scope Comments Memorandum.² The scope in Appendix I reflects the final unmodified scope language as it appeared in the *Preliminary Determination*.

Verification

The only respondent in the antidumping investigation of cold-rolled steel from the PRC, the PRC-wide entity, did not provide information requested by the Department. Hence, no verification was conducted.

Analysis of Comments Received and Changes Since the Preliminary Determination

We made no changes to the *Preliminary Determination* because we received no comments pertaining to the *Preliminary Determination*.

Final Affirmative Determination of Critical Circumstances

In accordance with section 733(e)(1) of the Act and 19 CFR 351.206, we preliminarily found critical circumstances exist with respect to imports of certain cold-rolled steel flat products from the PRC-wide entity.³ As stated above, the Department did not receive any comments concerning the preliminary determination. Thus, for the

² See Memorandum to Christian Marsh, Deputy Assistant Secretary for Antidumping and Countervailing Duty Operations, “Certain Cold-Rolled Steel Flat Products From Brazil, the People’s Republic of China, India, Japan, the Republic of Korea, the Russian Federation, and the United Kingdom: Final Scope Comments Decision Memorandum,” dated concurrently with this final determination (Final Scope Comments Memorandum).

³ See *Preliminary Determination*.