both chemical and kinetic energy rounds are classified SECRET. Engineering design and manufacturing data related to special armor are also classified SECRET.

- c. M256 120mm Gun and Ammunition System. It is composed of a 120mm smoothbore gun, "long rod" Armor Piercing Fin Stabilized Discarding Sabot (APFSDS) kinetic warheads; and combustible cartridge case ammunition. The suite is UNCLASSIFIED.
- d. Advanced Gas Turbine (AGT) 1500 Gas Turbine Propulsion System. The use of a gas turbine propulsion system in the MlA2S is a unique application of armored vehicle power pack technology. The hardware is composed of the AGT–1500 engine and transmission, and is UNCLASSIFIED. Manufacturing processes associated with the production of turbine blades, recuperator, bearings and shafts, and hydrostatic pump and motor, are proprietary and therefore are commercially competition sensitive.
- e. Compartmentation. A major survivability feature of the Abrams Tank is the compartmentation of fuel and ammunition. Compartmentation is the positive separation of the crew and critical components from combustible materials. In the event that the fuel or ammunition is ignited or deteriorated by an incoming threat round, the crew is fully protected. As demonstrated during the Abram Live Fire tests, compartmentation significantly enhances crew survivability and substantially reduces the likelihood of the tank being immobilized by an ammunition explosion and fire. Sensitive information includes the performance of the ammunition compartments as well as the compartment design parameters.
- f. The Driver's Vision Enhancer-Abrams (DVE-A), AN/VAS-5. The AN/ VAS-5 is an un-cooled thermal imaging

- system developed for use while driving Combat Vehicles (CVs) and Tactical Wheeled Vehicles (TWVs). It allows for tactical vehicle movement in support of operational missions in all environmental conditions (day/night and all weather) and provides enhanced driving capability during limited visibility conditions (darkness, smoke, dust, fog, etc.). The DVE program provides night vision targeting capabilities for armored vehicles and long range night vision reconnaissance capability to the warfighter. The highest level of classification is CONFIDENTIAL for hardware and software.
- g. AN/PVS-7B Night Vision Devices (NVD). These devices are man-portable NVDs which incorporate image intensification technology. This technology is contained in a sealed intensifier tube that is serialized and removable. Engineering and manufacturing data related to the image intensification tube sub-components are classified CONFIDENTIAL. All data related to vulnerabilities and weaknesses are classified SECRET.
- 2. Software, hardware, and other classified or sensitive data are reviewed prior to release to protect system vulnerabilities, design data, and performance parameters. Some end-item hardware, software, and other data identified above are classified at the CONFIDENTIAL and SECRET level. Potential compromise of these systems is controlled through the management of the basic software programs of highly sensitive systems and software-controlled weapons systems on a case-by-case bases.
- 3. If a technologically advanced adversary were to obtain knowledge of the specific hardware and software elements, the information could be used to develop countermeasures or equivalent systems which might reduce

- weapon system effectiveness or be used in the development of a system with similar or advanced capabilities.
- 4. A determination has been made that Saudi Arabia can provide the same degree of protection for the sensitive technology being released as the U.S. Government. This sale is necessary in furtherance of the U.S. foreign policy and national security objectives outlined in the Policy Justification.
- 5. All defense articles and services listed in this transmittal have been authorized for release and export to the Kingdom of Saudi Arabia.

[FR Doc. 2016–20094 Filed 8–22–16; 8:45 am] BILLING CODE 5001–06–P

DEPARTMENT OF DEFENSE

Office of the Secretary

[Transmittal No. 16-30]

36(b)(1) Arms Sales Notification

AGENCY: Department of Defense, Defense Security Cooperation Agency.

ACTION: Notice.

SUMMARY: The Department of Defense is publishing the unclassified text of a section 36(b)(1) arms sales notification. This is published to fulfill the requirements of section 155 of Public Law 104–164 dated July 21, 1996.

FOR FURTHER INFORMATION CONTACT: Chandelle K. Parker, DSCA/OGC, (703) 697–9027.

The following is a copy of a letter to the Speaker of the House of Representatives, Transmittal 16–30 with attached Policy Justification and Sensitivity of Technology.

Dated: August 18, 2016.

Aaron Siegel,

Alternate OSD Federal Register Liaison Officer, Department of Defense.



DEFENSE SECURITY COOPERATION AGENCY 201 12TH STREET SOUTH, STE 203 ARLINGTON, VA 22202-8408

9 AUG 2016

The Honorable Paul D. Ryan Speaker of the House U.S. House of Representatives Washington, DC 20515

Dear Mr. Speaker:

Pursuant to the reporting requirements of Section 36(b)(1) of the Arms Export Control

Act, as amended, we are forwarding herewith Transmittal No. 16-30, concerning the Department

of the Air Force's proposed Lead-Nation sale to the NATO Support and Procurement Agency

(NSPA) for defense articles and services estimated to cost \$231 million. After this letter is

delivered to your office, we plan to issue a news release to notify the public of this proposed sale.

Sincerely,

J. W Rixely Vice Admiral, USN Director

Enclosures:

- 1. Transmittal
- 2. Policy Justification
- 3. Sensitivity of Technology



Transmittal No. 16-30

Notice of Proposed Issuance of Letter of Offer Pursuant to Section 36(b)(l) of the Arms Export Control Act, as amended

(i) Prospective Purchaser: NATO Support and Procurement Agency (NSPA) as Lead Nation for potential subsequent retransfer to Belgium, Czech Republic, Denmark, Greece, Netherlands, Norway, Portugal, and Spain in accordance with Section 3(d)(4)(C)(ii)

(ii) *Total Estimated Value:*Major Defense Equipment * \$151
million

Other \$80 million TOTAL \$231 million

(iii) Description and Quantity or Quantities of Articles or Services under Consideration for Purchase: Major Defense Equipment (MDE): Five hundred (500) Joint Direct Attack Munition (JDAM) Guidance Kits, KMU–556 F/B

Forty (40) JDAM Guidance Kits, KMU–557 F/B

One thousand five hundred (1,500) JDAM Guidance Kits, KMU–572 F/B One thousand (1,000) MAU 210 E/B Computer Control Groups for 1,000lb. Enhanced Paveway IIs

Three hundred (300) MÅU 210 E/B Computer Control Groups for GBU–

One thousand twenty-five (1,025) MAU 169 L/B Computer Control Groups for GBU–12s

One thousand and three hundred fifty (1,350) Joint Programmable Fuzes, FMU–152 A/B

Sixty (60) Bomb Fin Assembly and Airfoil Group 650–MXU K/B for GBU–12s One thousand twenty-five (1,025) Bomb Fin Assembly and Airfoil Group, MXU–650 K/B AFG for GBU–12s Non-MDE:

This request also includes the following Non-MDE: Detector Sensing Unit (DSU)–38A/B Laser sensors, DSU–330/B proximity sensors, Wireless Paveway Avionics Kit (WIPAK) interfaces for Enhanced Paveway TI bombs, FMU–139C/B electronic bomb fuzes, repair and return services, transportation, engineering services, and other support services.

(iv) Military Department: Air Force (YAA)

(v) Prior Related Cases, if any: None (vi) Sales Commission, Fee, etc., Paid, Offered. or Agreed to be Paid: None

(vii) Sensitivity of Technology Contained in the Defense Article or Defense Services Proposed to be Sold: See Attached annex.

(viii) Date Report Delivered to Congress: 9 AUG 2016

* as defined in Section 47(6) of the Arms Export Control Act.

POLICY JUSTIFICATION

NATO Support and Procurement Agency—Precision Guided Munitions

NATO Support and Procurement Agency as Lead Nation has requested a possible sale of precision guided munitions for subsequent retransfer to Belgium, Czech Republic, Denmark, Greece, Netherlands, Norway, Portugal, and Spain. Included are: five hundred (500) Joint Direct Attack Munition (JDAM) Guidance Kits, KMU-556 F/B; forty (40) IDAM Guidance Kits, KMU-557 F/B; one thousand five hundred (1,500) JDAM Guidance Kits, KMU–572 F/B; one thousand (1,000) MAU 210 E/ B Computer Control Groups for 1,000-lb. Enhanced Paveway IIs; three hundred (300) MAU 210 E/B Computer Control Groups for GBU-49s; one thousand twenty-five (1,025) MAU 169 L/B Computer Control Groups for GBU-12s; one thousand three hundred fifty (1,350) Joint Programmable Fuzes, FMU-152 A/ B; sixty (60) Bomb Fin Assembly and Airfoil Group 650–MXU K/B for GBU– 12s; one thousand twenty-five (1,025) Bomb Fin Assembly and Airfoil Group, MXU-650 K/B AFG for GBU-12s. It also includes Detector Sensing Unit (DSU)-38A/B Laser sensors: DSU-33D/B proximity sensors; Wireless Paveway Avionics Kit (WIPAK) interfaces for Enhanced Paveway II bombs; FMU-139C/B electronic bomb fuzes; repair and return services; transportation; engineering services; and other support services. The estimated value is \$231 million.

The proposed sale improves NATO members' capability to meet current and future ground threats with precision. They will use the enhanced capacity as a deterrent to regional threats, and to increase interoperability within contingency operations. Many of the purchasing nations already have precision-guided munitions in their inventories and will have no difficulty absorbing these additional munitions.

The proposed sale of this equipment and support will not alter the basic military balance in the region.

The prime contractors for production are the Boeing Corporation of St Louis, Missouri, and Raytheon Missile Systems of Tucson, Arizona. There are no known offset agreements proposed in connection with this potential sale.

Implementation of this proposed sale will not require the assignment of any

additional U.S. Government or contractor representatives to NATO.

There is no adverse impact on U.S. defense readiness as a result of this proposed sale.

Transmittal No. 16-30

Notice of Proposed Issuance of Letter of Offer Pursuant to Section 36(b)(l) of the Arms Export Control Act

Annex Item

No. vii

(vii) Sensitivity of Technology:

1. The Joint Direct Attack Munition (JDAM) is a guidance kit that converts existing unguided free-fall bombs into precision-guided "smart" munitions. By adding a new tail section containing Inertial Navigation System (INS)/Global Positioning System (GPS) guidance to existing inventories of BLU-109, BLU-111, and BLU-117, or MK-84 and MK-82 bombs, the cost effective JDAM provides highly accurate weapon delivery in any "flyable" weather. The INS, using updates from the GPS, helps guide the bomb to the target via the use of movable tail fins. The bomb is fitted with the MXU-650 airfoil and the MAU-169 L/B Computer Control Group (CCG) or the MAU-210E/B to guide to its laser-designated target. The JDAM All Up Round (AUR) and all of its components are UNCLASSIFIED; technical data for IDAM are classified up to SECRET. Weapon accuracy is dependent on target coordinates and present position as entered into the guidance control unit. After weapon release, movable tail fins guide the weapon to the target coordinates.

2. The KMU-556 F/B, KMU-557 F/B and the KMU-572 F/B are the tail kits for the GBU-31. They contain a GPS Receiver Card with Selective Availability Anti-Spoofing Module (SAASM). Information revealing SAASM implementation details such as number or length of keying variables, circuit diagrams, specific quantitative measures, functions, and capabilities is

classified SECRET.

3. The DSU-38A/B Laser Sensor uses both GPS-aided inertial navigations and/or Laser guidance to execute threat targets. The Laser sensor enhances standard JDAM's reactive target capability by allowing rapid prosecution of fixed targets with large initial target location errors (TLE). The DSU-38A/B Laser sensor also provides the additional capability to engage mobile targets moving up to 70 mph. The DSU-38 Laser sensor is a strap down (nongimbaled) sensor that attaches to the Mk-82 or BLU-111 bomb body in the forward fuze well. The addition of the DSU-38 Laser sensor combined with

additional cabling and mounting hardware turns a standard GBU-38 JDAM into a GBU-54 Laser JDAM. Information revealing target designation tactics and associated aircraft maneuvers, the probability of destroying specific/peculiar targets, vulnerabilities regarding countermeasures and the electromagnetic environment is classified SECRET. Information revealing the probability of destroying common/unspecified targets, the number of simultaneous lasers the laser seeker head can discriminate, and data on the radar/infra-red frequency is classified CONFIDENTIAL.

4. The FMU-152 fuze is a Multi-Delay, Multi-Arm and Proximity Sensor compatible with General Purpose Blast, Fragmentation and Hardened-Target Penetrator Warheads. It is cockpit selectable in-flight (prior to release) when used with JDAMS weapons. It can interface with the following weapons: GBU-10, GBU-12, GBU-15, GBU-16, GBU-24, GBU-27, GBU-28, GBU-31, GBU-32, GBU-38, and AGM-130.

5. If a technologically advanced adversary obtained knowledge of the specific hardware and software elements, the information could be used to develop countermeasures which might reduce weapon system effectiveness or be used in the development of a system with similar or advanced capabilities.

6. A determination has been made that NSPA and the participating countries can provide substantially the same degree of protection for the sensitive technology being released as the U.S. Government. This sale is necessary in furtherance of the U.S. foreign policy and national security objectives outlined in the Policy Justification.

7. All defense articles and services listed in this transmittal have been authorized for release and export to NATO, Belgium, Czech Republic, Denmark, Greece, Netherlands, Norway, Portugal, and Spain.

[FR Doc. 2016–20122 Filed 8–22–16; 8:45 am]

BILLING CODE 5001-06-P

DEPARTMENT OF DEFENSE

Office of the Secretary

[Transmittal No. 16-50]

36(b)(1) Arms Sales Notification

AGENCY: Defense Security Cooperation Agency, Department of Defense.

ACTION: Notice.

SUMMARY: The Department of Defense is publishing the unclassified text of a