the limitation on the extent to which this exemption may be asserted. The existence and general character of the information exempted will be made known to the individual to whom it pertains.

(6) Partner Vetting System. This system is exempt under 5 U.S.C. 552a(k)(1), (k)(2), and (k)(5) from the provision of 5 U.S.C. 552a(c)(3); (d); (e)(1); (e)(4)(G), (H), (I); and (f). These exemptions are claimed to protect the materials required by executive order to be kept secret in the interest of national defense or foreign policy, to prevent subjects of investigation from frustrating the investigatory process, to insure the proper functioning and integrity of law enforcement activities, to prevent disclosure of investigative techniques, to maintain the ability to obtain candid and necessary information, to fulfill commitments made to sources to protect the confidentiality of information, to avoid endangering these sources, and to facilitate proper selection or continuance of the best applicants or persons for a given position or contract.

Dated: December 12, 2016.

Alecia Sillah,

Chief, Information and Records Division (acting), FOIA Public Liaison/Agency Records Officer, U.S. Agency for International Development.

[FR Doc. 2016–30413 Filed 12–21–16; 8:45 am] BILLING CODE P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2016-1039]

Drawbridge Operation Regulation; Sloop Channel, Nassau, NY

AGENCY: Coast Guard, DHS. **ACTION:** Notice of deviation from drawbridge regulation.

SUMMARY: The Coast Guard has issued a temporary deviation from the operating schedule that governs the Wantagh Parkway Bridge, mile 15.4 and the Meadowbrook State Parkway Bridge, mile 12.8, both across Sloop Channel, at Nassau, New York. This temporary deviation is necessary to facilitate public safety during a public event, the Jones Beach State Park U.S. Air Force Thunderbirds Air Show. This deviation allows the bridges to remain in the closed position during the public event. DATES: This deviation is effective from 4 p.m. on May 27, 2017 to 7 p.m. on May 28, 2017.

ADDRESSES: The docket for this deviation, [USCG-2016-1039] is available at *http://www.regulations.gov.* Type the docket number in the "SEARCH" box and click "SEARCH". Click on Open Docket Folder on the line associated with this deviation.

FOR FURTHER INFORMATION CONTACT: If you have questions on this temporary deviation, call or email Ms. Judy K. Leung-Yee, Project Officer, First Coast Guard District, telephone (212) 514– 4330, email *judy.k.leung-yee@uscg.mil*.

SUPPLEMENTARY INFORMATION: New York State Office of Parks, Recreation and Historic Preservation requested and the bridge owner for both bridges, the State of New York Department of Transportation, concurred with this temporary deviation from the normal operating schedule to facilitate public safety at the Jones Beach State Park U.S. Air Force Thunderbirds Air Show.

The Wantagh Parkway Bridge, mile 15.4, across Sloop Channel has a vertical clearance in the closed position of 16 feet at mean high water and 19.5 feet at mean low water. The existing bridge operating regulations are found at 33 CFR 117.5.

The Meadowbrook State Parkway Bridge, mile 12.8, across Sloop Channel has a vertical clearance in the closed position of 22 feet at mean high water and 25 feet at mean low water. The existing bridge operating regulations are found at 33 CFR 117.799(h).

Sloop Channel is transited by commercial fishing and recreational vessel traffic.

Under this temporary deviation, the Wantagh Parkway and the Meadowbrook State Parkway Bridges may remain in the closed position between 4 p.m. and 7 p.m. on May 27, 2017 and between 4 p.m. and 7 p.m. on May 28, 2017.

Vessels able to pass under the bridge in the closed position may do so at any time. The bridges will not be able to open for emergencies and there are no immediate alternate routes for vessels to pass.

The Coast Guard will also inform the users of the waterways through our Local and Broadcast Notices to Mariners of the change in operating schedule for the bridge so that vessels can arrange their transits to minimize any impact caused by the temporary deviation.

In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the effective period of this temporary deviation. This deviation from the operating regulations is authorized under 33 CFR 117.35. Dated: December 19, 2016. **C.J. Bisignano,** Supervisory Bridge Management Specialist, First Coast Guard District. [FR Doc. 2016–30866 Filed 12–21–16; 8:45 am] **BILLING CODE 9110–04–P**

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2016-1063]

Drawbridge Operation Regulation; Reynolds Channel, Nassau County, NY

AGENCY: Coast Guard, DHS. **ACTION:** Notice of deviation from drawbridge regulation.

SUMMARY: The Coast Guard has issued a temporary deviation from the operating schedule that governs the Long Beach Bridge, mile 4.7, across Reynolds Channel, at Nassau County, New York. This temporary deviation is necessary to temporarily increase staffing flexibility. This deviation allows the bridge to be opened with a four-hour advanced notice during the hours of 5 p.m. on December 23, 2016, to 7 a.m. on December 30, 2016, to 7 a.m. on January 2, 2017.

DATES: This deviation is effective from 5 p.m. on December 23, 2016 to 7 a.m. on January 2, 2017.

ADDRESSES: The docket for this deviation, [USCG-2016-1063] is available at *http://www.regulations.gov.* Type the docket number in the "SEARCH" box and click "SEARCH". Click on Open Docket Folder on the line associated with this deviation.

FOR FURTHER INFORMATION CONTACT: If you have questions on this temporary deviation, call or email Ms. Judy K. Leung-Yee, Project Officer, First Coast Guard District, telephone (212) 514– 4330, email *judy.k.leung-yee@uscg.mil.* **SUPPLEMENTARY INFORMATION:** The Long Beach Bridge, mile 4.7, across Reynolds Channel has a vertical clearance in the closed position of 22 feet at mean high water and 24 feet at mean low water. The existing bridge operating regulations are found at 33 CFR 117.799(g).

Reynolds Channel is transited by commercial and recreational traffic.

The bridge owner, Nassau County Department of Public Works, requested a temporary deviation from the normal operating schedule to increase staffing flexibility during this period. Historical data shows the bridge has not received a request to open during these dates and times in the last three years.

Under this temporary deviation, the Long Beach Bridge shall open on signal from 5 p.m. on December 23, 2016, to 7 a.m. on December 26, 2016 and from 5 p.m. on December 30, 2016, to 7 a.m. on January 2, 2017, if at least four-hour advance notice is given by calling the number posted at the bridge.

Vessels able to pass under the bridge in the closed position may do so at anytime. The bridge will not be able to immediately open for emergencies and there are no alternate routes for vessels to pass.

The Coast Guard will also inform the users of the waterways through our Local and Broadcast Notices to Mariners of the change in operating schedule for the bridge so that vessels can arrange their transits to minimize any impact caused by the temporary deviation.

This deviation from the operating regulations is authorized under 33 CFR 117.35. In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the effective period of this temporary deviation.

Dated: December 19, 2016.

C.J. Bisignano,

Supervisory Bridge Management Specialist, First Coast Guard District.

[FR Doc. 2016-30864 Filed 12-21-16; 8:45 am] BILLING CODE 9110-04-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2016-1038]

Drawbridge Operation Regulation; Harlem River, New York, NY

AGENCY: Coast Guard, DHS. **ACTION:** Notice of deviation from drawbridge regulation.

SUMMARY: The Coast Guard has issued a temporary deviation from the operating schedule that governs the 125 Street (Triborough) Bridge across the Harlem River, mile 1.3, at New York, New York. This deviation is necessary to allow the bridge owner to facilitate rehabilitation of the mechanical and electrical components of the bridge. This deviation allows the bridge to remain in the closed position for the duration of the rehabilitation project.

DATES: This deviation is effective from January 17, 2017 through May 15, 2017.

ADDRESSES: The docket for this deviation, [USCG-2016-1038] is available at http://www.regulations.gov. Type the docket number in the "ŠEARCH" box and click "SEARCH". Click on Open Docket Folder on the line associated with this deviation.

FOR FURTHER INFORMATION CONTACT: If vou have questions on this temporary deviation, call or email Joe M. Arca, Project Officer, First Coast Guard District, telephone (212) 514-4336, email joe.m.arca@uscg.mil.

SUPPLEMENTARY INFORMATION: The 125 Street (Triborough) Bridge, mile 1.3, across the Harlem River, has a vertical clearance in the closed position of 54 feet at mean high water and 59 feet at mean low water. The existing bridge operating regulations are found at 33 CFR 117.789(b)(1).

The waterway is transited by commercial tugs, barges and recreational vessels. There have been no requests for bridge openings in the last two years.

The bridge owner, Triborough Bridge and Tunnel Authority (TBTA), requested a temporary deviation from the normal operating schedule to facilitate rehabilitation of the mechanical and electrical components of the bridge.

Under this temporary deviation, the 125 Street Bridge may remain in the closed position from January 17, 2017 through May 15, 2017.

Vessels able to pass through the bridge in the closed position may do so at any time. The bridge will not be able to open for emergencies and there is an alternate route for vessels to pass.

The Coast Guard will inform the users of the waterways through our Local and Broadcast Notices to Mariners of the change in operating schedule for the bridge so that vessel operations can arrange their transits to minimize any impact caused by the temporary deviation. The Coast Guard notified known companies of the commercial vessels, NYPD, and FDNY in the area and they have no objections to the temporary deviation.

In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the effective period of this temporary deviation. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: December 15, 2016.

C.J. Bisignano,

Supervisory Bridge Management Specialist, First Coast Guard District.

[FR Doc. 2016-30858 Filed 12-21-16; 8:45 am] BILLING CODE 9110-04-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 52

[EPA-R09-OAR-2016-0322; FRL-9955-16-Region 9]

Approval and Limited Approval and Limited Disapproval of California State Implementation Plan Revisions; Butte **County Air Quality Management District: Stationary Source Permits**

AGENCY: Environmental Protection Agency (EPA). **ACTION:** Final rule.

SUMMARY: The Environmental Protection Agency (EPA) is finalizing action on three permitting rules submitted as a revision to the Butte County Air Quality Management District (BCAQMD) portion of the California State Implementation Plan (SIP). We are finalizing a limited approval and limited disapproval of one rule; we are finalizing approval of two permitting rules; and we are deleting ten rules from the SIP. These revisions concern the District's New Source Review (NSR) permitting program for new and modified sources of air pollution. This limited disapproval will trigger sanctions under CAA section 179 and 40 CFR 52.31 unless the EPA approves subsequent SIP revisions that correct the rule deficiencies within 18 months of the effective date of the final action. DATES: This rule will be effective on January 23, 2017.

ADDRESSES: The EPA has established a docket for this action under Docket No. EPA-R09-OAR-2016-0322. All documents in the docket are listed on the http://www.regulations.gov Web site. Although listed in the index, some information is not publicly available, *e.g.*, CBI or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, is not placed on the Internet and will be publicly available only in hard copy form. Publicly available docket materials are available through http:// www.regulations.gov, or please contact the person identified in the FOR FURTHER **INFORMATION CONTACT** section for additional availability information.

FOR FURTHER INFORMATION CONTACT:

Thien Khoi Nguyen, EPA Region IX, (415) 947-4120, nguyen.thien@epa.gov.

SUPPLEMENTARY INFORMATION:

Throughout this document, the terms "we," "us," and "our" refer to EPA.

Table of Contents

I. Proposed Action