

electronically to *Research Partnerships@hud.gov* or mail to Department of Housing and Urban Development, Office of University Partnerships, 451 7th Street SW., Room 8226, Washington, DC 20410, ATTENTION: Research Partnerships.

B. Content and Form of Proposal Submission. Proposals should contain sufficient information for PD&R to identify whether the research would meet statutory requirements for cost sharing and alignment with the research priorities identified in Section II of this Notice. At a minimum, proposals must include:

1. *Proposal Abstract.* Applicants should provide a Proposal Abstract with the project title, the names and affiliations of all investigators, a summary of the objectives, study design and expected results, and the total funds requested.

2. *Points of Contact.* Applicants should clearly identify the name of the entity(s) submitting the proposal and detailed contact information for the point of contact;

3. *Key Personnel.* Applicants should provide information on key personnel that will be engaged with the project. HUD will assess the qualifications of key personnel to carry out the proposed study as evidenced by academic and professional background, publications, and recent (within the past 5 years) research experience. The proposed Principal Investigator must directly represent and be compensated directly by the applicant for his or her role in the proposed study. Publications and/or research experience are considered relevant if they required the acquisition and use of knowledge and skills that can be applied in the planning and execution of the technical study that is proposed.

4. *Research Proposal Description.* Applicants should provide a clear description of the research project, including the methodology being used, and its alignment with the PD&R research priorities identified. Specific components should include:

a. Clearly and thoroughly describe your proposed study and its design, and identify the major objectives;

b. The study should be presented as a logical sequence of steps or phases with individual tasks described for each phase;

c. Your narrative should reflect the relevant literature, which should be thoroughly cited in your application. Your proposed study will be judged in part on the soundness of the underlying body of research upon which it is based and the clarity and soundness of your

summary and interpretation of this research base;

d. Describe the methodological and statistical basis for your study design and demonstrate that you would have adequate statistical power to test your stated hypotheses and achieve your study objectives;

e. Discuss your plans for data management, analysis, and archiving;

f. You should identify any important "decision points" in your study plan;

g. You should describe/list deliverables and associated timeframes; and

h. You should demonstrate that it is clearly feasible to complete the study within the proposed period of performance and successfully achieve your objectives.

5. *Budget.* Applicants should provide a detailed budget with line items including the amount of the HUD share and the contributions of any partners (cost sharing component) and/or the submitting institution. HUD strongly encourages using form HUD-424CBW to detail your budget request. The form is available at: <https://www.hudexchange.info/resource/304/hud-form-424cbw/>. Proposals for research partnerships that have already been to HUD as part of a grant competition are ineligible as the subject of a non-competitive cooperative agreement.

C. Review and Selection Process.

1. Proposals that meet all the threshold requirements will be eligible for review and rating.

2. Proposals will be reviewed by individuals who are knowledgeable in the field covered by the research proposal.

3. As required by the statutory authority within the appropriations bill, HUD will report each award provided through a cooperative agreement in the Federal Funding Accountability and Transparency Act Sub-award Reporting System created under the Federal Funding Accountability and Transparency Act of 2006.

Dated: June 15, 2017.

Matthew E. Ammon,

General Deputy Assistant Secretary for Policy Development and Research.

[FR Doc. 2017-12948 Filed 6-20-17; 8:45 am]

BILLING CODE 4210-67-P

DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

[Docket No. FR-6024-N-01]

Notice of Annual Factors for Determining Public Housing Agency Administrative Fees for the Section 8 Housing Choice Voucher, Mainstream, and Moderate Rehabilitation Programs

AGENCY: Office of the Assistant Secretary for Public and Indian Housing, HUD.

ACTION: Notice.

SUMMARY: This Notice announces the monthly per unit fee rates for use in determining the on-going administrative fees for housing agencies administering the Housing Choice Voucher (HCV), 5 Year Mainstream, and Moderate Rehabilitation programs, including Single Room Occupancy, during calendar year (CY) 2017.

DATES: *Effective Date:* January 1, 2017.

FOR FURTHER INFORMATION CONTACT: Miguel Fontanez, Director, Housing Voucher Financial Management Division, Office of Public Housing and Voucher Programs, Office of Public and Indian Housing, Department of Housing and Urban Development, Room 4222, 451 Seventh Street SW., Washington, DC 20410-8000, telephone number 202-402-2934. (This is not a toll-free number). Hearing or speech impaired individuals may call TTY number 1 (800) 877-8337.

SUPPLEMENTARY INFORMATION:

A. Background

This Notice provides the Department's methodology used to determine the CY 2017 administrative fee rates by area, which the Office of Housing Voucher Programs (OHVP) will use to compensate public housing agencies (PHA) for administering the HCV programs.

B. CY 2017 Methodology

For CY 2017, in accordance with the Consolidated Appropriation Act, 2017 (Pub. L. 115-31), administrative fees will be earned on the basis of vouchers leased as of the first day of each month. This data will be extracted from the Voucher Management System (VMS) at the close of each reporting cycle and validated prior to use.

Two fee rates are provided for each PHA. The first rate, Column A, applies to the first 7200 voucher unit months leased in CY 2017. The second rate, Column B, applies to all remaining voucher unit months leased in CY 2017.

The fee rates established for CY 2017, using the standard procedures, in some

cases resulted in fee rates lower than those established for CY 2016. In those cases, the affected PHAs are being held harmless at the CY 2016 fee rates.

The fee rates for each PHA are generally those rates covering the fee areas in which each PHA has the greatest proportion of its participants, based on Public Housing Information Center (PIC) data submitted by the PHA. In some cases, PHAs have participants in more than one fee area. If such a PHA so chooses, the PHA may request that the Department establish a blended fee rate schedule that will consider proportionately all areas in which participants are located. Once a blended rate schedule is established, it will be used to determine the PHA's fee eligibility for all months in CY 2017. The PHAs were advised via PIH Notice 2017-07, and other electronic communications on June 9 and June 13, 2017, about the terms for applying for blended fee rates and the deadline date for submitting such requests.

PHAs that operate over a large geographic area, defined as multiple counties, may request a higher administrative fee rate if eligible under the circumstance. The PHAs were advised via PIH Notice 2017-07, and via electronic communication on June 13, 2017, about the terms for applying for higher fee rates and the deadline date for submitting such requests. This information will also be described in the CY 2017 funding implementation notice.

Accordingly, the Department issues the monthly per voucher unit fee rates to be used to determine PHA administrative fee eligibility for the programs identified in this Notice. These fee rates are posted on HUD's Web site at: http://portal.hud.gov/hudportal/HUD?src=/program_offices/public_indian_housing/programs/hcv.., under Program Related Information.

Any questions concerning this Notice should be directed to the PHA's assigned representative at the Financial Management Center or to the Financial Management Division at PIH.Financial.Management.Division@hud.gov.

C. MTW Agencies

Where an MTW Agency has an alternative formula for calculating HCV Administrative Fees in Attachment A of their MTW Agreements, HUD will continue to calculate the HCV Administrative Fees in accordance with that MTW Agreement provision.

Dated: June 15, 2017.
Jemine A. Bryon,
General Deputy Assistant Secretary for Public and Indian Housing.

PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate
AK901	\$94.54	\$88.24	AR024	64.27	59.98
AL001	63.85	59.59	AR031	62.38	58.22
AL002	64.86	60.54	AR033	59.67	55.69
AL004	63.01	58.81	AR034	62.38	58.22
AL005	65.15	60.80	AR035	59.67	55.69
AL006	63.01	58.81	AR037	59.67	55.69
AL007	63.01	58.81	AR039	59.67	55.69
AL008	62.21	58.06	AR041	68.06	63.53
AL011	62.21	58.06	AR042	62.38	58.22
AL012	63.01	58.81	AR045	59.67	55.69
AL014	62.21	58.06	AR052	59.67	55.69
AL047	64.87	60.56	AR059	59.67	55.69
AL048	63.01	58.81	AR066	59.67	55.69
AL049	63.01	58.81	AR068	59.67	55.69
AL050	63.01	58.81	AR082	59.67	55.69
AL052	62.21	58.06	AR104	62.38	58.22
AL053	62.21	58.06	AR117	59.67	55.69
AL054	63.01	58.81	AR121	59.67	55.69
AL060	62.21	58.06	AR131	62.38	58.22
AL061	63.01	58.81	AR135	59.67	55.69
AL063	63.85	59.59	AR152	59.67	55.69
AL068	63.01	58.81	AR161	59.67	55.69
AL069	63.85	59.59	AR163	62.38	58.22
AL072	63.85	59.59	AR166	59.67	55.69
AL073	62.36	58.19	AR170	68.06	63.53
AL075	62.21	58.06	AR175	68.06	63.53
AL077	63.01	58.81	AR176	59.67	55.69
AL086	63.85	59.59	AR177	59.67	55.69
AL090	62.21	58.06	AR181	62.38	58.22
AL091	62.21	58.06	AR194	62.38	58.22
AL099	62.21	58.06	AR197	59.67	55.69
AL105	62.21	58.06	AR200	59.67	55.69
AL107	62.21	58.06	AR210	59.67	55.69
AL112	62.21	58.06	AR211	59.67	55.69
AL114	62.21	58.06	AR213	59.67	55.69
AL115	62.21	58.06	AR214	59.67	55.69
AL116	62.21	58.06	AR215	59.67	55.69
AL118	62.21	58.06	AR219	68.06	63.53
AL121	62.21	58.06	AR223	59.67	55.69
AL124	62.36	58.19	AR224	59.67	55.69
AL125	63.85	59.59	AR225	59.67	55.69
AL129	63.01	58.81	AR232	62.38	58.22
AL131	63.01	58.81	AR240	59.67	55.69
AL138	63.01	58.81	AR241	62.38	58.22
AL139	63.01	58.81	AR247	59.67	55.69
AL152	63.01	58.81	AR252	68.06	63.53
AL154	62.21	58.06	AR257	59.67	55.69
AL155	62.21	58.06	AR264	64.27	59.98
AL160	62.21	58.06	AR265	59.67	55.69
AL165	65.80	61.42	AR266	59.67	55.69
AL169	64.86	60.54	AZ001	68.71	64.12
AL171	62.21	58.06	AZ003	68.71	64.12
AL172	63.01	58.81	AZ004	67.92	63.39
AL174	62.21	58.06	AZ005	68.71	64.12
AL177	62.21	58.06	AZ006	75.12	70.12
AL181	62.21	58.06	AZ008	54.47	50.84
AL192	62.21	58.06	AZ009	68.71	64.12
AL202	64.86	60.54	AZ010	68.71	64.12
AR002	68.06	63.53	AZ013	76.33	71.24
AR003	62.38	58.22	AZ021	68.71	64.12
AR004	68.06	63.53	AZ023	57.39	53.57
AR006	68.06	63.53	AZ025	67.92	63.39
AR010	59.67	55.69	AZ028	68.71	64.12
AR012	59.67	55.69	AZ031	68.71	64.12
AR015	61.30	57.22	AZ032	68.71	64.12
AR016	59.67	55.69	AZ033	67.92	63.39
AR017	62.38	58.22	AZ034	56.45	52.68
AR020	59.68	55.70	AZ035	76.33	71.24
			AZ037	56.45	52.68
			AZ041	75.12	70.12
			AZ043	91.99	85.87
			AZ045	56.44	52.68
			AZ880	68.71	64.12

PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate
AZ901	75.12	70.12	CA111	117.52	109.70	CT024	78.30	73.08
C0921	72.68	67.84	CA114	117.52	109.70	CT026	89.13	83.18
CA001	117.52	109.70	CA116	105.08	98.06	CT027	94.56	88.26
CA002	117.52	109.70	CA117	117.52	109.70	CT028	89.13	83.18
CA003	117.52	109.70	CA118	117.52	109.70	CT029	98.24	91.69
CA004	117.52	109.70	CA119	117.52	109.70	CT030	94.56	88.26
CA005	89.25	83.30	CA120	117.52	109.70	CT031	78.30	73.08
CA006	81.89	76.42	CA121	117.52	109.70	CT032	89.13	83.18
CA007	89.25	83.30	CA123	117.52	109.70	CT033	89.13	83.18
CA008	89.56	83.59	CA125	102.03	95.22	CT036	89.13	83.18
CA009	93.76	87.51	CA126	117.52	109.70	CT038	89.13	83.18
CA010	117.52	109.70	CA128	89.25	83.30	CT039	89.13	83.18
CA011	117.52	109.70	CA131	102.03	95.22	CT040	89.13	83.18
CA014	117.52	109.70	CA132	105.08	98.06	CT041	89.13	83.18
CA019	93.76	87.51	CA136	117.52	109.70	CT042	98.24	91.69
CA021	114.76	107.09	CA143	85.21	79.53	CT047	80.21	74.86
CA022	93.76	87.51	CA144	78.25	73.04	CT048	89.13	83.18
CA023	76.94	71.82	CA149	89.25	83.30	CT049	89.13	83.18
CA024	85.64	79.94	CA151	89.25	83.30	CT051	89.13	83.18
CA026	86.24	80.48	CA155	105.08	98.06	CT052	94.56	88.26
CA027	93.76	87.51	CO001	72.68	67.84	CT053	89.13	83.18
CA028	81.89	76.42	CO002	67.14	62.66	CT058	78.30	73.08
CA030	76.36	71.28	CO005	74.90	69.91	CT061	78.30	73.08
CA031	117.52	109.70	CO006	64.12	59.84	CT063	98.24	91.69
CA032	117.52	109.70	CO016	82.48	76.97	CT067	98.24	91.69
CA033	101.25	94.49	CO019	72.68	67.84	CT068	89.13	83.18
CA035	117.52	109.70	CO024	64.12	59.84	CT901	89.13	83.18
CA039	85.21	79.53	CO028	67.80	63.28	DC001	109.86	102.54
CA041	102.03	95.22	CO031	64.12	59.84	DC880	109.86	102.54
CA043	78.70	73.45	CO034	78.15	72.95	DE001	87.60	81.76
CA044	89.25	83.30	CO035	67.39	62.91	DE002	77.36	72.20
CA048	67.53	63.03	CO036	72.68	67.84	DE003	87.60	81.76
CA052	117.52	109.70	CO040	99.01	92.42	DE005	87.60	81.76
CA053	73.91	68.98	CO041	78.15	72.95	DE901	77.36	72.20
CA055	102.03	95.22	CO043	74.90	69.91	FL001	69.40	64.77
CA056	117.52	109.70	CO045	64.12	59.84	FL002	73.26	68.37
CA058	117.52	109.70	CO048	72.68	67.84	FL003	73.26	68.37
CA059	117.52	109.70	CO049	72.68	67.84	FL004	76.52	71.41
CA060	117.52	109.70	CO050	72.68	67.84	FL005	99.42	92.80
CA061	78.25	73.04	CO051	85.02	79.36	FL007	73.44	68.55
CA062	117.52	109.70	CO052	72.68	67.84	FL008	80.41	75.05
CA063	105.08	98.06	CO057	72.68	67.84	FL009	77.64	72.46
CA064	101.74	94.95	CO058	72.68	67.84	FL010	93.09	86.88
CA065	102.03	95.22	CO061	82.48	76.97	FL011	60.98	56.91
CA066	102.03	95.22	CO070	82.48	76.97	FL013	102.09	95.30
CA067	117.52	109.70	CO071	67.80	63.28	FL015	65.21	60.85
CA068	117.52	109.70	CO072	72.68	67.84	FL017	99.42	92.80
CA069	81.89	76.42	CO079	74.90	69.91	FL018	59.57	55.60
CA070	71.62	66.84	CO087	99.01	92.42	FL019	70.64	65.94
CA071	117.52	109.70	CO090	67.39	62.91	FL020	70.64	65.94
CA072	117.52	109.70	CO095	94.68	88.37	FL021	77.64	72.46
CA073	102.03	95.22	CO101	64.12	59.84	FL022	73.44	68.55
CA074	117.52	109.70	CO103	78.15	72.95	FL023	80.41	75.05
CA075	117.52	109.70	CO888	67.14	62.66	FL024	73.44	68.55
CA076	114.76	107.09	CO911	72.68	67.84	FL025	70.64	65.94
CA077	105.08	98.06	CT001	94.56	88.26	FL026	60.98	56.91
CA079	117.52	109.70	CT002	101.36	94.61	FL028	93.09	86.88
CA082	117.52	109.70	CT003	89.13	83.18	FL030	73.44	68.55
CA084	84.34	78.72	CT004	98.24	91.69	FL031	59.38	55.42
CA085	114.62	106.99	CT005	89.13	83.18	FL032	60.04	56.03
CA086	80.61	75.23	CT006	80.21	74.86	FL033	76.52	71.41
CA088	114.62	106.99	CT007	101.36	94.61	FL034	73.26	68.37
CA092	117.52	109.70	CT008	89.13	83.18	FL035	59.57	55.60
CA093	117.52	109.70	CT009	89.13	83.18	FL037	69.40	64.77
CA094	117.52	109.70	CT010	78.30	73.08	FL041	78.05	72.85
CA096	81.89	76.42	CT011	98.24	91.69	FL045	78.05	72.85
CA102	117.52	109.70	CT013	89.13	83.18	FL046	59.57	55.60
CA103	117.52	109.70	CT015	94.56	88.26	FL047	77.02	71.90
CA104	117.52	109.70	CT017	94.56	88.26	FL049	59.38	55.42
CA105	117.52	109.70	CT018	87.49	81.66	FL053	60.04	56.03
CA106	81.89	76.42	CT019	101.36	94.61	FL057	59.38	55.42
CA108	105.08	98.06	CT020	101.36	94.61	FL060	75.01	70.01
CA110	117.52	109.70	CT023	89.13	83.18	FL062	73.26	68.37

PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate
FL063	65.84	61.45	IA030	63.16	58.95	IL059	58.47	54.57
FL066	99.42	92.80	IA038	73.91	68.98	IL061	59.16	55.21
FL068	99.42	92.80	IA042	63.16	58.95	IL074	63.72	59.46
FL069	59.57	55.60	IA045	70.55	65.85	IL076	58.47	54.57
FL070	65.84	61.45	IA047	63.16	58.95	IL079	58.47	54.57
FL071	60.98	56.91	IA049	63.16	58.95	IL082	58.47	54.57
FL072	73.44	68.55	IA050	73.91	68.98	IL083	67.08	62.60
FL073	65.21	60.85	IA054	63.16	58.95	IL084	62.02	57.88
FL075	73.26	68.37	IA056	63.16	58.95	IL085	59.69	55.72
FL079	93.09	86.88	IA057	63.16	58.95	IL086	62.02	57.88
FL080	77.64	72.46	IA084	63.16	58.95	IL087	58.47	54.57
FL081	93.09	86.88	IA087	68.13	63.59	IL088	58.47	54.57
FL083	77.64	72.46	IA098	66.55	62.12	IL089	74.02	69.09
FL092	60.04	56.03	IA100	63.16	58.95	IL090	93.41	87.17
FL093	76.52	71.41	IA107	63.16	58.95	IL091	58.47	54.57
FL102	59.57	55.60	IA108	63.16	58.95	IL092	93.41	87.17
FL104	73.26	68.37	IA113	73.91	68.98	IL095	68.57	64.00
FL105	80.41	75.05	IA114	63.16	58.95	IL096	58.47	54.57
FL106	76.52	71.41	IA117	67.39	62.90	IL101	93.41	87.17
FL109	59.38	55.42	IA119	63.16	58.95	IL103	93.41	87.17
FL110	59.57	55.60	IA120	76.04	70.98	IL104	73.76	68.84
FL113	73.44	68.55	IA122	63.16	58.95	IL107	93.41	87.17
FL116	93.09	86.88	IA124	63.16	58.95	IL116	93.41	87.17
FL119	77.64	72.46	IA125	63.16	58.95	IL117	65.60	61.23
FL123	74.91	69.92	IA126	70.55	65.85	IL120	58.47	54.57
FL128	77.02	71.90	IA127	63.16	58.95	IL122	67.08	62.60
FL132	77.76	72.60	IA128	63.16	58.95	IL123	58.47	54.57
FL136	93.09	86.88	IA129	63.16	58.95	IL124	73.76	68.84
FL137	73.26	68.37	IA130	63.16	58.95	IL126	59.05	55.12
FL139	60.98	56.91	IA131	76.04	70.98	IL130	93.41	87.17
FL141	80.15	74.81	IA132	73.91	68.98	IL131	70.55	65.85
FL144	102.09	95.30	IA136	63.44	59.21	IL136	93.41	87.17
FL145	99.42	92.80	ID005	63.82	59.56	IL137	94.21	87.92
FL147	59.57	55.60	ID013	79.30	74.02	IL901	93.41	87.17
FL201	76.52	71.41	ID016	79.30	74.02	IN002	50.20	46.85
FL202	59.38	55.42	ID021	79.30	74.02	IN003	55.64	51.94
FL881	99.42	92.80	ID901	69.01	64.42	IN004	51.82	48.37
FL888	73.26	68.37	IL002	93.41	87.17	IN005	51.82	48.37
GA001	65.15	60.80	IL003	73.76	68.84	IN006	61.51	57.41
GA002	65.15	60.80	IL004	67.22	62.73	IN007	54.12	50.52
GA004	65.15	60.80	IL006	65.83	61.45	IN009	50.20	46.85
GA006	79.43	74.12	IL009	70.55	65.85	IN010	67.92	63.40
GA007	65.15	60.80	IL010	70.55	65.85	IN011	67.92	63.40
GA009	65.15	60.80	IL011	59.05	55.12	IN012	59.53	55.56
GA010	79.43	74.12	IL012	63.60	59.36	IN015	54.76	51.11
GA011	79.43	74.12	IL014	69.94	65.28	IN016	53.77	50.19
GA023	65.15	60.80	IL015	63.72	59.46	IN017	61.51	57.41
GA062	65.15	60.80	IL016	58.47	54.57	IN018	50.20	46.85
GA078	79.43	74.12	IL018	70.55	65.85	IN019	53.65	50.07
GA095	79.43	74.12	IL020	70.55	65.85	IN020	54.76	51.11
GA116	79.43	74.12	IL022	67.08	62.60	IN021	51.82	48.37
GA188	79.43	74.12	IL024	93.41	87.17	IN022	55.13	51.47
GA228	79.43	74.12	IL025	93.41	87.17	IN023	59.53	55.56
GA232	79.43	74.12	IL026	93.41	87.17	IN025	59.53	55.56
GA237	79.43	74.12	IL028	67.22	62.73	IN026	53.76	50.18
GA264	79.43	74.12	IL030	63.72	59.46	IN029	67.92	63.40
GA269	79.43	74.12	IL032	69.94	65.28	IN031	50.20	46.85
GA285	65.15	60.80	IL034	65.83	61.45	IN032	51.10	47.70
GA901	79.43	74.12	IL035	69.94	65.28	IN035	51.82	48.37
GQ901	110.80	103.42	IL036	59.05	55.12	IN037	53.77	50.19
HI002	104.28	97.33	IL037	58.47	54.57	IN041	50.20	46.85
HI003	116.83	109.05	IL038	58.47	54.57	IN043	50.20	46.85
HI004	116.84	109.06	IL039	63.73	59.49	IN047	50.20	46.85
HI005	117.45	109.63	IL040	58.47	54.57	IN048	50.20	46.85
HI901	116.83	109.05	IL042	58.47	54.57	IN050	50.20	46.85
IA002	63.16	58.95	IL043	58.47	54.57	IN055	51.10	47.70
IA004	66.41	61.98	IL050	59.05	55.12	IN056	52.55	49.04
IA015	63.16	58.95	IL051	65.60	61.23	IN058	56.14	52.41
IA018	66.63	62.18	IL052	58.47	54.57	IN060	50.20	46.85
IA020	76.04	70.98	IL053	59.05	55.12	IN062	53.89	50.31
IA022	77.51	72.35	IL054	93.41	87.17	IN067	50.20	46.85
IA023	67.39	62.90	IL056	93.41	87.17	IN071	59.41	55.44
IA024	73.62	68.71	IL057	58.47	54.57	IN073	50.20	46.85

PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate
IN077	51.10	47.70	KY163	53.77	50.19	LA211	66.92	62.47
IN078	52.55	49.04	KY169	53.77	50.19	LA212	64.69	60.38
IN079	61.51	57.41	KY171	59.53	55.56	LA213	69.72	65.08
IN080	61.51	57.41	KY901	65.93	61.53	LA214	65.31	60.95
IN084	50.20	46.85	LA001	69.89	65.22	LA215	64.69	60.38
IN086	50.20	46.85	LA002	68.42	63.87	LA217	64.69	60.38
IN091	50.20	46.85	LA003	75.46	70.43	LA219	75.46	70.43
IN092	50.20	46.85	LA004	65.31	60.95	LA220	64.69	60.38
IN094	51.95	48.48	LA005	65.31	60.95	LA222	64.69	60.38
IN100	54.76	51.11	LA006	65.31	60.95	LA229	64.69	60.38
IN101	53.76	50.18	LA009	75.46	70.43	LA230	68.42	63.87
IN901	61.51	57.41	LA012	69.89	65.22	LA232	64.69	60.38
KS001	61.94	57.81	LA013	69.89	65.22	LA233	64.69	60.38
KS002	57.92	54.07	LA023	65.31	60.95	LA238	69.89	65.22
KS004	62.40	58.24	LA024	64.69	60.38	LA241	64.69	60.38
KS006	54.75	51.10	LA029	65.31	60.95	LA242	64.69	60.38
KS017	54.75	51.10	LA031	64.69	60.38	LA246	64.69	60.38
KS038	54.75	51.10	LA032	65.31	60.95	LA247	64.69	60.38
KS041	54.75	51.10	LA033	64.69	60.38	LA248	64.69	60.38
KS043	61.94	57.81	LA036	64.69	60.38	LA253	66.92	62.47
KS053	64.01	59.74	LA037	69.72	65.08	LA257	64.69	60.38
KS062	54.75	51.10	LA046	65.31	60.95	LA258	64.69	60.38
KS063	54.75	51.10	LA057	65.31	60.95	LA266	65.31	60.95
KS068	61.94	57.81	LA063	65.31	60.95	LA888	68.42	63.87
KS073	62.40	58.24	LA067	64.69	60.38	LA889	69.89	65.22
KS091	54.75	51.10	LA074	64.69	60.38	LA903	69.89	65.22
KS149	54.75	51.10	LA075	65.31	60.95	MA001	112.39	104.91
KS159	61.94	57.81	LA086	64.69	60.38	MA002	121.48	113.37
KS161	54.75	51.10	LA094	69.89	65.22	MA003	121.48	113.37
KS162	61.94	57.81	LA097	64.69	60.38	MA005	112.39	104.91
KS165	54.75	51.10	LA099	65.31	60.95	MA006	110.58	103.21
KS166	54.75	51.10	LA101	75.46	70.43	MA007	112.39	104.91
KS167	54.75	51.10	LA103	69.89	65.22	MA008	112.39	104.91
KS168	54.75	51.10	LA104	65.31	60.95	MA010	112.39	104.91
KS169	62.40	58.24	LA111	64.69	60.38	MA012	112.39	104.91
KS170	54.75	51.10	LA114	64.69	60.38	MA013	121.48	113.37
KY001	59.53	55.56	LA115	64.69	60.38	MA014	121.48	113.37
KY003	54.78	51.13	LA120	65.31	60.95	MA015	121.48	113.37
KY004	65.93	61.53	LA122	65.31	60.95	MA016	121.48	113.37
KY007	53.77	50.19	LA125	64.69	60.38	MA017	121.48	113.37
KY008	53.77	50.19	LA128	64.69	60.38	MA018	110.58	103.21
KY009	59.53	55.56	LA129	65.31	60.95	MA019	121.48	113.37
KY011	65.10	60.76	LA132	64.69	60.38	MA020	121.48	113.37
KY012	53.77	50.19	LA159	64.69	60.38	MA022	121.48	113.37
KY015	66.88	62.41	LA163	64.69	60.38	MA023	121.48	113.37
KY017	53.77	50.19	LA165	65.31	60.95	MA024	112.39	104.91
KY021	53.77	50.19	LA166	64.69	60.38	MA025	121.48	113.37
KY022	53.77	50.19	LA168	65.31	60.95	MA026	112.39	104.91
KY026	53.77	50.19	LA169	64.69	60.38	MA027	121.48	113.37
KY027	53.77	50.19	LA171	65.31	60.95	MA028	121.48	113.37
KY035	53.77	50.19	LA172	65.31	60.95	MA029	112.39	104.91
KY040	53.77	50.19	LA173	65.31	60.95	MA031	121.48	113.37
KY047	53.77	50.19	LA174	65.31	60.95	MA032	121.48	113.37
KY053	53.77	50.19	LA178	65.31	60.95	MA033	121.48	113.37
KY056	53.77	50.19	LA179	65.31	60.95	MA034	112.39	104.91
KY061	65.93	61.53	LA181	69.89	65.22	MA035	112.39	104.91
KY071	59.78	55.79	LA182	64.69	60.38	MA036	121.48	113.37
KY086	53.77	50.19	LA184	68.42	63.87	MA037	112.39	104.91
KY107	53.77	50.19	LA186	65.31	60.95	MA039	112.39	104.91
KY121	53.77	50.19	LA187	69.89	65.22	MA040	121.48	113.37
KY132	59.55	55.58	LA188	64.69	60.38	MA041	112.39	104.91
KY133	66.88	62.41	LA189	65.31	60.95	MA042	121.48	113.37
KY135	66.88	62.41	LA190	68.42	63.87	MA043	112.39	104.91
KY136	66.88	62.41	LA192	64.69	60.38	MA044	121.48	113.37
KY137	53.77	50.19	LA194	66.92	62.47	MA045	121.48	113.37
KY138	53.77	50.19	LA195	64.69	60.38	MA046	121.76	113.65
KY140	65.93	61.53	LA196	65.31	60.95	MA047	121.76	113.65
KY141	53.77	50.19	LA199	75.46	70.43	MA048	121.48	113.37
KY142	59.96	55.96	LA202	75.46	70.43	MA050	112.39	104.91
KY150	53.77	50.19	LA204	75.46	70.43	MA051	112.39	104.91
KY157	53.77	50.19	LA205	75.46	70.43	MA053	121.48	113.37
KY160	53.77	50.19	LA206	65.31	60.95	MA054	121.48	113.37
KY161	59.96	55.96	LA207	65.31	60.95	MA055	121.48	113.37

PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate
MA056	121.48	113.37	MA880	121.48	113.37	MI048	65.26	60.91
MA057	121.48	113.37	MA881	112.39	104.91	MI049	53.87	50.27
MA059	121.48	113.37	MA882	112.39	104.91	MI050	53.87	50.27
MA060	112.39	104.91	MA883	112.39	104.91	MI051	65.26	60.91
MA061	121.48	113.37	MA901	121.48	113.37	MI052	65.26	60.91
MA063	121.48	113.37	MD001	82.12	76.64	MI055	65.26	60.91
MA065	121.48	113.37	MD002	82.12	76.64	MI058	62.57	58.40
MA066	112.39	104.91	MD003	109.86	102.54	MI059	65.26	60.91
MA067	121.48	113.37	MD004	109.86	102.54	MI060	57.78	53.92
MA069	121.48	113.37	MD006	64.42	60.11	MI061	58.14	54.27
MA070	121.48	113.37	MD007	109.86	102.54	MI063	53.87	50.27
MA071	121.48	113.37	MD009	62.09	57.95	MI064	77.76	72.57
MA072	121.48	113.37	MD013	73.88	68.94	MI066	61.60	57.50
MA073	121.48	113.37	MD014	73.80	68.88	MI070	57.78	53.92
MA074	121.48	113.37	MD015	109.86	102.54	MI073	61.60	57.50
MA075	121.48	113.37	MD016	87.60	81.76	MI074	58.14	54.27
MA076	112.39	104.91	MD018	82.12	76.64	MI080	59.79	55.81
MA077	112.39	104.91	MD019	73.88	68.94	MI084	57.78	53.92
MA078	112.39	104.91	MD021	93.15	86.94	MI087	57.78	53.92
MA079	112.39	104.91	MD022	109.86	102.54	MI089	65.26	60.91
MA080	112.39	104.91	MD023	82.12	76.64	MI093	61.60	57.50
MA081	112.39	104.91	MD024	109.86	102.54	MI094	53.87	50.27
MA082	112.39	104.91	MD025	82.12	76.64	MI096	65.26	60.91
MA084	112.39	104.91	MD027	82.12	76.64	MI097	65.26	60.91
MA085	112.39	104.91	MD028	64.42	60.11	MI100	65.26	60.91
MA086	112.39	104.91	MD029	87.60	81.76	MI112	53.87	50.27
MA087	112.39	104.91	MD032	82.12	76.64	MI115	61.60	57.50
MA088	112.39	104.91	MD033	82.12	76.64	MI117	53.87	50.27
MA089	121.48	113.37	MD034	82.12	76.64	MI119	53.87	50.27
MA090	121.48	113.37	MD901	102.33	95.52	MI120	56.89	53.10
MA091	121.48	113.37	ME001	62.92	58.73	MI121	58.14	54.27
MA092	121.48	113.37	ME002	62.92	58.73	MI132	53.87	50.27
MA093	121.48	113.37	ME003	99.94	93.29	MI139	65.26	60.91
MA094	112.36	104.88	ME004	62.92	58.73	MI157	65.26	60.91
MA095	121.76	113.65	ME005	71.52	66.74	MI167	62.57	58.40
MA096	112.36	104.88	ME006	76.42	71.32	MI168	62.57	58.40
MA098	121.48	113.37	ME007	71.52	66.74	MI178	53.87	50.27
MA099	121.48	113.37	ME008	66.15	61.74	MI186	53.87	50.27
MA100	112.39	104.91	ME009	72.59	67.76	MI194	62.57	58.40
MA101	121.48	113.37	ME011	87.93	82.06	MI198	61.60	57.50
MA105	112.39	104.91	ME015	99.94	93.29	MI880	62.57	58.40
MA106	112.39	104.91	ME018	72.59	67.76	MI901	65.26	60.91
MA107	112.39	104.91	ME019	80.10	74.74	MN001	85.68	79.97
MA108	112.39	104.91	ME020	99.94	93.29	MN002	85.68	79.97
MA109	121.48	113.37	ME021	72.59	67.76	MN003	63.38	59.15
MA110	121.48	113.37	ME025	62.92	58.73	MN006	58.78	54.86
MA111	121.48	113.37	ME027	64.59	60.29	MN007	63.38	59.15
MA112	121.48	113.37	ME028	87.93	82.06	MN008	57.97	54.10
MA116	121.48	113.37	ME030	66.15	61.74	MN009	57.97	54.10
MA117	121.48	113.37	ME901	61.77	57.64	MN017	73.30	68.41
MA118	121.48	113.37	MI001	65.26	60.91	MN018	57.97	54.10
MA119	121.48	113.37	MI003	65.26	60.91	MN021	71.41	66.64
MA121	121.48	113.37	MI005	65.26	60.91	MN032	57.97	54.10
MA122	112.39	104.91	MI006	55.81	52.09	MN034	57.97	54.10
MA123	112.39	104.91	MI008	65.26	60.91	MN037	58.02	54.15
MA125	121.48	113.37	MI009	56.18	52.42	MN038	65.28	60.93
MA127	112.39	104.91	MI010	56.89	53.10	MN049	57.97	54.10
MA133	121.48	113.37	MI019	53.87	50.27	MN063	63.65	59.41
MA134	121.48	113.37	MI020	53.87	50.27	MN067	85.68	79.97
MA135	121.48	113.37	MI023	53.87	50.27	MN073	63.38	59.15
MA138	121.76	113.65	MI027	65.26	60.91	MN077	63.24	59.03
MA139	112.39	104.91	MI030	53.87	50.27	MN085	57.97	54.10
MA140	121.48	113.37	MI031	61.60	57.50	MN090	57.97	54.10
MA147	121.48	113.37	MI032	56.89	53.10	MN101	57.97	54.10
MA154	121.48	113.37	MI035	58.82	54.90	MN107	57.97	54.10
MA155	121.48	113.37	MI036	53.87	50.27	MN128	57.97	54.10
MA165	121.48	113.37	MI037	65.26	60.91	MN144	85.68	79.97
MA170	110.58	103.21	MI038	56.40	52.65	MN147	85.68	79.97
MA172	112.39	104.91	MI039	65.26	60.91	MN151	70.94	66.23
MA174	121.48	113.37	MI040	65.26	60.91	MN152	85.68	79.97
MA180	121.76	113.65	MI044	65.26	60.91	MN153	57.97	54.10
MA181	121.76	113.65	MI045	65.26	60.91	MN154	57.97	54.10
MA188	112.39	104.91	MI047	53.87	50.27	MN158	71.41	66.64

PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate
MN161	60.82	56.76	MO207	60.34	56.32	NC137	63.01	58.81
MN163	85.68	79.97	MO209	60.34	56.32	NC138	59.43	55.47
MN164	73.30	68.41	MO210	61.94	57.81	NC139	59.43	55.47
MN166	57.97	54.10	MO212	60.34	56.32	NC140	63.01	58.81
MN167	63.65	59.41	MO213	61.94	57.81	NC141	59.43	55.47
MN168	60.82	56.76	MO215	60.90	56.84	NC144	63.01	58.81
MN169	57.97	54.10	MO216	60.90	56.84	NC145	59.43	55.47
MN170	85.68	79.97	MO217	60.34	56.32	NC146	59.43	55.47
MN171	60.33	56.30	MO227	63.72	59.46	NC147	63.01	58.81
MN172	65.28	60.93	MS004	61.07	57.00	NC149	59.43	55.47
MN173	57.97	54.10	MS005	63.40	59.17	NC150	59.43	55.47
MN174	57.97	54.10	MS006	61.07	57.00	NC151	59.94	55.95
MN176	57.97	54.10	MS016	64.27	59.98	NC152	63.01	58.81
MN177	57.97	54.10	MS019	61.07	57.00	NC155	59.43	55.47
MN178	60.82	56.76	MS030	61.07	57.00	NC159	66.39	61.97
MN179	57.97	54.10	MS040	63.40	59.17	NC160	59.43	55.47
MN180	57.97	54.10	MS057	61.07	57.00	NC161	59.43	55.47
MN182	57.97	54.10	MS058	74.81	69.81	NC163	62.48	58.31
MN184	85.68	79.97	MS095	61.07	57.00	NC164	75.28	70.26
MN188	57.97	54.10	MS103	74.81	69.81	NC165	59.43	55.47
MN190	57.97	54.10	MS107	61.07	57.00	NC166	59.43	55.47
MN191	57.97	54.10	MS128	61.07	57.00	NC167	60.54	56.51
MN192	57.97	54.10	MS301	63.40	59.17	NC173	63.01	58.81
MN193	65.14	60.80	MT001	81.97	76.51	NC175	63.01	58.81
MN197	57.97	54.10	MT002	72.57	67.74	NC901	59.43	55.47
MN200	57.97	54.10	MT003	67.71	63.19	ND001	73.30	68.41
MN203	60.82	56.76	MT004	78.73	73.48	ND002	71.41	66.64
MN212	85.68	79.97	MT006	63.78	59.54	ND003	71.41	66.64
MN216	85.68	79.97	MT015	69.11	64.49	ND009	71.41	66.64
MN219	63.65	59.41	MT033	73.78	68.85	ND010	73.46	68.56
MN220	63.24	59.03	MT036	69.11	64.49	ND011	71.41	66.64
MN801	85.68	79.97	MT901	81.97	76.51	ND012	71.41	66.64
MN802	85.68	79.97	NC001	63.01	58.81	ND013	71.41	66.64
MN803	85.68	79.97	NC002	75.28	70.26	ND014	73.30	68.41
MO001	63.72	59.46	NC003	69.04	64.43	ND015	71.41	66.64
MO002	61.94	57.81	NC004	59.43	55.47	ND016	71.41	66.64
MO003	60.90	56.84	NC006	65.21	60.87	ND017	71.41	66.64
MO004	63.72	59.46	NC007	63.01	58.81	ND019	71.41	66.64
MO006	63.72	59.46	NC008	69.04	64.43	ND021	73.46	68.56
MO007	60.90	56.84	NC009	64.05	59.77	ND022	71.41	66.64
MO008	60.34	56.32	NC011	65.21	60.87	ND024	71.41	66.64
MO009	60.90	56.84	NC012	65.21	60.87	ND025	71.41	66.64
MO010	60.34	56.32	NC013	75.28	70.26	ND026	71.41	66.64
MO014	60.90	56.84	NC014	59.43	55.47	ND028	71.41	66.64
MO016	60.34	56.32	NC015	63.01	58.81	ND030	71.41	66.64
MO017	61.94	57.81	NC018	59.43	55.47	ND031	71.41	66.64
MO030	61.94	57.81	NC019	63.01	58.81	ND035	71.41	66.64
MO037	60.34	56.32	NC020	59.43	55.47	ND036	71.41	66.64
MO040	60.34	56.32	NC021	75.28	70.26	ND037	71.41	66.64
MO053	61.94	57.81	NC022	63.01	58.81	ND038	71.41	66.64
MO058	60.90	56.84	NC025	59.43	55.47	ND039	71.41	66.64
MO064	60.34	56.32	NC032	59.43	55.47	ND040	71.41	66.64
MO065	60.34	56.32	NC035	59.99	55.99	ND044	71.41	66.64
MO072	60.34	56.32	NC039	62.03	57.91	ND049	71.41	66.64
MO074	60.34	56.32	NC050	62.48	58.31	ND052	71.41	66.64
MO107	60.34	56.32	NC056	66.39	61.97	ND054	71.41	66.64
MO129	60.34	56.32	NC057	69.04	64.43	ND055	71.41	66.64
MO133	60.34	56.32	NC059	65.21	60.87	ND057	71.41	66.64
MO145	60.34	56.32	NC065	69.04	64.43	ND070	71.41	66.64
MO149	60.34	56.32	NC070	65.68	61.29	ND901	73.46	68.56
MO188	60.90	56.84	NC071	62.03	57.91	NE001	67.39	62.90
MO190	60.34	56.32	NC072	65.40	61.04	NE002	66.51	62.07
MO192	60.34	56.32	NC075	59.43	55.47	NE003	66.29	61.87
MO193	61.94	57.81	NC077	59.43	55.47	NE004	65.64	61.27
MO196	61.94	57.81	NC081	65.21	60.87	NE010	65.64	61.27
MO197	61.94	57.81	NC087	63.01	58.81	NE041	65.64	61.27
MO198	60.90	56.84	NC089	59.43	55.47	NE078	65.64	61.27
MO199	63.72	59.46	NC098	63.01	58.81	NE083	65.64	61.27
MO200	60.34	56.32	NC102	65.68	61.29	NE094	65.64	61.27
MO203	60.90	56.84	NC104	75.28	70.26	NE100	65.64	61.27
MO204	61.94	57.81	NC118	59.43	55.47	NE104	65.64	61.27
MO205	63.72	59.46	NC120	75.28	70.26	NE114	65.64	61.27
MO206	60.34	56.32	NC134	65.68	61.29	NE120	65.64	61.27

PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate
NE123	65.64	61.27	NJ063	86.83	81.04	NY020	76.86	71.74
NE141	65.64	61.27	NJ065	107.08	99.94	NY021	68.12	63.58
NE143	65.64	61.27	NJ066	106.81	99.67	NY022	76.86	71.74
NE150	65.64	61.27	NJ067	109.38	102.10	NY023	110.10	102.77
NE153	67.39	62.90	NJ068	106.81	99.67	NY025	76.86	71.74
NE157	65.64	61.27	NJ070	109.38	102.10	NY027	70.73	66.02
NE174	67.39	62.90	NJ071	109.38	102.10	NY028	76.86	71.74
NE175	66.63	62.18	NJ073	87.60	81.76	NY033	76.86	71.74
NE179	65.64	61.27	NJ074	87.60	81.76	NY034	64.75	60.45
NE180	65.64	61.27	NJ075	109.38	102.10	NY035	110.10	102.77
NE181	65.64	61.27	NJ077	91.16	85.09	NY041	80.92	75.53
NE182	65.64	61.27	NJ081	107.08	99.94	NY042	110.10	102.77
NH001	89.58	83.60	NJ083	91.16	85.09	NY044	80.92	75.53
NH002	95.17	88.82	NJ084	109.38	102.10	NY045	86.57	80.79
NH003	92.76	86.58	NJ086	106.81	99.67	NY048	55.97	52.24
NH004	92.76	86.58	NJ088	106.81	99.67	NY049	98.37	91.82
NH005	102.26	95.43	NJ089	109.38	102.10	NY050	110.10	102.77
NH006	92.76	86.58	NJ090	109.38	102.10	NY051	98.37	91.82
NH007	80.54	75.17	NJ092	106.81	99.67	NY054	75.60	70.57
NH008	92.76	86.58	NJ095	107.08	99.94	NY057	110.10	102.77
NH009	83.14	77.59	NJ097	109.38	102.10	NY059	64.75	60.45
NH010	95.56	89.19	NJ099	106.81	99.67	NY060	71.68	66.91
NH011	73.30	68.42	NJ102	106.81	99.67	NY061	64.61	60.31
NH012	78.08	72.88	NJ105	106.81	99.67	NY062	98.37	91.82
NH013	92.76	86.58	NJ106	109.38	102.10	NY065	65.46	61.10
NH014	92.76	86.58	NJ108	106.81	99.67	NY066	65.96	61.57
NH015	73.30	68.42	NJ109	106.81	99.67	NY067	62.43	58.26
NH016	73.30	68.42	NJ110	109.38	102.10	NY068	61.17	57.08
NH022	112.39	104.91	NJ112	109.38	102.10	NY070	66.11	61.71
NH888	95.17	88.82	NJ113	106.81	99.67	NY071	73.14	68.26
NH901	89.58	83.60	NJ114	109.38	102.10	NY073	72.77	67.92
NJ002	106.81	99.67	NJ118	87.60	81.76	NY077	110.10	102.77
NJ003	106.81	99.67	NJ204	87.60	81.76	NY079	72.77	67.92
NJ004	91.16	85.09	NJ212	104.94	97.94	NY084	95.71	89.32
NJ006	109.38	102.10	NJ214	107.08	99.94	NY085	110.10	102.77
NJ007	107.08	99.94	NJ215	87.60	81.76	NY086	110.10	102.77
NJ008	107.08	99.94	NJ880	107.08	99.94	NY087	60.15	56.14
NJ009	91.16	85.09	NJ881	109.38	102.10	NY088	110.10	102.77
NJ010	87.60	81.76	NJ882	106.81	99.67	NY089	80.92	75.53
NJ011	109.38	102.10	NJ902	104.94	97.94	NY091	66.11	61.71
NJ012	91.16	85.09	NJ912	106.81	99.67	NY094	110.10	102.77
NJ013	109.38	102.10	NM001	75.73	70.68	NY098	71.68	66.91
NJ014	90.32	84.31	NM002	58.68	54.77	NY102	70.73	66.02
NJ015	91.16	85.09	NM003	60.10	56.09	NY103	86.57	80.79
NJ021	109.38	102.10	NM006	75.82	70.76	NY107	70.73	66.02
NJ022	109.38	102.10	NM009	89.62	83.63	NY109	64.75	60.45
NJ023	106.81	99.67	NM020	59.37	55.41	NY110	95.71	89.32
NJ025	106.81	99.67	NM030	58.68	54.77	NY111	110.10	102.77
NJ026	91.16	85.09	NM033	58.68	54.77	NY113	110.10	102.77
NJ030	91.16	85.09	NM039	58.68	54.77	NY114	95.71	89.32
NJ032	106.81	99.67	NM050	89.62	83.63	NY117	110.10	102.77
NJ033	109.38	102.10	NM057	75.73	70.68	NY120	110.10	102.77
NJ035	109.38	102.10	NM061	58.68	54.77	NY121	110.10	102.77
NJ036	91.16	85.09	NM063	59.37	55.41	NY123	110.10	102.77
NJ037	106.81	99.67	NM066	74.52	69.55	NY125	98.37	91.82
NJ039	106.81	99.67	NM067	58.68	54.77	NY127	110.10	102.77
NJ042	109.38	102.10	NM077	75.73	70.68	NY128	110.10	102.77
NJ043	109.38	102.10	NM088	62.57	58.40	NY130	110.10	102.77
NJ044	109.38	102.10	NV001	78.96	73.70	NY132	110.10	102.77
NJ046	107.08	99.94	NV018	88.70	82.79	NY134	98.37	91.82
NJ047	109.38	102.10	NV905	78.96	73.70	NY137	98.37	91.82
NJ048	107.08	99.94	NY001	70.73	66.02	NY138	95.71	89.32
NJ049	86.83	81.04	NY002	66.11	61.71	NY141	110.10	102.77
NJ050	106.81	99.67	NY003	110.10	102.77	NY146	110.10	102.77
NJ051	87.60	81.76	NY005	95.71	89.32	NY147	110.10	102.77
NJ052	106.81	99.67	NY006	64.75	60.45	NY148	95.71	89.32
NJ054	107.08	99.94	NY009	76.86	71.74	NY149	110.10	102.77
NJ055	109.38	102.10	NY012	76.86	71.74	NY151	110.10	102.77
NJ056	107.08	99.94	NY015	76.86	71.74	NY152	110.10	102.77
NJ058	87.60	81.76	NY016	67.07	62.60	NY154	110.10	102.77
NJ059	90.32	84.31	NY017	59.01	55.07	NY155	110.10	102.77
NJ060	107.08	99.94	NY018	62.55	58.38	NY158	98.37	91.82
NJ061	86.83	81.04	NY019	64.75	60.45	NY159	110.10	102.77

PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate
NY160	95.71	89.32	OH022	61.01	56.94	OK139	62.72	58.54
NY165	110.10	102.77	OH024	56.65	52.87	OK142	61.01	56.95
NY176	110.10	102.77	OH025	69.07	64.45	OK146	59.92	55.93
NY402	68.30	63.74	OH026	57.58	53.74	OK148	61.60	57.50
NY403	55.71	52.00	OH027	69.07	64.45	OK901	62.72	58.54
NY404	66.11	61.71	OH028	60.32	56.30	OR001	78.11	72.89
NY405	66.11	61.71	OH029	66.85	62.38	OR002	78.11	72.89
NY406	80.92	75.53	OH030	56.65	52.87	OR003	80.82	75.44
NY408	76.86	71.74	OH031	67.94	63.41	OR005	75.22	70.21
NY409	66.11	61.71	OH032	57.28	53.46	OR006	89.76	83.78
NY413	71.68	66.91	OH033	56.65	52.87	OR007	77.33	72.17
NY416	76.86	71.74	OH034	57.28	53.46	OR008	83.86	78.27
NY417	64.75	60.45	OH035	56.65	52.87	OR011	83.86	78.27
NY421	76.86	71.74	OH036	56.91	53.12	OR014	83.86	78.27
NY422	76.86	71.74	OH037	56.65	52.87	OR015	89.17	83.23
NY424	76.86	71.74	OH038	66.88	62.41	OR016	78.11	72.89
NY427	76.86	71.74	OH039	56.65	52.87	OR017	73.82	68.90
NY428	76.86	71.74	OH040	56.65	52.87	OR019	79.29	74.00
NY430	76.86	71.74	OH041	56.65	52.87	OR020	80.82	75.44
NY431	76.86	71.74	OH042	69.07	64.45	OR022	78.11	72.89
NY433	55.97	52.24	OH043	65.51	61.14	OR026	81.81	76.36
NY443	64.75	60.45	OH044	59.49	55.52	OR027	73.82	68.90
NY447	76.86	71.74	OH045	56.65	52.87	OR028	78.11	72.89
NY449	66.11	61.71	OH046	56.65	52.87	OR031	81.24	75.84
NY501	76.86	71.74	OH047	56.65	52.87	OR032	77.33	72.17
NY503	76.86	71.74	OH049	66.88	62.41	OR034	86.22	80.47
NY504	70.73	66.02	OH050	56.65	52.87	PA001	61.13	57.06
NY505	67.07	62.60	OH053	56.65	52.87	PA002	87.60	81.76
NY512	76.86	71.74	OH054	59.03	55.10	PA003	59.27	55.32
NY513	76.86	71.74	OH056	56.65	52.87	PA004	74.61	69.62
NY516	76.86	71.74	OH058	56.65	52.87	PA005	61.13	57.06
NY519	76.86	71.74	OH059	65.51	61.14	PA006	61.13	57.06
NY521	70.73	66.02	OH060	56.65	52.87	PA007	87.60	81.76
NY522	60.15	56.14	OH061	57.95	54.09	PA008	76.35	71.26
NY527	70.73	66.02	OH062	61.01	56.94	PA009	72.76	67.90
NY529	86.57	80.79	OH063	56.65	52.87	PA010	61.13	57.06
NY530	71.68	66.91	OH066	56.65	52.87	PA011	74.61	69.62
NY532	76.86	71.74	OH067	56.65	52.87	PA012	87.60	81.76
NY534	64.75	60.45	OH069	56.65	52.87	PA013	74.22	69.27
NY535	76.86	71.74	OH070	65.51	61.14	PA014	61.13	57.06
NY538	76.86	71.74	OH071	68.65	64.07	PA015	61.13	57.06
NY541	61.17	57.08	OH072	56.65	52.87	PA016	67.21	62.73
NY552	64.75	60.45	OH073	69.07	64.45	PA017	61.13	57.06
NY557	76.86	71.74	OH074	58.24	54.35	PA018	61.13	57.06
NY561	76.86	71.74	OH075	56.65	52.87	PA019	62.74	58.55
NY562	76.86	71.74	OH076	56.65	52.87	PA020	68.88	64.29
NY564	76.86	71.74	OH077	56.65	52.87	PA021	62.74	58.55
NY630	76.86	71.74	OH078	56.65	52.87	PA022	70.09	65.41
NY888	110.10	102.77	OH079	65.51	61.14	PA023	87.60	81.76
NY889	59.01	55.07	OH080	58.03	54.16	PA024	74.61	69.62
NY891	110.10	102.77	OH081	58.53	54.63	PA026	61.71	57.59
NY892	110.10	102.77	OH082	56.79	53.00	PA027	58.48	54.57
NY895	110.10	102.77	OH083	65.51	61.14	PA028	79.57	74.27
NY904	110.10	102.77	OH085	68.65	64.07	PA029	63.18	58.97
NY912	66.11	61.71	OH086	56.65	52.87	PA030	59.27	55.32
OH001	65.51	61.14	OH880	69.07	64.45	PA031	64.61	60.30
OH002	59.49	55.52	OH882	69.07	64.45	PA032	62.35	58.19
OH003	69.07	64.45	OK002	62.72	58.54	PA033	61.71	57.59
OH004	66.88	62.41	OK005	61.01	56.95	PA034	66.66	62.21
OH005	61.01	56.94	OK006	59.92	55.93	PA035	76.35	71.26
OH006	68.65	64.07	OK024	59.92	55.93	PA036	77.54	72.38
OH007	67.94	63.41	OK027	59.92	55.93	PA037	67.21	62.73
OH008	59.49	55.52	OK032	59.92	55.93	PA038	59.27	55.32
OH009	56.65	52.87	OK033	61.01	56.95	PA039	71.81	67.03
OH010	56.65	52.87	OK044	59.92	55.93	PA041	61.56	57.46
OH012	69.07	64.45	OK062	59.92	55.93	PA042	59.27	55.32
OH014	59.90	55.90	OK067	59.92	55.93	PA043	59.27	55.32
OH015	66.88	62.41	OK073	61.01	56.95	PA044	59.27	55.32
OH016	58.53	54.63	OK095	61.60	57.50	PA045	62.25	58.09
OH018	58.53	54.63	OK096	59.92	55.93	PA046	87.60	81.76
OH019	59.96	55.96	OK099	59.92	55.93	PA047	59.27	55.32
OH020	57.20	53.39	OK111	59.92	55.93	PA048	72.32	67.50
OH021	61.01	56.94	OK118	59.92	55.93	PA050	60.08	56.08

PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate
PA051	87.60	81.76	RQ014	79.49	74.19	SC005	62.61	58.43
PA052	76.35	71.26	RQ015	79.49	74.19	SC007	65.15	60.80
PA053	62.25	58.09	RQ016	79.49	74.19	SC008	62.61	58.43
PA054	60.90	56.83	RQ017	73.96	69.03	SC015	61.59	57.48
PA055	62.25	58.09	RQ018	73.96	69.03	SC016	62.61	58.43
PA056	59.56	55.58	RQ019	79.49	74.19	SC018	62.61	58.43
PA057	59.27	55.32	RQ020	81.22	75.81	SC019	62.61	58.43
PA058	61.71	57.59	RQ021	79.49	74.19	SC020	62.61	58.43
PA059	59.56	55.58	RQ022	79.49	74.19	SC021	61.59	57.48
PA060	62.25	58.09	RQ023	79.49	74.19	SC022	69.04	64.43
PA061	62.25	58.09	RQ024	79.49	74.19	SC023	62.61	58.43
PA063	62.25	58.09	RQ025	79.49	74.19	SC024	67.85	63.33
PA064	60.08	56.08	RQ026	73.96	69.03	SC025	62.61	58.43
PA065	62.25	58.09	RQ027	79.49	74.19	SC026	63.89	59.62
PA067	74.61	69.62	RQ028	79.49	74.19	SC027	62.61	58.43
PA068	60.08	56.08	RQ029	73.96	69.03	SC028	61.59	57.48
PA069	64.61	60.30	RQ030	73.96	69.03	SC029	62.61	58.43
PA071	72.76	67.90	RQ031	73.96	69.03	SC030	61.59	57.48
PA073	59.27	55.32	RQ032	79.49	74.19	SC031	61.59	57.48
PA074	60.08	56.08	RQ033	73.96	69.03	SC032	62.61	58.43
PA075	76.35	71.26	RQ034	79.49	74.19	SC033	61.59	57.48
PA076	74.61	69.62	RQ035	73.96	69.03	SC034	62.61	58.43
PA077	60.90	56.83	RQ036	79.49	74.19	SC035	61.59	57.48
PA078	96.71	90.27	RQ037	73.96	69.03	SC036	69.04	64.43
PA079	61.71	57.59	RQ038	79.49	74.19	SC037	62.61	58.43
PA080	60.90	56.83	RQ039	81.22	75.81	SC046	69.04	64.43
PA081	74.61	69.62	RQ040	81.22	75.81	SC056	67.85	63.33
PA082	70.44	65.74	RQ041	73.96	69.03	SC057	67.85	63.33
PA083	59.78	55.80	RQ042	73.96	69.03	SC059	61.59	57.48
PA085	58.48	54.57	RQ043	73.96	69.03	SC911	68.59	64.01
PA086	59.56	55.58	RQ044	79.49	74.19	SD010	64.67	60.35
PA087	74.22	69.27	RQ045	79.49	74.19	SD011	61.82	57.69
PA088	83.17	77.62	RQ046	73.96	69.03	SD014	61.82	57.69
PA089	59.56	55.58	RQ047	79.49	74.19	SD016	64.67	60.35
PA090	77.54	72.38	RQ048	73.96	69.03	SD021	61.82	57.69
PA091	70.70	65.98	RQ049	79.49	74.19	SD026	61.82	57.69
PA092	60.22	56.21	RQ050	79.49	74.19	SD034	61.82	57.69
PA889	87.60	81.76	RQ052	73.96	69.03	SD035	67.17	62.68
RI001	110.58	103.21	RQ053	79.49	74.19	SD036	61.82	57.69
RI002	110.58	103.21	RQ054	79.49	74.19	SD037	61.82	57.69
RI003	110.58	103.21	RQ055	73.96	69.03	SD039	64.67	60.35
RI004	110.58	103.21	RQ056	79.49	74.19	SD043	61.82	57.69
RI005	105.64	98.59	RQ057	73.96	69.03	SD045	61.82	57.69
RI006	110.58	103.21	RQ058	73.96	69.03	SD047	61.82	57.69
RI007	110.58	103.21	RQ059	73.96	69.03	SD048	61.82	57.69
RI008	96.15	89.74	RQ060	73.96	69.03	SD055	61.82	57.69
RI009	110.58	103.21	RQ061	73.96	69.03	SD056	61.82	57.69
RI010	110.58	103.21	RQ062	73.96	69.03	SD057	61.82	57.69
RI011	110.58	103.21	RQ063	79.49	74.19	SD058	61.82	57.69
RI012	110.58	103.21	RQ064	79.49	74.19	SD059	61.82	57.69
RI013	105.64	98.59	RQ065	73.96	69.03	TN001	64.27	59.98
RI014	110.58	103.21	RQ066	73.96	69.03	TN002	59.59	55.62
RI015	110.58	103.21	RQ067	73.96	69.03	TN003	59.95	55.96
RI016	110.58	103.21	RQ068	73.96	69.03	TN004	65.15	60.80
RI017	110.58	103.21	RQ069	73.96	69.03	TN005	71.22	66.47
RI018	110.58	103.21	RQ070	79.49	74.19	TN006	59.59	55.62
RI019	110.58	103.21	RQ071	73.96	69.03	TN007	59.59	55.62
RI020	110.58	103.21	RQ072	79.49	74.19	TN012	59.59	55.96
RI022	110.58	103.21	RQ073	73.96	69.03	TN013	58.50	54.60
RI024	110.58	103.21	RQ074	73.96	69.03	TN020	71.22	66.47
RI026	110.58	103.21	RQ075	79.49	74.19	TN024	58.50	54.60
RI027	110.58	103.21	RQ076	73.96	69.03	TN026	58.50	54.60
RI028	110.58	103.21	RQ077	79.49	74.19	TN035	71.22	66.47
RI029	110.58	103.21	RQ080	73.96	69.03	TN038	59.59	55.62
RI901	110.58	103.21	RQ081	79.49	74.19	TN042	58.50	54.60
RQ006	79.49	74.19	RQ082	79.49	74.19	TN054	59.59	55.62
RQ007	73.96	69.03	RQ083	79.49	74.19	TN062	58.50	54.60
RQ008	79.49	74.19	RQ901	79.49	74.19	TN065	59.95	55.96
RQ009	73.96	69.03	RQ911	79.49	74.19	TN066	59.59	55.62
RQ010	73.96	69.03	SC001	67.85	63.33	TN076	59.59	55.62
RQ011	79.49	74.19	SC002	68.59	64.01	TN079	71.22	66.47
RQ012	73.96	69.03	SC003	62.61	58.43	TN088	59.95	55.96
RQ013	79.49	74.19	SC004	62.61	58.43	TN113	59.95	55.96

PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate
TN117	65.15	60.80	TX208	61.30	57.22	TX497	61.46	57.35
TN903	71.22	66.47	TX210	61.30	57.22	TX498	62.74	58.55
TQ901	116.83	109.05	TX217	59.15	55.21	TX499	61.30	57.22
TX001	79.75	74.44	TX224	61.46	57.35	TX500	59.15	55.21
TX003	67.76	63.23	TX236	61.30	57.22	TX505	72.34	67.53
TX004	76.20	71.12	TX242	59.15	55.21	TX509	62.16	58.02
TX005	72.34	67.53	TX257	61.30	57.22	TX511	59.15	55.21
TX006	70.11	65.45	TX259	79.75	74.44	TX512	59.15	55.21
TX007	62.16	58.02	TX263	59.15	55.21	TX514	61.30	57.22
TX008	71.48	66.71	TX264	79.75	74.44	TX516	59.15	55.21
TX009	81.78	76.33	TX266	79.75	74.44	TX519	59.15	55.21
TX010	61.30	57.22	TX272	59.15	55.21	TX522	81.78	76.33
TX011	61.30	57.22	TX284	59.15	55.21	TX523	62.74	58.55
TX012	72.34	67.53	TX298	59.15	55.21	TX526	81.93	76.47
TX014	61.30	57.22	TX300	59.15	55.21	TX530	72.34	67.53
TX016	59.15	55.21	TX302	71.48	66.71	TX533	81.78	76.33
TX017	72.34	67.53	TX303	70.11	65.45	TX534	78.78	73.53
TX018	61.30	57.22	TX309	59.15	55.21	TX535	59.15	55.21
TX019	59.15	55.21	TX313	71.48	66.71	TX537	59.15	55.21
TX021	59.15	55.21	TX322	79.75	74.44	TX542	61.30	57.22
TX023	70.05	65.37	TX327	61.30	57.22	TX546	61.30	57.22
TX025	62.16	58.02	TX330	59.15	55.21	TX559	81.78	76.33
TX027	81.78	76.33	TX332	59.15	55.21	TX560	72.34	67.53
TX028	61.46	57.35	TX335	59.15	55.21	TX901	72.34	67.53
TX029	61.46	57.35	TX341	68.75	64.17	UT002	66.12	61.72
TX030	61.30	57.22	TX343	70.11	65.45	UT003	66.12	61.72
TX031	79.75	74.44	TX349	76.20	71.12	UT004	66.12	61.72
TX032	72.34	67.53	TX350	70.11	65.45	UT006	71.76	66.97
TX034	70.05	65.37	TX358	59.15	55.21	UT007	66.12	61.72
TX035	59.30	55.34	TX372	59.15	55.21	UT009	66.12	61.72
TX037	70.05	65.37	TX376	59.15	55.21	UT011	66.12	61.72
TX039	59.15	55.21	TX377	79.75	74.44	UT014	81.63	76.18
TX042	59.15	55.21	TX378	59.30	55.34	UT015	81.63	76.18
TX044	59.15	55.21	TX381	59.15	55.21	UT016	81.63	76.18
TX046	61.46	57.35	TX392	81.78	76.33	UT020	66.12	61.72
TX048	59.15	55.21	TX395	61.11	57.04	UT021	68.10	63.57
TX049	59.15	55.21	TX396	59.15	55.21	UT022	66.12	61.72
TX051	61.46	57.35	TX397	59.15	55.21	UT025	66.12	61.72
TX062	61.46	57.35	TX421	59.15	55.21	UT026	66.12	61.72
TX064	61.46	57.35	TX431	76.20	71.12	UT028	81.63	76.18
TX065	62.16	58.02	TX432	67.76	63.23	UT029	81.63	76.18
TX072	59.15	55.21	TX433	76.20	71.12	UT030	66.12	61.72
TX073	61.46	57.35	TX434	81.78	76.33	UT031	71.76	66.97
TX075	59.15	55.21	TX435	81.78	76.33	VA001	74.51	69.54
TX079	61.30	57.22	TX436	81.78	76.33	VA002	59.59	55.62
TX081	59.15	55.21	TX439	67.76	63.23	VA003	74.51	69.54
TX085	84.95	79.27	TX440	72.34	67.53	VA004	109.86	102.54
TX087	79.75	74.44	TX441	72.34	67.53	VA005	67.59	63.07
TX095	81.78	76.33	TX444	61.30	57.22	VA006	74.51	69.54
TX096	59.15	55.21	TX445	61.46	57.35	VA007	67.59	63.07
TX105	59.15	55.21	TX447	61.46	57.35	VA010	57.07	53.27
TX111	62.74	58.55	TX448	61.46	57.35	VA011	59.48	55.51
TX114	59.15	55.21	TX449	59.15	55.21	VA012	74.51	69.54
TX128	81.78	76.33	TX452	70.11	65.45	VA013	60.15	56.14
TX134	59.15	55.21	TX454	59.15	55.21	VA014	60.15	56.14
TX137	61.30	57.22	TX455	78.78	73.53	VA015	53.69	50.11
TX147	59.15	55.21	TX456	69.90	65.24	VA016	75.57	70.53
TX152	59.15	55.21	TX457	66.34	61.92	VA017	74.51	69.54
TX158	61.30	57.22	TX458	61.30	57.22	VA018	53.69	50.11
TX163	71.48	66.71	TX459	68.75	64.17	VA019	109.86	102.54
TX164	71.48	66.71	TX461	62.93	58.75	VA020	67.59	63.07
TX173	62.16	58.02	TX470	61.30	57.22	VA021	53.69	50.11
TX174	71.48	66.71	TX472	61.30	57.22	VA022	54.68	51.03
TX175	59.15	55.21	TX480	79.75	74.44	VA023	54.68	51.03
TX177	61.46	57.35	TX481	61.30	57.22	VA024	53.69	50.11
TX178	59.15	55.21	TX482	61.30	57.22	VA025	74.51	69.54
TX183	59.15	55.21	TX483	72.34	67.53	VA028	109.86	102.54
TX189	59.15	55.21	TX484	78.13	72.91	VA030	53.69	50.11
TX193	70.11	65.45	TX485	59.15	55.21	VA031	59.59	55.62
TX197	61.30	57.22	TX486	60.13	56.11	VA032	59.59	55.62
TX201	59.15	55.21	TX488	59.15	55.21	VA034	53.69	50.11
TX202	61.46	57.35	TX493	81.78	76.33	VA035	109.86	102.54
TX206	62.16	58.02	TX495	76.20	71.12	VA036	75.57	70.53

PHA	Column A rate	Column B rate	PHA	Column A rate	Column B rate
VA037	53.82	50.23	WI166	52.86	49.33
VA038	53.69	50.11	WI183	58.39	54.49
VA039	74.51	69.54	WI186	53.58	50.00
VA040	53.69	50.11	WI193	52.86	49.33
VA041	74.51	69.54	WI195	66.10	61.69
VA042	59.59	55.62	WI201	63.92	59.66
VA044	54.66	51.01	WI203	59.31	55.36
VA046	109.86	102.54	WI204	53.73	50.14
VA901	67.59	63.07	WI205	52.86	49.33
VQ901	95.33	88.98	WI206	52.86	49.33
VT001	91.61	85.50	WI208	52.86	49.33
VT002	79.33	74.04	WI213	53.82	50.24
VT003	82.06	76.59	WI214	71.14	66.40
VT004	81.24	75.83	WI218	63.92	59.66
VT005	76.06	70.99	WI219	59.31	55.36
VT006	91.61	85.50	WI221	52.86	49.33
VT008	76.06	70.99	WI222	52.86	49.33
VT009	76.88	71.75	WI230	52.86	49.33
VT901	91.61	85.50	WI231	52.86	49.33
WA001	95.05	88.70	WI233	52.86	49.33
WA002	95.05	88.70	WI237	53.85	50.26
WA003	83.96	78.36	WI241	52.86	49.33
WA004	79.27	73.97	WI242	52.86	49.33
WA005	80.71	75.35	WI244	58.03	54.16
WA006	95.05	88.70	WI245	52.86	49.33
WA007	64.72	60.40	WI246	54.06	50.45
WA008	78.11	72.89	WI248	52.86	49.33
WA011	95.05	88.70	WI256	52.86	49.33
WA012	73.33	68.43	WI901	52.86	49.33
WA013	73.55	68.64	WV001	72.73	67.88
WA014	61.12	57.05	WV003	57.20	53.39
WA017	63.82	59.56	WV004	59.96	55.96
WA018	79.27	73.97	WV005	57.20	53.39
WA020	64.72	60.40	WV006	60.62	56.57
WA021	73.33	68.43	WV009	61.26	57.18
WA024	93.13	86.90	WV010	61.91	57.78
WA025	90.23	84.21	WV015	57.20	53.39
WA036	83.96	78.36	WV016	59.90	55.90
WA039	95.05	88.70	WV017	57.00	53.20
WA042	76.24	71.15	WV018	57.00	53.20
WA049	86.74	80.94	WV027	58.19	54.32
WA054	80.71	75.35	WV034	57.00	53.20
WA055	73.02	68.16	WV035	58.19	54.32
WA057	79.27	73.98	WV037	59.96	55.96
WA061	82.50	77.00	WV039	57.20	53.39
WA064	75.08	70.06	WV042	57.20	53.39
WA071	66.99	62.51	WV045	57.00	53.20
WI001	63.38	59.15	WV046	57.00	53.20
WI002	63.92	59.66	WY002	83.27	77.73
WI003	71.14	66.40	WY003	67.20	62.72
WI006	61.16	57.08	WY004	100.33	93.65
WI011	53.73	50.14	WY013	67.20	62.72
WI019	52.86	49.33			
WI020	85.68	79.97			
WI031	52.86	49.33			
WI043	53.82	50.24			
WI045	52.86	49.33			
WI047	52.97	49.44			
WI048	52.86	49.33			
WI060	85.68	79.97			
WI064	59.31	55.36			
WI065	53.82	50.24			
WI068	53.73	50.14			
WI069	53.73	50.14			
WI070	52.86	49.33			
WI083	63.92	59.66			
WI085	52.86	49.33			
WI091	52.86	49.33			
WI096	52.86	49.33			
WI127	52.86	49.33			
WI131	52.86	49.33			
WI142	63.92	59.66			
WI160	52.86	49.33			

[FR Doc. 2017-12952 Filed 6-20-17; 8:45 am]

BILLING CODE 4210-67-P

DEPARTMENT OF THE INTERIOR**Fish and Wildlife Service**[Docket No. FWS-HQ-IA-2017-0027;
FXIA1671090000-178-FF09A30000]**Endangered Species; Receipt of Applications for Permits****AGENCY:** Fish and Wildlife Service, Interior.**ACTION:** Notice of receipt of applications for permits.

SUMMARY: We, the U.S. Fish and Wildlife Service, invite the public to comment on applications to conduct certain activities with endangered species. With some exceptions, the Endangered Species Act (ESA) prohibits activities with listed species unless Federal authorization is acquired that allows such activities.

DATES: We must receive comments or requests for documents on or before July 21, 2017.

ADDRESSES:

Submitting Comments: You may submit comments by one of the following methods:

- *Federal eRulemaking Portal:* <http://www.regulations.gov>. Follow the instructions for submitting comments on Docket No. FWS-HQ-IA-2017-0027.

- *U.S. mail or hand-delivery:* Public Comments Processing, Attn: Docket No. FWS-HQ-IA-2017-0027; U.S. Fish and Wildlife Service Headquarters, MS: BPHC; 5275 Leesburg Pike, Falls Church, VA 22041-3803.

When submitting comments, please indicate the name of the applicant and the PRT# you are commenting on. We will post all comments on <http://www.regulations.gov>. This generally means that we will post any personal information you provide us (see the Public Comments section below for more information).

Viewing Comments: Comments and materials we receive will be available for public inspection on <http://www.regulations.gov>, or by appointment, between 8 a.m. and 4 p.m., Monday through Friday, except Federal holidays, at the U.S. Fish and Wildlife Service, Division of Management Authority, 5275 Leesburg Pike, Falls Church, VA 22041-3803; telephone 703-358-2095.

FOR FURTHER INFORMATION CONTACT: Brenda Tapia, Program Analyst/Data Administrator, Division of Management Authority, U.S. Fish and Wildlife Service Headquarters, MS: IA; 5275 Leesburg Pike, Falls Church, VA 22041-3803; telephone 703-358-2023; facsimile 703-358-2280.

SUPPLEMENTARY INFORMATION:**I. Public Comment Procedures**

A. How do I request copies of applications or comment on submitted applications?

Send your request for copies of applications or comments and materials concerning any of the applications to the contact listed under **ADDRESSES**. Please include the **Federal Register** notice publication date, the PRT-number, and the name of the applicant