Proposed Rules

This section of the FEDERAL REGISTER contains notices to the public of the proposed issuance of rules and regulations. The purpose of these notices is to give interested persons an opportunity to participate in the rule making prior to the adoption of the final rules.

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2017-1022; Product Identifier 2017-NM-098-AD]

RIN 2120-AA64

Airworthiness Directives; The Boeing Company Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT. **ACTION:** Notice of proposed rulemaking (NPRM).

SUMMARY: We propose to adopt a new airworthiness directive (AD) for certain The Boeing Company Model 787–8 and 787–9 airplanes. This proposed AD was prompted by reports of failures of the lip heater assemblies of the inlet ice protection system of the cabin air compressor (CAC) due to chafing. This proposed AD would require changing the airplane electrical connectors and the routes of certain wire bundles, and installing new or modified left and right CAC inlet duct assemblies. We are proposing this AD to address the unsafe condition on these products.

DATES: We must receive comments on this proposed AD by January 2, 2018. **ADDRESSES:** You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

• Federal eRulemaking Portal: Go to http://www.regulations.gov. Follow the instructions for submitting comments.

• Fax: 202–493–2251.

• *Mail:* U.S. Department of Transportation, Docket Operations, M– 30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE., Washington, DC 20590.

• *Hand Delivery:* Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For service information identified in this NPRM, contact Boeing Commercial Airplanes, Attention: Contractual & Data Services (C&DS), 2600 Westminster Blvd., MC 110–SK57, Seal Beach, CA 90740–5600; telephone 562–797–1717; Internet *https:// www.myboeingfleet.com*. You may view this referenced service information at the FAA, Transport Standards Branch,

1601 Lind Avenue SW., Renton, WA. For information on the availability of this material at the FAA, call 425–227– 1221. It is also available on the Internet at *http://www.regulations.gov* by searching for and locating Docket No. FAA–2017–1022.

Examining the AD Docket

You may examine the AD docket on the Internet at *http:// www.regulations.gov* by searching for and locating Docket No. FAA–2017– 1022; or in person at the Docket Management Facility between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the regulatory evaluation, any comments received, and other information. The street address for the Docket Office (phone: 800–647– 5527) is in the **ADDRESSES** section. Comments will be available in the AD docket shortly after receipt.

FOR FURTHER INFORMATION CONTACT: Joe Salemeh, Aerospace Engineer, Systems and Equipment Section, FAA, Seattle ACO Branch, 1601 Lind Avenue SW., Renton, WA 98057–3356; phone: 425– 917–6454; fax: 425–917–6590; email: *joe.salameh@faa.gov.*

SUPPLEMENTARY INFORMATION:

Comments Invited

We invite you to send any written relevant data, views, or arguments about this proposal. Send your comments to an address listed under the **ADDRESSES** section. Include "Docket No. FAA– 2017–1022; Product Identifier 2017– NM–098–AD" at the beginning of your comments. We specifically invite comments on the overall regulatory, economic, environmental, and energy aspects of this NPRM. We will consider all comments received by the closing date and may amend this NPRM because of those comments.

We will post all comments we receive, without change, to *http:// www.regulations.gov,* including any personal information you provide. We will also post a report summarizing each substantive verbal contact we receive about this proposed AD. Federal Register Vol. 82, No. 221 Friday, November 17, 2017

Discussion

We have received reports of failures of the inlet lip heater assemblies of the inlet ice protection system of the CAC due to chafing of the CAC inlet ice protection system (CIPS) inlet lip heater wire harness against adjacent structures. The damage to the wires caused the CIPS lip heater to set a fault. This condition, if not corrected, could result in an electrical short and potential loss of functions essential for safe flight of the airplane.

Related Service Information Under 1 CFR Part 51

We reviewed Boeing Alert Service Bulletin B787–81205–SB300019–00, Issue 001, dated March 22, 2017. The service information describes procedures for changing the airplane electrical connectors and the routes of certain wire bundles, and installing new or modified left and right CAC inlet duct assemblies. This service information is reasonably available because the interested parties have access to it through their normal course of business or by the means identified in the **ADDRESSES** section.

FAA's Determination

We are proposing this AD because we evaluated all the relevant information and determined the unsafe condition described previously is likely to exist or develop in other products of the same type design.

Proposed AD Requirements

This proposed AD would require accomplishment of the actions identified as "RC" (required for compliance) in the Accomplishment Instructions of Boeing Alert Service Bulletin B787–81205–SB300019–00, Issue 001, dated March 22, 2017, described previously, except for any differences identified as exceptions in the regulatory text of this proposed AD.

For information on the procedures and compliance times, see this service information at *http:// www.regulations.gov* by searching for and locating Docket No. FAA–2017– 1022.

Costs of Compliance

We estimate that this proposed AD affects 66 airplanes of U.S. registry. We estimate the following costs to comply with this proposed AD:

ESTIMATED COSTS FOR REQUIRED ACTIONS

Action	Labor cost	Parts cost	Cost per product	Cost on U.S. operators
Change and installation	20 work-hours \times \$85 per hour = \$1,700	\$32,937	\$34,637	\$2,286,042

According to the manufacturer, all of the costs of this proposed AD may be covered under warranty, thereby reducing the cost impact on affected individuals. We do not control warranty coverage for affected individuals. As a result, we have included all costs in our cost estimate.

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. Subtitle VII: Aviation Programs, describes in more detail the scope of the Agency's authority.

We are issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701: "General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

This proposed AD is issued in accordance with authority delegated by the Executive Director, Aircraft Certification Service, as authorized by FAA Order 8000.51C. In accordance with that order, issuance of ADs is normally a function of the Compliance and Airworthiness Division, but during this transition period, the Executive Director has delegated the authority to issue ADs applicable to transport category airplanes to the Director of the System Oversight Division.

Regulatory Findings

We determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

(1) Is not a "significant regulatory action" under Executive Order 12866,

(2) Is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979),

(3) Will not affect intrastate aviation in Alaska, and

(4) Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§39.13 [Amended]

■ 2. The FAA amends § 39.13 by adding the following new airworthiness directive (AD):

The Boeing Company: Docket No. FAA– 2017–1022; Product Identifier 2017– NM–098–AD.

(a) Comments Due Date

We must receive comments by January 2, 2018.

(b) Affected ADs

None.

(c) Applicability

This AD applies to The Boeing Company Model 787–8 and 787–9 airplanes, certificated in any category, as identified in Boeing Alert Service Bulletin B787–81205– SB300019–00, Issue 001, dated March 22, 2017.

(d) Subject

Air Transport Association (ATA) of America Code 30, Ice/Rain protection system wiring.

(e) Unsafe Condition

This AD was prompted by reports of failures of the Cabin Air Compressor (CAC)

inlet ice protection system (CIPS) inlet lip heater assemblies due to chafing of the CIPS inlet lip heater wire harness against adjacent structures. We are issuing this AD to prevent any damage to the CIPS inlet lip heater wire bundle, which could cause an electrical short and potential loss of functions essential for safe flight of the airplane.

(f) Compliance

Comply with this AD within the compliance times specified, unless already done.

(g) Required Actions

Within 36 months after the effective date of this AD, do all applicable actions identified as "RC" (required for compliance) in, and in accordance with, the Accomplishment Instructions of Boeing Alert Service Bulletin B787–81205–SB300019–00, Issue 001, dated March 22, 2017.

(h) Alternative Methods of Compliance (AMOCs)

(1) The Manager, Seattle ACO Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the manager of the certification office, send it to the attention of the person identified in paragraph (i)(1) of this AD. Information may be emailed to: *9-ANM-Seattle-ACO-AMOC-Requests@faa.gov.*

(2) Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/ certificate holding district office.

(3) An AMOC that provides an acceptable level of safety may be used for any repair, modification, or alteration required by this AD if it is approved by the Boeing Commercial Airplanes Organization Designation Authorization (ODA) that has been authorized by the Manager, Seattle ACO Branch, to make those findings. To be approved, the repair method, modification deviation, or alteration deviation must meet the certification basis of the airplane, and the approval must specifically refer to this AD.

(4) For service information that contains steps that are labeled as RC, the provisions of paragraphs (h)(4)(i) and (h)(4)(ii) of this AD apply.

(i) The steps labeled as RC, including substeps under an RC step and any figures identified in an RC step, must be done to comply with the AD. If a step or substep is labeled "RC Exempt," then the RC requirement is removed from that step or substep. An AMOC is required for any deviations to RC steps, including substeps and identified figures. (ii) Steps not labeled as RC may be deviated from using accepted methods in accordance with the operator's maintenance or inspection program without obtaining approval of an AMOC, provided the RC steps, including substeps and identified figures, can still be done as specified, and the airplane can be put back in an airworthy condition.

(i) Related Information

(1) For more information about this AD, contact Joe Salemeh, Aerospace Engineer, Systems and Equipment Section, FAA, Seattle ACO Branch, 1601 Lind Avenue SW., Renton, WA 98057–3356; phone: 425–917– 6454; fax: 425–917–6590; email: *joe.salameh@faa.gov.*

(2) For service information identified in this AD, contact Boeing Commercial Airplanes, Attention: Contractual & Data Services (C&DS), 2600 Westminster Blvd., MC 110–SK57, Seal Beach, CA 90740–5600; telephone 562–797–1717; Internet *https:// www.myboeingfleet.com*. You may view this referenced service information at the FAA, Transport Standards Branch, 1601 Lind Avenue SW., Renton, WA. For information on the availability of this material at the FAA, call 425–227–1221.

Issued in Renton, Washington, on November 3, 2017.

Jeffrey E. Duven,

Director, System Oversight Division, Aircraft Certification Service.

[FR Doc. 2017–24809 Filed 11–16–17; 8:45 am] BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2017-1025; Product Identifier 2017-NM-137-AD]

RIN 2120-AA64

Airworthiness Directives; Bombardier, Inc., Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: We propose to adopt a new airworthiness directive (AD) for certain Bombardier, Inc., Model CL-600-2C10 (Regional Jet Series 700, 701, & 702), CL-600-2D15 (Regional Jet Series 705), CL-600-2D24 (Regional Jet Series 900), and CL-600-2E25 (Regional Jet Series 1000) airplanes. This proposed AD was prompted by several incidents of electrical shorting and sparks caused by de-icing fluid leaks between flight deck windshields and side windows. This proposed AD would require water spray tests and general visual inspections for water in the flight compartment, and water removal and sealant application if necessary. We are proposing this AD to address the unsafe condition on these products.

DATES: We must receive comments on this proposed AD by January 2, 2018.

ADDRESSES: You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

• Federal eRulemaking Portal: Go to http://www.regulations.gov. Follow the instructions for submitting comments.

• Fax: 202–493–2251.

• *Mail:* U.S. Department of Transportation, Docket Operations, M– 30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE., Washington, DC 20590.

• *Hand Delivery:* Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For service information identified in this NPRM, contact Bombardier, Inc., 400 Côte Vertu Road West, Dorval, Québec H4S 1Y9, Canada; Widebody Customer Response Center North America toll-free telephone 1–866–538– 1247 or direct-dial telephone 1–514– 855–2999; fax 514–855–7401; email *ac.yul@aero.bombardier.com;* Internet *http://www.bombardier.com;* Internet *http://www.bombardier.com.* You may view this service information at the FAA, Transport Standards Branch, 1601 Lind Avenue SW., Renton, WA. For information on the availability of this material at the FAA, call 425–227–1221.

Examining the AD Docket

You may examine the AD docket on the Internet at *http:// www.regulations.gov* by searching for and locating Docket No. FAA–2017– 1025; or in person at the Docket Management Facility between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the regulatory evaluation, any comments received, and other information. The street address for the Docket Operations office (telephone 800–647–5527) is in the **ADDRESSES** section. Comments will be available in the AD docket shortly after receipt.

FOR FURTHER INFORMATION CONTACT: Steven Dzierzynski, Aerospace

Engineer, Avionics and Administrative Services Section, FAA, New York ACO Branch, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; telephone 516–228–7367; fax 516–794–5531.

SUPPLEMENTARY INFORMATION:

Comments Invited

We invite you to send any written relevant data, views, or arguments about this proposed AD. Send your comments to an address listed under the ADDRESSES section. Include "Docket No. FAA–2017–1025; Product Identifier 2017–NM–137–AD" at the beginning of your comments. We specifically invite comments on the overall regulatory, economic, environmental, and energy aspects of this NPRM. We will consider all comments received by the closing date and may amend this NPRM based on those comments.

We will post all comments we receive, without change, to *http:// www.regulations.gov*, including any personal information you provide. We will also post a report summarizing each substantive verbal contact we receive about this NPRM.

Discussion

Transport Canada Civil Aviation (TCCA), which is the aviation authority for Canada, has issued Canadian Airworthiness Directive CF–2017–28, dated August 23, 2017 (referred to after this as the Mandatory Continuing Airworthiness Information, or "the MCAI"), to correct an unsafe condition for certain Bombardier, Inc., Model CL– 600–2C10 (Regional Jet Series 700, 701, & 702), CL–600–2D15 (Regional Jet Series 705), CL–600–2D24 (Regional Jet Series 900), and CL–600–2E25 (Regional Jet Series 1000) airplanes. The MCAI states:

Several incidents of electrical shorting and sparks have been reported in the cockpit of CL-600-2C10 and CL-600-2D24 aeroplanes. De-icing fluid can leak between the windshields and side windows, leading to possible damage to the cockpit floodlight wires and electrical connections. If not corrected, this condition may result in a flight compartment fire.

This [Canadian] AD is issued to mandate a water spray test and [general visual] inspection for evidence of fluid ingress into the flight compartment. It also provides mandatory instructions for sealant application if required.

You may examine the MCAI in the AD docket on the Internet at *http://www.regulations.gov* by searching for and locating Docket No. FAA–2017–1025.

Related Service Information Under 1 CFR Part 51

Bombardier, Inc., has issued Service Bulletin 670BA–56–003, Revision A, dated April 13, 2016. This service information describes procedures for doing water spray tests on the flight deck windows, doing general visual inspections for water in the flight compartment, removing water, and applying sealant to the flight deck windows. This service information is reasonably available because the interested parties have access to it through their normal course of business