

**NATIONAL SCIENCE FOUNDATION****Advisory Committee for Computer and Information Science and Engineering; Notice of Meeting**

In accordance with the Federal Advisory Committee Act (Pub. L. 92-463, as amended), the National Science Foundation (NSF) announces the following meeting:

*Name and Committee Code:* Advisory Committee for Computer and Information Science and Engineering (CISE) (1115).

*Date and Time:*

December 14, 2017; 12:30 p.m. to 5:30 p.m.  
December 15, 2017; 8:30 a.m. to 12:30 p.m.

*Place:* National Science Foundation, 2415 Eisenhower Avenue, Suite E 3450, Alexandria, VA 22314.

*Type of Meeting:* Open.

*Contact Person:* Kajuana Mayberry, National Science Foundation, 2415 Eisenhower Avenue, Suite C 10000, Alexandria, VA 22314; Telephone: 703-292-4616.

*Purpose of Meeting:* To advise NSF on the impact of its policies, programs and activities on the CISE community. To provide advice to the NSF Assistant Director for CISE on issues related to long-range planning, and to form ad hoc subcommittees and working groups to carry out needed studies and tasks.

*Agenda:*

- Welcome and CISE updates
- Program updates for the CISE division of Information and Intelligent Systems and collaboration with the Directorate of Social, Behavioral, and Economic Sciences (SBE)
- Activities update: Computer Science (CS) Undergraduate Education
- Working group breakout sessions and report outs: Future of Work at the Human-Technology Frontier (FW-HTF)
- Closing remarks and wrap-up

Dated: November 28, 2017.

**Crystal Robinson,**

*Committee Management Officer.*

[FR Doc. 2017-25894 Filed 11-30-17; 8:45 am]

**BILLING CODE 7555-01-P**

**NUCLEAR REGULATORY COMMISSION**

[Docket Nos. 52-025 and 52-026; NRC-2008-0252]

**Southern Nuclear Operating Company, Inc., Vogtle Electric Generating Plant, Units 3 and 4; Central Chilled Water System Optimization Changes**

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Exemption and combined license amendment; issuance.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is granting an exemption to allow a departure from the

certification information of Tier 1 of the generic design control document (DCD) and is issuing License Amendment Nos. 93 and 92 to Combined Licenses (COL), NPF-91 and NPF-92, respectively. The COLs were issued to Southern Nuclear Operating Company, Inc., and Georgia Power Company, Oglethorpe Power Corporation, MEAG Power SPVM, LLC, MEAG Power SPVJ, LLC, MEAG Power SPVP, LLC, Authority of Georgia, and the City of Dalton, Georgia (the licensee); for construction and operation of the Vogtle Electric Generating Plant (VEGP) Units 3 and 4, located in Burke County, Georgia.

The granting of the exemption allows the changes to Tier 1 information asked for in the amendment. Because the acceptability of the exemption was determined in part by the acceptability of the amendment, the exemption and amendment are being issued concurrently.

**DATES:** The exemption and amendment were issued on October 20, 2017.

**ADDRESSES:** Please refer to Docket ID NRC-2008-0252 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2008-0252. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then select "*Begin Web-based ADAMS Search.*" For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document. The request for the amendment and exemption was submitted by letter dated April 27, 2017, as supplemented by letter dated August 3, 2017 (ADAMS Accession Nos. ML17118A049 and ML17215B187, respectively).

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**FOR FURTHER INFORMATION CONTACT:**

Chandu Patel, Office of New Reactors, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-3025; email: [Chandu.Patel@nrc.gov](mailto:Chandu.Patel@nrc.gov).

**SUPPLEMENTARY INFORMATION:****I. Introduction**

The NRC is granting an exemption from paragraph B of section III, "Scope and Contents," of appendix D, "Design Certification Rule for the AP1000," to part 52 of title 10 of the *Code of Federal Regulations* (10 CFR), and issuing License Amendment Nos. 93 and 92 to COLs, NPF-91 and NPF-92, respectively, to the licensee. The exemption is required by paragraph A.4 of section VIII, "Processes for Changes and Departures," appendix D, to 10 CFR part 52 to allow the licensee to depart from Tier 1 information. With the requested amendment, the licensee sought proposed changes to the Updated Final Safety Analysis Report (UFSAR) in the form of departures from the plant-specific Design Control Document (DCD) Tier 2 information, and involves changes to related plant-specific DCD Tier 1 information, with corresponding changes to the associated COL appendix C information. The proposed changes revise the COLs concerning the minimum chilled water flowrates to the supply air handling units serving the main control room and the Class 1E electrical rooms, and the unit coolers serving the normal residual heat removal system and chemical and volume control system makeup pump rooms.

Part of the justification for granting the exemption was provided by the review of the amendment. Because the exemption is necessary in order to issue the requested license amendment, the NRC granted the exemption and issued the amendment concurrently, rather than in sequence. This included issuing a combined safety evaluation containing the NRC staff's review of both the exemption request and the license amendment. The exemption met all applicable regulatory criteria set forth in §§ 50.12, 52.7, and section VIII.A.4 of appendix D to 10 CFR part 52. The license amendment was found to be acceptable as well. The combined safety evaluation is available in ADAMS under Accession No. ML17208A163.

Identical exemption documents (except for referenced unit numbers and

license numbers) were issued to the licensee for VEGP Units 3 and 4 (COLs NPF-91 and NPF-92). The exemption documents for VEGP Units 3 and 4 can be found in ADAMS under Accession Nos. ML17205A478 and ML17205A479, respectively. The exemption is reproduced (with the exception of abbreviated titles and additional citations) in Section II of this document. The amendment documents for COLs NPF-91 and NPF-92 are available in ADAMS under Accession Nos. ML17205A476 and ML17205A477, respectively. A summary of the amendment documents is provided in Section III of this document.

## II. Exemption

Reproduced below is the exemption document issued to VEGP Units 3 and Unit 4. It makes reference to the combined safety evaluation that provides the reasoning for the findings made by the NRC (and listed under Item 1) in order to grant the exemption:

1. In a letter dated April 27, 2017, as supplemented by letter dated August 3, 2017, Southern Nuclear Operating Company, Inc., (licensee) requested from the NRC an exemption to allow departures from Tier 1 information in the certified Design Control Document (DCD) incorporated by reference in part 52 of title 10 of the *Code of Federal Regulations* (10 CFR), appendix D, "Design Certification Rule for the AP1000 Design," as part of license amendment request (LAR) 17-015, "Central Chilled Water System (VWS) Optimization Changes."

For the reasons set forth in Section 3.1 of the NRC staff's Safety Evaluation, which can be found in ADAMS under Accession No. ML17208A163, the Commission finds that:

A. The exemption is authorized by law;

B. the exemption presents no undue risk to public health and safety;

C. the exemption is consistent with the common defense and security;

D. special circumstances are present in that the application of the rule in this circumstance is not necessary to serve the underlying purpose of the rule;

E. the special circumstances outweigh any decrease in safety that may result from the reduction in standardization caused by the exemption; and

F. the exemption will not result in a significant decrease in the level of safety otherwise provided by the design.

2. Accordingly, the licensee is granted an exemption from the certified DCD Tier 1 information, with corresponding changes to Appendix C of the Facility Combined License, as described in the licensee's request dated April 27, 2017,

as supplemented by letter dated August 3, 2017. This exemption is related to, and necessary for the granting of License Amendment Nos. 93 (Unit 3) and 92 (Unit 4), which is being issued concurrently with this exemption.

3. As explained in Section 6.0 of the NRC staff's Safety Evaluation (ADAMS Accession No. ML17208A163), this exemption meets the eligibility criteria for categorical exclusion set forth in 10 CFR 51.22(c)(9). Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment needs to be prepared in connection with the issuance of the exemption.

4. This exemption is effective as of the date of its issuance.

## III. License Amendment Request

By letter dated April 27, 2017 (ADAMS Accession No. ML17118A049), as supplemented by letter dated August 3, 2017 (ADAMS Accession No. ML17215B187), the licensee requested that the NRC amend the COLs for VEGP, Units 3 and 4, COLs NPF-91 and NPF-92. The proposed amendment is described in Section I of this **Federal Register** notice.

The Commission has determined for these amendments that the application complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations. The Commission has made appropriate findings as required by the Act and the Commission's rules and regulations in 10 CFR chapter I, which are set forth in the license amendment.

A notice of consideration of issuance of amendment to facility operating license or COL, as applicable, proposed no significant hazards consideration determination, and opportunity for a hearing in connection with these actions, was published in the **Federal Register** on June 19, 2017 (82 FR 27891). No comments were received during the 30-day comment period.

The Commission has determined that these amendments satisfy the criteria for categorical exclusion in accordance with 10 CFR 51.22. Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared for these amendments.

## IV. Conclusion

Using the reasons set forth in the combined safety evaluation, the staff granted the exemption and issued the amendment that the licensee requested on April 27, 2017, as supplemented by letter dated August 3, 2017.

The exemption and amendment were issued on October 20, 2017, as part of a combined package to the licensee (ADAMS Accession No. ML17205A473).

Dated at Rockville, Maryland, this 28th day of November 2017.

For the Nuclear Regulatory Commission.

**Jennifer L. Dixon-Herrity,**

*Chief, Licensing Branch 4, Division of New Reactor Licensing, Office of New Reactors.*

[FR Doc. 2017-25924 Filed 11-30-17; 8:45 am]

BILLING CODE 7590-01-P

## NUCLEAR REGULATORY COMMISSION

[Docket Nos. 50-336 and 50-423; License Nos. DPR-65 and NPF-49; EA-17-077; NRC-2017-0224]

### Dominion Energy Nuclear Connecticut, Inc.; Millstone Power Station

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Confirmatory order; issuance.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is issuing a Confirmatory Order to Dominion Energy Nuclear Connecticut, Inc. (Dominion) to memorialize the agreement reached during an alternative dispute resolution mediation session held on September 20, 2017. This Order will resolve the issue that was identified during an NRC investigation of actions by a (former) contractor security officer at Dominion's Millstone Power Station whom the NRC determined did not: (1) Perform required maintenance of site weapons; and (2) properly conduct monthly inventories of out of service weapons. The Confirmatory Order is effective upon issuance.

**DATES:** The Order was issued on November 21, 2017.

**ADDRESSES:** Please refer to Docket ID NRC-2017-0224 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2017-0224. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For technical questions, contact the individual(s) listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the