

mechanically close the breach as soon as possible.

Alternative 2 (Status Determined Entirely by Natural Processes) is the no-action alternative and allows the management of the breach under natural processes, to include evolution and potential growth and/or natural closure.

Alternative 3 (No Human Intervention unless Established Criteria are Exceeded) is identified as the NPS preferred alternative. This alternative allows the evolution, growth, and/or closure of the breach to be determined by natural barrier island processes, and human intervention to close the breach would occur only “to prevent loss of life, flooding, and other severe economic and physical damage to the Great South Bay and surrounding areas,” as allowed by the *Otis Pike Fire Island High Dune Wilderness Act*. Monitoring data collected since 2012 and professional judgment of physical scientists studying the breach have been used to determine that the three criteria described below are the most logical indicators to alert Seashore staff to changes in the breach that could elevate the risk of severe storm damage in the form of loss of life, flooding, and other severe economic and physical damage, which could lead to a decision to close the breach under Alternative 3:

- **Criterion 1: Geologic Controls.**

Erosion-resistant clay to the east and west of the breach serve as geologic controls for the breach. If the breach migrates beyond these geologic controls, growth of the breach will be less predictable.

- **Criterion 2: Cross-Sectional Area.**

Originally, the cross-sectional area of the breach increased rapidly; however, the breach has reached a dynamic equilibrium in which the cross-sectional area has fluctuated between 300 and 600 square meters. A cross-sectional area within or below this range represents a condition in which the effects of the breach are understood. An increase in cross-sectional area above this range will indicate breach growth and a condition in which the evolution of the breach is less predictable and impacts to the surrounding areas may change.

After reviewing and considering all comments received on the draft Breach Plan/EIS, the NPS has prepared the final Breach Plan/EIS. The final Breach Plan/EIS identifies Alternative 3 as the NPS preferred alternative with one change from the draft Breach Plan/EIS. The description of alternative 3 was edited in the final Breach Plan/EIS to include one additional criterion suggested by commenters:

- **Criterion 3: Water Level as Measured by Tide Gauges.** Data from

tide gauges in Great South Bay will be reviewed to identify changes in the tidal prism, which could indicate a change in the breach conditions.

Other changes made as a result of comments consisted of clarifying text added to the final Breach Plan/EIS that did not substantively change the range of alternatives considered or the environmental consequences of implementing any of the alternatives. Appendix C of the final Breach Plan/EIS discusses the comments received on the draft Breach Plan/EIS and provides NPS responses to substantive comments.

Dated: August 7, 2017.

Cindy MacLeod,

Acting Regional Director, Northeast Region, National Park Service.

Editorial note: This document was received for publication by the Office of the Federal Register on December 13, 2017.

[FR Doc. 2017-27244 Filed 12-18-17; 8:45 am]

BILLING CODE 4312-52-P

INTERNATIONAL TRADE COMMISSION

[Investigation Nos. 701-TA-476 and 731-TA-1179 (Review)]

Multilayered Wood Flooring From China; Determinations

On the basis of the record¹ developed in the subject five-year reviews, the United States International Trade Commission (“Commission”) determines, pursuant to the Tariff Act of 1930 (“the Act”), that revocation of the antidumping and countervailing duty orders on multilayered wood flooring from China would be likely to lead to continuation or recurrence of material injury to an industry in the United States within a reasonably foreseeable time.

Background

The Commission, pursuant to section 751(c) of the Act (19 U.S.C. 1675(c)), instituted these reviews on November 1, 2016 (81 FR 75854) and determined on February 6, 2017 that it would conduct full reviews (82 FR 10588, February 14, 2017). Notice of the scheduling of the Commission’s reviews and of a public hearing to be held in connection therewith was given by posting copies of the notice in the Office of the Secretary, U.S. International Trade Commission, Washington, DC, and by publishing the notice in the **Federal Register** on June 16, 2017 (82 FR 27722).

¹ The record is defined in sec. 207.2(f) of the Commission’s Rules of Practice and Procedure (19 CFR 207.2(f)).

The hearing was held in Washington, DC, on October 12, 2017, and all persons who requested the opportunity were permitted to appear in person or by counsel.

The Commission made these determinations pursuant to section 751(c) of the Act (19 U.S.C. 1675(c)). It completed and filed its determinations in these reviews on December 13, 2017. The views of the Commission are contained in USITC Publication 4746 (December 2017), entitled *Multilayered Wood Flooring from China: Investigation Nos. 701-TA-476 and 731-TA-1179 (Review)*.

By order of the Commission.

Issued: December 13, 2017.

Lisa R. Barton,

Secretary to the Commission.

[FR Doc. 2017-27242 Filed 12-18-17; 8:45 am]

BILLING CODE 7020-02-P

INTERNATIONAL TRADE COMMISSION

[Investigation No. 337-TA-1045]

Certain Document Cameras and Software for Use Therewith; Commission’s Determination Not To Review an Initial Determination Terminating the Investigation Based on Withdrawal of the Complaint

AGENCY: U.S. International Trade Commission.

ACTION: Notice.

SUMMARY: Notice is hereby given that the U.S. International Trade Commission has determined not to review the presiding administrative law judge’s (“ALJ”) initial determination (“ID”) (Order No. 20) terminating the investigation based on withdrawal of the complaint.

FOR FURTHER INFORMATION CONTACT:

Amanda Fisherow, Esq., Office of the General Counsel, U.S. International Trade Commission, 500 E Street SW, Washington, DC 20436, telephone (202) 205-2737. Copies of non-confidential documents filed in connection with this investigation are or will be available for inspection during official business hours (8:45 a.m. to 5:15 p.m.) in the Office of the Secretary, U.S. International Trade Commission, 500 E Street SW, Washington, DC 20436, telephone (202) 205-2000. General information concerning the Commission may also be obtained by accessing its internet server at <https://www.usitc.gov>. The public record for this investigation may be viewed on the Commission’s electronic docket (EDIS) at <https://edis.usitc.gov>. Hearing-impaired