- (1) Model A300 B4–601, B4–603, B4–620, and B4–622 airplanes.
- (2) Model A300 B4–605R and B4–622R airplanes.
- (3) Model A300 F4–605R and F4–622R airplanes.
- (4) Model A300 C4–605R Variant F airplanes.
- (5) Model A310–203, –204, –221, –222, –304, –322, –324, and –325 airplanes.

### (d) Subject

Air Transport Association (ATA) of America Code 25, Equipment/furnishings.

### (e) Reason

This AD was prompted by reports of the portable oxygen cylinder assembly (POCA) slipping from its bracket inside a one-frame overhead stowage compartment (OHSC). We are issuing this AD to prevent the POCA from falling behind the OHSC through a cut-out on the OHSC outboard panel, which could damage electrical wiring, resulting in electrical arcing, melted wires, and heat damage, and could ultimately result in an uncontrolled fire in the affected area.

### (f) Compliance

Comply with this AD within the compliance times specified, unless already done.

### (g) Required Action(s)

Within 30 days after the effective date of this AD, request instructions from the Manager, International Section, Transport Standards Branch, FAA, to address the unsafe condition specified in paragraph (e) of this AD; and accomplish the action(s) at the times specified in, and in accordance with, those instructions. Guidance can be found in Mandatory Continuing Airworthiness Information (MCAI) European Aviation Safety Agency (EASA) AD 2015–0146, dated July 22, 2015; corrected July 24, 2015.

## (h) Alternative Methods of Compliance (AMOCs)

The Manager, International Section, Transport Standards Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the International Section, send it to the attention of the person identified in paragraph (i)(2) of this AD. Information may be emailed to: 9-ANM-116-AMOC-REQUESTS@faa.gov. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/certificate holding district office.

## (i) Related Information

- (1) Refer to MCAI EASA AD 2015–0146, dated July 22, 2015; corrected July 24, 2015, for related information. You may examine the MCAI on the internet at http://www.regulations.gov by searching for and locating Docket No. FAA–2017–1180.
- (2) For more information about this AD, contact Dan Rodina, Aerospace Engineer,

International Section, Transport Standards Branch, FAA, 1601 Lind Avenue SW, Renton, WA 98057–3356; telephone 425– 227–2125; fax 425–227–1149.

## (j) Material Incorporated by Reference

None.

Issued in Renton, Washington, on December 26, 2017.

### John P. Piccola, Jr.,

Acting Director, System Oversight Division, Aircraft Certification Service.

[FR Doc. 2017–28380 Filed 1–2–18; 8:45 am] BILLING CODE 4910–13–P

### **DEPARTMENT OF TRANSPORTATION**

### **Federal Aviation Administration**

### 14 CFR Part 39

[Docket No. FAA-2017-1181; Product Identifier 2014-NM-037-AD; Amendment 39-19145; AD 2018-01-04]

### RIN 2120-AA64

# Airworthiness Directives; Airbus Airplanes

**AGENCY:** Federal Aviation Administration (FAA), DOT. **ACTION:** Final rule; request for comments.

**SUMMARY:** We are superseding Airworthiness Directive (AD) 2011-04-05, which applied to all Airbus Model A340-200, -300, -500, and -600 series airplanes. AD 2011-04-05 required revising the maintenance or inspection program to incorporate new airworthiness limitation items (ALIs). This new AD was prompted by the revision of certain ALIs, which specify more restrictive instructions or airworthiness limitations. This AD requires contacting the FAA to obtain instructions for addressing the unsafe condition on these products, and doing the actions specified in those instructions. We are issuing this AD to address the unsafe condition on these products.

**DATES:** This AD becomes effective January 18, 2018.

We must receive comments on this AD by February 20, 2018.

**ADDRESSES:** You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- Federal eRulemaking Portal: Go to http://www.regulations.gov. Follow the instructions for submitting comments.
  - *Fax*: 202–493–2251.
- *Mail*: U.S. Department of Transportation, Docket Operations, M— 30, West Building Ground Floor, Room

W12–140, 1200 New Jersey Avenue SE, Washington, DC 20590.

• Hand Delivery: U.S. Department of Transportation, Docket Operations, M— 30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

### **Examining the AD Docket**

You may examine the AD docket on the internet at http://
www.regulations.gov by searching for and locating Docket No. FAA-20171181; or in person at the Docket
Operations office between 9 a.m. and 5 p.m., Monday through Friday, except
Federal holidays. The AD docket
contains this AD, the regulatory
evaluation, any comments received, and other information. The street address for the Docket Operations office (telephone:
800-647-5527) is in the ADDRESSES
section. Comments will be available in the AD docket shortly after receipt.

FOR FURTHER INFORMATION CONTACT:

Vladimir Ulyanov, Aerospace Engineer, International Section, Transport Standards Branch, FAA, 1601 Lind Avenue SW, Renton, WA 98057–3356; telephone: 425–227–1138; fax: 425–227–1149.

### SUPPLEMENTARY INFORMATION:

### Discussion

We issued AD 2011-04-05. Amendment 39-16605 (76 FR 8612, February 15, 2011) ("AD 2011-04-05"), which applied to all Airbus Model A340-200, -300, -500, and -600 series airplanes. AD 2011-04-05 was prompted by a determination that certain steel forgings used to manufacture certain landing gear components were below specification limits, and the introduction of new ALIs. AD 2011-04-05 required revising the maintenance or inspection program to incorporate new ALIs. We issued AD 2011–04–05 to prevent the failure of certain life-limited parts, which could result in reduced structural integrity of the airplane.

Since we issued AD 2011–04–05, we have determined that more restrictive instructions or airworthiness limitations are needed to address the unsafe condition.

The European Aviation Safety Agency (EASA), which is the Technical Agent for the Member States of the European Union, has issued EASA AD 2014–0009, dated January 8, 2014 (referred to after this as the Mandatory Continuing Airworthiness Information, or "the MCAI"), to correct an unsafe condition for all Airbus Model A340–200, –300,

-500, and -600 series airplanes. The MCAI states:

The airworthiness limitations for Airbus aeroplanes are currently published in Airworthiness Limitations Section (ALS) documents.

The instructions and airworthiness limitations applicable to the Safe Life Airworthiness Limitation Items (SL ALI) are given in Airbus A330 ALS Part 1 and A340 ALS Part 1, which are approved by EASA.

The revision 07 of Airbus A330 and A340 ALS Part 1 introduces more restrictive instructions and/or airworthiness limitations. Failure to comply with this revision could result in an unsafe condition.

For the reason described above, this [EASA] AD retains the requirements of EASA AD 2012–0179, which is superseded, and requires accomplishment of the actions specified in Airbus A330 or A340 ALS Part 1 revision 07.

In addition, this [EASA] AD also supersedes EASA AD 2011–0122–E and EASA AD 2011–0212 [which corresponds to FAA AD 2012–25–12, Amendment 39–17293 (77 FR 75825, December 26, 2012)], whose requirements have been transferred into Airbus A330 and A340 ALS Part 1 revision 07.

You may examine the MCAI on the internet at http://www.regulations.gov by searching for and locating Docket No. FAA-2017-1181.

## FAA's Determination and Requirements of This AD

This product has been approved by the aviation authority of another country, and is approved for operation in the United States. Pursuant to our bilateral agreement with the State of Design Authority, we have been notified of the unsafe condition described in the MCAI. We are issuing this AD because we evaluated all pertinent information and determined the unsafe condition exists and is likely to exist or develop on other products of the same type design.

# FAA's Determination of the Effective Date

Since there are currently no domestic operators of this product, we find good cause that notice and opportunity for prior public comment are unnecessary. In addition, for the reason(s) stated above, we find that good cause exists for making this amendment effective in less than 30 days.

### **Comments Invited**

This AD is a final rule that involves requirements affecting flight safety, and we did not precede it by notice and opportunity for public comment. We invite you to send any written relevant data, views, or arguments about this AD. Send your comments to an address listed under the **ADDRESSES** section. Include "Docket No. FAA–2017–1181; Product Identifier 2014–NM–037–AD" at the beginning of your comments. We specifically invite comments on the overall regulatory, economic, environmental, and energy aspects of this AD. We will consider all comments received by the closing date and may amend this AD based on those comments.

We will post all comments we receive, without change, to http://www.regulations.gov, including any personal information you provide. We will also post a report summarizing each substantive verbal contact we receive about this AD.

## **Costs of Compliance**

Currently, there are no affected U.S.-registered airplanes. This AD requires contacting the FAA to obtain instructions for addressing the unsafe condition, and doing the actions specified in those instructions. Based on the actions specified in the MCAI AD, we are providing the following cost estimates for an affected airplane that is placed on the U.S. Register in the future:

### **ESTIMATED COSTS**

Action	Labor cost	Parts cost	Cost per product
Maintenance or inspection program revision	1 work-hour × \$85 per hour = \$85	\$0	\$85

### **Authority for this Rulemaking**

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. "Subtitle VII: Aviation Programs," describes in more detail the scope of the Agency's authority.

We are issuing this rulemaking under the authority described in "Subtitle VII, Part A, Subpart III, Section 44701: General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

This AD is issued in accordance with authority delegated by the Executive

Director, Aircraft Certification Service, as authorized by FAA Order 8000.51C. In accordance with that order, issuance of ADs is normally a function of the Compliance and Airworthiness Division, but during this transition period, the Executive Director has delegated the authority to issue ADs applicable to transport category airplanes to the Director of the System Oversight Division.

## **Regulatory Findings**

We determined that this AD will not have federalism implications under Executive Order 13132. This AD will not have a substantial direct effect on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify that this AD:

1. Is not a "significant regulatory action" under Executive Order 12866;

- 2. Is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979);
- 3. Will not affect intrastate aviation in Alaska; and
- 4. Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

## List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

### Adoption of the Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA amends 14 CFR part 39 as follows:

# PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

### § 39.13 [Amended]

■ 2. The FAA amends § 39.13 by removing airworthiness directive (AD) 2011–04–05, Amendment 39–16605 (76 FR 8612, February 15, 2011), and adding the following new AD:

**2018–01–04 Airbus**: Amendment 39–19145; Docket No. FAA–2017–1181; Product Identifier 2014–NM–037–AD.

### (a) Effective Date

This AD becomes effective January 18, 2018.

#### (b) Affected ADs

This AD replaces AD 2011–04–05, Amendment 39–16605 (76 FR 8612, February 15, 2011) ("AD 2011–04–05").

### (c) Applicability

This AD applies to the Airbus airplanes specified in paragraphs (c)(1) through (c)(4) of this AD, certificated in any category, all manufacturer serial numbers.

- (1) Model A340–211, –212, and –213 airplanes.
- (2) Model A340–311, –312, and –313 airplanes.
  - (3) Model A340–541 airplanes.
  - (4) Model A340-642 airplanes.

### (d) Subject

Air Transport Association (ATA) of America Code 05, Periodic inspections.

### (e) Reason

This AD was prompted by the revision of certain airworthiness limitation items (ALIs), which specify more restrictive instructions or airworthiness limitations. We are issuing this AD to prevent the failure of certain lifelimited parts, which could result in reduced structural integrity of the airplane.

## (f) Compliance

Comply with this AD within the compliance times specified, unless already done.

### (g) Required Action(s)

Within 30 days after the effective date of this AD, request instructions from the Manager, International Section, Transport Standards Branch, FAA, to address the unsafe condition specified in paragraph (e) of this AD; and accomplish the action(s) at the times specified in, and in accordance with, those instructions. Guidance can be found in Mandatory Continuing Airworthiness Information (MCAI) European Aviation Safety Agency (EASA) AD 2014–0009, dated January 8, 2014.

## (h) Alternative Methods of Compliance (AMOCs)

The Manager, International Section, Transport Standards Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the International Section, send it to the

attention of the person identified in paragraph (i)(2) of this AD. Information may be emailed to: 9-ANM-116-AMOC-REQUESTS@faa.gov. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/certificate holding district office.

### (i) Related Information

(1) Refer to MCAI EASA AD 2014–0009, dated January 8, 2014, for related information. You may examine the MCAI on the internet at http://www.regulations.gov by searching for and locating Docket No. FAA–2017–1181.

(2) For more information about this AD, contact Vladimir Ulyanov, Aerospace Engineer, International Section, Transport Standards Branch, FAA, 1601 Lind Avenue SW, Renton, WA 98057–3356; telephone 425–227–1138; fax 425–227–1149.

## (j) Material Incorporated by Reference

None.

Issued in Renton, Washington, on December 26, 2017.

### John P. Piccola, Jr.,

Acting Director, System Oversight Division, Aircraft Certification Service.

[FR Doc. 2017–28381 Filed 1–2–18; 8:45 am]

BILLING CODE 4910-13-P

## **DEPARTMENT OF TRANSPORTATION**

### **Federal Aviation Administration**

### 14 CFR Part 39

[Docket No. FAA-2017-0500; Product Identifier 2017-NM-009-AD; Amendment 39-19142; AD 2018-01-01]

### RIN 2120-AA64

# Airworthiness Directives; The Boeing Company Airplanes

**AGENCY:** Federal Aviation Administration (FAA), DOT.

**ACTION:** Final rule.

summary: We are adopting a new airworthiness directive (AD) for certain The Boeing Company Model MD–11 and MD–11F airplanes. This AD was prompted by fuel system reviews conducted by the manufacturer. This AD requires a one-time inspection of the wire assemblies of the tail fuel tank transfer pumps to determine if metallic transitions are installed at the wire harness breakouts, and corrective actions if necessary. We are issuing this AD to address the unsafe condition on these products.

**DATES:** This AD is effective February 7, 2018.

The Director of the Federal Register approved the incorporation by reference

of a certain publication listed in this AD as of February 7, 2018.

**ADDRESSES:** For service information identified in this final rule, contact Boeing Commercial Airplanes, Attention: Contractual & Data Services (C&DS), 2600 Westminster Blvd., MC 110-SK57, Seal Beach, CA 90740; telephone 562-797-1717; internet https://www.myboeingfleet.com. You may view this service information at the FAA, Transport Standards Branch, 1601 Lind Avenue SW, Renton, WA. For information on the availability of this material at the FAA, call 425-227-1221. It is also available on the internet at http://www.regulations.gov by searching for and locating Docket No. FAA-2017-

### **Examining the AD Docket**

You may examine the AD docket on the internet at http:// www.regulations.gov by searching for and locating Docket No. FAA-2017-0500; or in person at the Docket Management Facility between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this final rule, the regulatory evaluation, any comments received, and other information. The address for the Docket Office (phone: 800-647-5527) is Docket Management Facility, U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE, Washington, DC

FOR FURTHER INFORMATION CONTACT: Sérj Harutunian, Aerospace Engineer, Propulsion Section, Los Angeles ACO Branch, FAA, 3960 Paramount Boulevard, Lakewood, California 90712–4137; phone: 562–627–5254; fax: 562–627–5210; email: serj.harutunian@faa.gov.

### SUPPLEMENTARY INFORMATION:

### Discussion

We issued a notice of proposed rulemaking (NPRM) to amend 14 CFR part 39 by adding an AD that would apply to certain The Boeing Company Model MD-11 and MD-11F airplanes. The NPRM published in the Federal Register on May 30, 2017 (82 FR 24597). The NPRM was prompted by fuel system reviews conducted by the manufacturer. The NPRM proposed to require a one-time inspection of the wire assemblies of the tail fuel tank transfer pumps to determine if metallic transitions are installed at the wire harness breakouts, and corrective actions if necessary. We are issuing this AD to detect and correct potential ignition sources inside the tail fuel tank,