

ENVIRONMENTAL PROTECTION AGENCY**[FRL-9985-31-REGION 3]****Notice of Tentative Approval and Opportunity for Public Comment and Public Hearing for Public Water System Supervision Program Revision for Pennsylvania****AGENCY:** Environmental Protection Agency (EPA).**ACTION:** Notice of approval and solicitation of requests for public hearing.

SUMMARY: Notice is hereby given that the Commonwealth of Pennsylvania is revising its approved Public Water System Supervision Program. Pennsylvania has adopted drinking water regulations for the Revised Total Coliform Rule. The U.S. Environmental Protection Agency (EPA) has determined that Pennsylvania's Revised Total Coliform Rule meets all minimum federal requirements, and that it is no less stringent than the corresponding federal regulation. Therefore, EPA has tentatively decided to approve the State program revisions.

DATES: Comments or a public hearing must be submitted by November 13, 2018. This determination shall become final and effective on November 13, 2018. If no timely and appropriate request for a hearing is received, and the Regional Administrator does not elect to hold a hearing on his own motion, and if no comments are received which cause EPA to modify its tentative approval.

ADDRESSES: Comments or a request for a public hearing must be submitted to the U.S. Environmental Protection Agency, Region III, 1650 Arch Street, Philadelphia, PA 19103-2029. All documents relating to this determination are available for inspection between the hours of 8:00 a.m. and 4:30 p.m., Monday through Friday, at the following offices:

- Drinking Water Branch, Water Protection Division, U.S. Environmental Protection Agency Region III, 1650 Arch Street, Philadelphia, PA 19103-2029.
- Bureau of Safe Drinking Water, Pennsylvania Department of Environmental Protection, P.O. Box 2063, Harrisburg, Pennsylvania 17105-2063.

FOR FURTHER INFORMATION CONTACT: Kelly Moran, Drinking Water Branch (3WP21) at the Philadelphia address given above, via email at moran.kelly@epa.gov, or telephone (215) 814-2331 or fax (215) 814-2302.

SUPPLEMENTARY INFORMATION: All interested parties are invited to submit written comments on this determination and may request a hearing. All comments will be considered, and if necessary EPA will issue a response. Frivolous or insubstantial requests for a hearing will be denied by the Regional Administrator. If a substantial request for a public hearing is made by November 13, 2018, a public hearing will be held. A request for public hearing shall include the following: (1) The name, address, and telephone number of the individual, organization, or other entity requesting a hearing; (2) a brief statement of the requesting person's interest in the Regional Administrator's determination and of information that the requesting person intends to submit at such hearing; and (3) the signature of the individual making the request; or, if the request is made on behalf of an organization or other entity, the signature of a responsible official of the organization or other entity.

Dated: September 24, 2018.

Cosmo Servidio,
Regional Administrator.

[FR Doc. 2018-22166 Filed 10-10-18; 8:45 am]

BILLING CODE 6560-50-P**ENVIRONMENTAL PROTECTION AGENCY****[EPA-HQ-OECA-2018-0130; FRL-9984-94-OEI]****Information Collection Request Submitted to OMB for Review and Approval; Comment Request; NESHAP for Hazardous Waste Combustors (Renewal)****AGENCY:** Environmental Protection Agency (EPA).**ACTION:** Notice.

SUMMARY: The Environmental Protection Agency (EPA) has submitted an information collection request (ICR), NESHAP for Hazardous Waste Combustors (EPA ICR Number 1773.12, OMB Control Number 2050-0171), to the Office of Management and Budget (OMB) for review and approval in accordance with the Paperwork Reduction Act. This is a proposed extension of the ICR, which is currently approved through October 31, 2018. Public comments were previously requested via the **Federal Register** on July 3, 2018 during a 60-day comment period. This notice allows for an additional 30 days for public comments. A fuller description of the ICR is given below, including its estimated burden

and cost to the public. An agency may neither conduct nor sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.

DATES: Additional comments may be submitted on or before November 13, 2018.

ADDRESSES: Submit your comments, referencing Docket ID Number EPA-HQ-OECA-2018-0130, to: (1) EPA online using www.regulations.gov (our preferred method), or by email to docket.oeca@epa.gov, or by mail to: EPA Docket Center, Environmental Protection Agency, Mail Code 28221T, 1200 Pennsylvania Ave. NW, Washington, DC 20460; and (2) OMB via email to oira_submission@omb.eop.gov. Address comments to OMB Desk Officer for EPA.

EPA's policy is that all comments received will be included in the public docket without change including any personal information provided, unless the comment includes profanity, threats, information claimed to be Confidential Business Information (CBI), or other information whose disclosure is restricted by statute.

FOR FURTHER INFORMATION CONTACT: Patrick Yellin, Monitoring, Assistance, and Media Programs Division, Office of Compliance, Mail Code 2227A, Environmental Protection Agency, 1200 Pennsylvania Ave. NW, Washington, DC 20460; telephone number: (202) 564-2970; fax number: (202) 564-0050; email address: yellin.patrick@epa.gov.

SUPPLEMENTARY INFORMATION: Supporting documents, which explain in detail the information that the EPA will be collecting, are available in the public docket for this ICR. The docket can be viewed online at www.regulations.gov or in person at the EPA Docket Center, EPA West, Room 3334, 1301 Constitution Ave. NW, Washington, DC. The telephone number for the Docket Center is 202-566-1744. For additional information about EPA's public docket, visit: <http://www.epa.gov/dockets>.

Abstract: The National Emission Standards for Hazardous Air Pollutants (NESHAP) for Hazardous Waste Combustors (40 CFR part 63, subpart EEE) apply to the following types of new and existing combustion units that burn hazardous waste: Incinerators, cement kilns, lightweight aggregate kilns, solid fuel boilers, liquid fuel boilers, and hydrochloric acid production facilities. In general, all NESHAP standards require initial notifications, performance tests, and periodic reports by the owners/