

adopt the following amendments to 10 CFR part 72:

**PART 72—LICENSING
REQUIREMENTS FOR THE
INDEPENDENT STORAGE OF SPENT
NUCLEAR FUEL, HIGH-LEVEL
RADIOACTIVE WASTE, AND
REACTOR-RELATED GREATER THAN
CLASS C WASTE**

■ 1. The authority citation for part 72 continues to read as follows:

Authority: Atomic Energy Act of 1954, secs. 51, 53, 57, 62, 63, 65, 69, 81, 161, 182, 183, 184, 186, 187, 189, 223, 234, 274 (42 U.S.C. 2071, 2073, 2077, 2092, 2093, 2095, 2099, 2111, 2201, 2210e, 2232, 2233, 2234, 2236, 2237, 2238, 2273, 2282, 2021); Energy Reorganization Act of 1974, secs. 201, 202, 206, 211 (42 U.S.C. 5841, 5842, 5846, 5851); National Environmental Policy Act of 1969 (42 U.S.C. 4332); Nuclear Waste Policy Act of 1982, secs. 117(a), 132, 133, 134, 135, 137, 141, 145(g), 148, 218(a) (42 U.S.C. 10137(a), 10152, 10153, 10154, 10155, 10157, 10161, 10165(g), 10168, 10198(a)); 44 U.S.C. 3504 note.

■ 2. In § 72.214, Certificate of Compliance 1015 is revised to read as follows:

§ 72.214 List of approved spent fuel storage casks.

* * * * *

Certificate Number: 1015.

Initial Certificate Effective Date:
November 20, 2000.

Amendment Number 1 Effective Date:
February 20, 2001.

Amendment Number 2 Effective Date:
December 31, 2001.

Amendment Number 3 Effective Date:
March 31, 2004.

Amendment Number 4 Effective Date:
October 11, 2005.

Amendment Number 5 Effective Date:
January 12, 2009.

Amendment Number 6 Effective Date:
January 7, 2019.

SAR Submitted by: NAC
International, Inc.

SAR Title: Final Safety Analysis
Report for the NAC-UMS Universal
Storage System.

Docket Number: 72-1015.

Certificate Expiration Date: November
20, 2020.

Model Number: NAC-UMS.

* * * * *

Dated at Rockville, Maryland, this 9th day
of October, 2018.

For the Nuclear Regulatory Commission.

Margaret M. Doane,
Executive Director for Operations.

[FR Doc. 2018-22913 Filed 10-19-18; 8:45 am]

BILLING CODE 7590-01-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 25

[Docket No. FAA-2017-0240; Notice No. 25-18-04-SC]

**Special Conditions: Gulfstream
Aerospace Corporation Model GVII-
G500 Airplanes; Airbag Systems on
Multiple-Place and Single-Place Side-
Facing Seats**

AGENCY: Federal Aviation
Administration (FAA), DOT.

ACTION: Notice of proposed amended
special conditions.

SUMMARY: This action proposes amended special conditions for the Gulfstream Aerospace Corporation (Gulfstream) Model GVII-G500 airplane. This amendment changes an error in a reference to a special conditions number and adds one special condition. This airplane will have a novel or unusual design feature when compared to the state of technology envisioned in the airworthiness standards for transport-category airplanes. This design feature is airbag systems on multiple-place and single-place side-facing seats. The applicable airworthiness regulations do not contain adequate or appropriate safety standards for this design feature. These special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards.

DATES: Send comments on or before
November 21, 2018.

ADDRESSES: Send comments identified
by Docket No. FAA-2017-0240 using
any of the following methods:

- *Federal eRegulations Portal:* Go to <http://www.regulations.gov/> and follow the online instructions for sending your comments electronically.

- *Mail:* Send comments to Docket Operations, M-30, U.S. Department of Transportation (DOT), 1200 New Jersey Avenue SE, Room W12-140, West Building Ground Floor, Washington, DC 20590-0001.

- *Hand Delivery or Courier:* Take comments to Docket Operations in Room W12-140 of the West Building Ground Floor at 1200 New Jersey Avenue SE, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

- *Fax:* Fax comments to Docket Operations at 202-493-2251.

Privacy: The FAA will post all comments it receives, without change, to <http://www.regulations.gov/>,

including any personal information the commenter provides. Using the search function of the docket website, anyone can find and read the electronic form of all comments received into any FAA docket, including the name of the individual sending the comment (or signing the comment for an association, business, labor union, etc.). DOT's complete Privacy Act Statement can be found in the **Federal Register** published on April 11, 2000 (65 FR 19477-19478).

Docket: Background documents or comments received may be read at <http://www.regulations.gov/> at any time. Follow the online instructions for accessing the docket or go to Docket Operations in Room W12-140 of the West Building Ground Floor at 1200 New Jersey Avenue SE, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT:
Alan Sinclair, Airframe and Cabin
Safety Section, AIR-675, Transport
Standards Branch, Policy and
Innovation Division, Aircraft
Certification Service, Federal Aviation
Administration, 2200 South 216th
Street, Des Moines, Washington 98198;
telephone and fax 206-231-3215.

SUPPLEMENTARY INFORMATION:

Comments Invited

We invite interested people to take part in this rulemaking by sending written comments, data, or views. The most helpful comments reference a specific portion of the proposed special conditions, explain the reason for any recommended change, and include supporting data.

We will consider all comments we receive by the closing date for comments. We may change these special conditions based on the comments we receive.

Background

On March 29, 2012, Gulfstream Aerospace Corporation applied for a type certificate for their new Model GVII-G500 airplane. The Model GVII-G500 airplane will be a twin-engine, transport-category, business jet capable of accommodating up to 19 passengers. The Model GVII-G500 airplane will have a maximum takeoff weight of 76,850 lbs.

The FAA issued "final special conditions, request for comments" for airbag systems on multiple-place and single-place side-facing seats installed in Gulfstream Model GVII-G500 airplanes, on June 8, 2017. The special conditions were published in the **Federal Register** on June 19, 2017 (82 FR 27771). This notice of proposed

special conditions provides the public an opportunity to comment on the additional condition no. 14 amended into The Proposed Special Conditions section.

Type Certification Basis

Under the provisions of title 14, Code of Federal Regulations (14 CFR) 21.17, Gulfstream must show that the Model GVII-G500 airplane meets the applicable provisions of 14 CFR part 25, as amended by amendments 25-1 through 25-129.

If the Administrator finds that the applicable airworthiness regulations (*i.e.*, part 25) do not contain adequate or appropriate safety standards for the Model GVII-G500 airplane because of a novel or unusual design feature, special conditions are prescribed under the provisions of § 21.16.

Special conditions are initially applicable to the model for which they are issued. Should the type certificate for that model be amended later to include any other model that incorporates the same or similar novel or unusual design feature, the special conditions would also apply to the other model under § 21.101.

In addition to the applicable airworthiness regulations and special conditions, Model GVII-G500 airplanes must comply with the fuel-vent and exhaust-emission requirements of 14 CFR part 34, and the noise-certification requirements of 14 CFR part 36.

The FAA issues special conditions, as defined in 14 CFR 11.19, in accordance with § 11.38, and they become part of the type certification basis under § 21.17(a)(2).

Novel or Unusual Design Features

The Model GVII-G500 airplane will incorporate the following novel or unusual design feature:

Airbag systems on multiple-place and single-place side-facing seats.

Discussion

Side facing seats are considered a novel design for transport-category airplanes that include 14 CFR part 25, amendment 25-64, in their certification bases because this feature was not anticipated when those airworthiness standards were issued. Therefore, the existing regulations do not provide adequate or appropriate safety standards for occupants of side-facing seats. For the Model GVII-G500 airplane, FAA Special Conditions No. 25-618-SC, "Technical Criteria for Approving Side-Facing Seats," provide special conditions to address the certification of single- and multiple-place side-facing seats. Those special conditions include

condition 2(e), which requires the axial rotation of the upper leg (femur) to be limited to 35 degrees in either direction from the nominal seat position. To accommodate that requirement, Gulfstream has developed a new airbag system that will be installed close to the floor, and which is designed to limit the axial rotation of the occupant's upper legs.

This amendment changes, in the second paragraph of the Special Conditions section, an erroneous reference to Special Conditions No. 25-495-SC, which is here corrected to 25-618-SC, and adds special condition number 14 to the Special Conditions section. Special Condition 14 was unintentionally omitted from the previous issuance of these special conditions.

These proposed special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards.

Applicability

As discussed above, these special conditions are applicable to the Gulfstream Model GVII-G500 airplane. Should Gulfstream apply at a later date for a change to the type certificate to include another model incorporating the same novel or unusual design feature, these special conditions would apply to that model as well.

Conclusion

This action affects only certain novel or unusual design features on one model of airplane. It is not a rule of general applicability.

List of Subjects in 14 CFR Part 25

Aircraft, Aviation safety, Reporting and recordkeeping requirements.

Authority Citation

The authority citation for these special conditions is as follows:

Authority: 49 U.S.C. 106(f), 106(g), 40113, 44701, 44702, 44704.

The Proposed Special Conditions

Accordingly, the Federal Aviation Administration (FAA) proposes the following special conditions as part of the type certification basis for Gulfstream Aerospace Corporation Model GVII-G500 airplanes.

In addition to the requirements of §§ 25.562 and 25.785, and Special Conditions No. 25-618-SC, the following special conditions are part of the type certification basis for the Gulfstream Model GVII-G500 airplane

with leg-flail airbags installed on side-facing seats.

1. For seats with a leg-flail airbag system, the system must deploy and provide protection under crash conditions where it is necessary to prevent serious injury. The means of protection must take into consideration a range of stature from a 2-year-old child to a 95th-percentile male. At some buttock popliteal length and effective seat-bottom depth, the lower legs will not be able to form a 90-degree angle relative to the upper leg; at this point, the lower leg flail would not occur. The leg-flail airbag system must provide a consistent approach to prevention of leg flail throughout that range of occupants whose lower legs can form a 90-degree angle relative to the upper legs when seated upright in the seat. Items that need to be considered include, but are not limited to, the range of occupants' popliteal height, the range of occupants' buttock popliteal length, the design of the seat effective height above the floor, and the effective depth of the seat-bottom cushion.

2. The leg-flail airbag system must provide adequate protection for each occupant regardless of the number of occupants of the seat assembly, considering that unoccupied seats may have an active leg-flail airbag system.

3. The leg-flail airbag system must not be susceptible to inadvertent deployment as a result of wear and tear, or inertial loads resulting from in-flight or ground maneuvers (including gusts and hard landings), and other operating and environmental conditions (vibrations, moisture, etc.) likely to occur in service.

4. Deployment of the leg-flail airbag system must not introduce injury mechanisms to the seated occupant, nor result in injuries that could impede rapid egress.

5. Inadvertent deployment of the leg-flail airbag system, during the most critical part of the flight, must either meet the requirement of § 25.1309(b), or not cause a hazard to the airplane or its occupants.

6. The leg-flail airbag system must not impede rapid egress of occupants from the airplane 10 seconds after airbag deployment.

7. The leg-flail airbag system must be protected from lightning and high-intensity radiated fields (HIRF). The threats to the airplane specified in existing regulations regarding lightning (§ 25.1316) and HIRF (§ 25.1317) are incorporated by reference for the purpose of measuring lightning and HIRF protection.

8. The leg-flail airbag system must function properly after loss of normal

airplane electrical power, and after a transverse separation of the fuselage at the most critical location. A separation at the location of the leg-flail airbag system does not have to be considered.

9. The leg-flail airbag system must not release hazardous quantities of gas or particulate matter into the cabin.

10. The leg-flail airbag system installation must be protected from the effects of fire such that no hazard to occupants will result.

11. A means must be available to verify the integrity of the leg-flail airbag system's activation system prior to each flight, or the leg-flail airbag system's activation system must reliably operate between inspection intervals. The FAA considers that the loss of the leg-flail airbag system's deployment function alone (*i.e.*, independent of the conditional event that requires the leg-flail airbag system's deployment) is a major-failure condition.

12. The airbag inflatable material may not have an average burn rate of greater than 2.5 inches per minute when tested using the horizontal flammability test defined in part 25, appendix F, part I, paragraph (b)(5).

13. The leg-flail airbag system, once deployed, must not adversely affect the emergency-lighting system (*i.e.*, must not block floor-proximity lights to the extent that the lights no longer meet their intended function).

14. The leg flail system(s) must perform its intended function after impact from any other proximate assemblies (*e.g.*, life raft) that may become detached under the loads specified in §§ 25.561 and 25.562.

Issued in Des Moines, Washington, on October 15, 2018.

Victor Wicklund,

Manager, Transport Standards Branch, Policy and Innovation Division, Aircraft Certification Service.

[FR Doc. 2018-22928 Filed 10-19-18; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 61

[Docket No.: FAA-2018-0811]

Airline Transport Pilot and Type Rating for Airplane Airman Certification Standards

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of document availability and request for comments.

SUMMARY: This document announces the availability of the Airline Transport Pilot (ATP) and Type Rating for Airplane Airman Certification Standards (FAA-S-ACS-11) for public comment.

DATES: Send comments on or before December 21, 2018.

ADDRESSES: Send comments identified by docket number FAA-2018-0811 using any of the following methods: Go to *Federal eRulemaking Portal:* Go to <http://www.regulations.gov> and follow the online instructions for sending your comments electronically.

• *Mail:* Send comments to Docket Operations, M-30; U.S. Department of Transportation (DOT), 1200 New Jersey Avenue SE, Room W12-140, West Building Ground Floor, Washington, DC 20590-0001.

• *Hand Delivery or Courier:* Take comments to Docket Operations in Room W12-140 of the West Building Ground Floor at 1200 New Jersey Avenue SE, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

• *Fax:* Fax comments to Docket Operations at 202-493-2251.

Privacy: We will post all comments without edit including any personal information the commenter provides to www.regulations.gov, as described in the system of records notice (DOT/ALL-14 FDMS) which can be viewed at www.dot.gov/privacy.

Docket: Background documents or comments received may be read at <http://www.regulations.gov> at any time. Follow the online instructions for accessing the docket or Docket Operations in Room W12-140 of the West Building Ground Floor at 1200 New Jersey Avenue SE, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT:

Larry West, Regulatory Support Division, Federal Aviation Administration, FAA Mike Monroney Aeronautical Center, P.O. Box 25082, Oklahoma City, OK 73125; telephone 405-954-4431; email: larry.d.west@faa.gov.

SUPPLEMENTARY INFORMATION:

Authority for This Action

Under 49 U.S.C. 44703(a), the Administrator is required to issue an airman certificate when the Administrator finds, after investigation, that an individual is qualified for, and physically able to perform the duties related to the position authorized by the certificate. Consistent with this authority, the Administrator establishes testing standards to ensure that

inspectors and designated examiners conducting practical tests under the Administrator's authority determine that an applicant is qualified for and physically able to perform the duties related to the position authorized by the certificate or rating sought.

Background

The FAA established the Aviation Rulemaking Advisory Committee (ARAC) to provide information, advice, and recommendations on aviation related issues that could result in rulemaking to the Administrator, through the Associate Administrator of Aviation Safety. On December 19, 2013, ARAC accepted the FAA's assignment of a new task to establish an Airman Certification Standards Working Group (ACS WG) to assist in the development of standards, training guidance, test management, and reference materials for airman certification testing. The FAA announced the ARAC's acceptance of this task through a **Federal Register** Notice published on January 29, 2014 (79 FR 4800). The original task focused on the Private Pilot, Commercial Pilot, ATP, and Authorized Instructor certificates and the Instrument Rating in the airplane category. The task was expanded in February 2016 (81 FR 6099) to include the Aircraft Mechanic certificate with Airframe and/or Powerplant ratings. The task was further expanded in September 2017 to add the Sport Pilot and Recreational Pilot certificates in all airplane categories, and the Private Pilot, Commercial Pilot, ATP, and Instructor certificates and the Instrument rating in the remaining aircraft categories to include rotorcraft, powered-lift, and glider.¹

On June 21, 2018, the ARAC met and approved the Interim Final Report of the ACS WG. The Interim Final Report contained a recommendation for the Airline Transport Pilot and Type Rating for Airplane (ATP/Type Rating) ACS. The FAA received that recommendation from ARAC on June 22, 2018. The FAA has reviewed the draft ATP/Type Rating ACS, made some changes based on internal feedback, and is now seeking comment from the public. A copy of the document has been placed in the docket for this action. The FAA will review and consider all comments received and make any necessary changes prior to issuing the final version of the ATP/Type Rating ACS. The final version of the ATP/Type Rating ACS will be

¹ The ARAC Task Notice is available at: https://www.faa.gov/regulations_policies/rulemaking/committees/documents/index.cfm/document/information/documentID/3282.