

23110 (90 FR 39102, August 14, 2025; corrected August 22, 2025 (90 FR 40964)); and

■ b. Adding the following new AD:

Airbus SAS: Docket No. FAA–2026–3874; Project Identifier MCAI–2025–01426–T.

(a) Comments Due Date

The FAA must receive comments on this airworthiness directive (AD) by June 15, 2026.

(b) Affected ADs

This AD replaces AD 2025–16–12, Amendment 39–23110 (90 FR 39102, August 14, 2025; corrected August 22, 2025 (90 FR 40964)) (AD 2025–16–12).

(c) Applicability

This AD applies to all Airbus SAS airplanes identified in paragraphs (c)(1) through (3) of this AD, certificated in any category.

(1) Model A319–151N, –153N, –171N, and –173N airplanes.

(2) Model A320–251N, –252N, –253N, –271N, –272N, and –273N airplanes.

(3) Model A321–251N, –252N, –253N, –271N, –272N, –251NX, –252NX, –253NX, –271NX, –272NX, –253NY, and –271NY airplanes.

(d) Subject

Air Transport Association (ATA) of America Code 36, Pneumatic.

(e) Unsafe Condition

This AD was prompted by occurrences of high-pressure bleed valve (HPV) butterfly seal retention clip rupture. The FAA is issuing this AD to address high pressure and temperatures in the duct downstream from the pressure regulating valve, which could lead to duct burst and result in damage to several systems or the airframe and consequent loss of control of the airplane.

(f) Compliance

Comply with this AD within the compliance times specified, unless already done.

(g) Requirements

Except as specified in paragraph (h) of this AD: Comply with all required actions and compliance times specified in, and in accordance with, European Union Aviation Safety Agency (EASA) AD 2025–0096, dated April 28, 2025 (EASA AD 2025–0096).

(h) Exceptions to EASA AD 2025–0096

(1) Where paragraphs (1) and (6.2) of EASA AD 2025–0096 refer to its effective date, this AD requires August 29, 2025 (the effective date of AD 2025–16–12).

(2) Where paragraph (4) of EASA AD 2025–0096 refers to its effective date, this AD requires using the effective date of this AD.

(3) Where paragraphs (1) and (3) of EASA AD 2025–0096 specify to “inform all flight crews, and, thereafter, operate the aeroplane accordingly,” this AD does not require those actions as those actions are already required by existing FAA operating regulations (see 14 CFR 91.9, 91.505, 121.137, and 121.628(a)(2) and (a)(5)).

(4) Where paragraph (3) of EASA AD 2025–0096 specifies to “implement the instructions of the MMEL update, as applicable, depending on aeroplane configuration (see Note 1 of this AD), on the basis of which the operator’s MEL must be amended”, this AD requires replacing that text with “revise the operator’s existing FAA-approved MEL by incorporating the applicable information identified in “The MMEL update” as defined in EASA AD 2025–0096”.

(5) Where the service information required by EASA AD 2025–0096 specifies discarding parts, this AD requires removing those parts from service.

(6) This AD does not adopt the “Remarks” section of EASA AD 2025–0096.

(i) Additional AD Provisions

The following provisions also apply to this AD:

(1) *Alternative Methods of Compliance (AMOCs):* The Manager, AIR–520, Continued Operational Safety Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or responsible Flight Standards Office, as appropriate. If sending information directly to the manager of the Continued Operational Safety Branch, send it to the attention of the person identified in paragraph (j)(1) of this AD and email to: AMOC@faa.gov. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the responsible Flight Standards Office.

(2) *Contacting the Manufacturer:* For any requirement in this AD to obtain instructions from a manufacturer, the instructions must be accomplished using a method approved by the Manager, AIR–520, Continued Operational Safety Branch, FAA; or EASA; or Airbus SAS’s EASA Design Organization Approval (DOA). If approved by the DOA, the approval must include the DOA-authorized signature.

(3) *Required for Compliance (RC):* Except as required by paragraph (i)(2) of this AD, if any material contains procedures or tests that are identified as RC, those procedures and tests must be done to comply with this AD; any procedures or tests that are not identified as RC are recommended. Those procedures and tests that are not identified as RC may be deviated from using accepted methods in accordance with the operator’s maintenance or inspection program without obtaining approval of an AMOC, provided the procedures and tests identified as RC can be done and the airplane can be put back in an airworthy condition. Any substitutions or changes to procedures or tests identified as RC require approval of an AMOC.

(j) Additional Information

(1) For more information about this AD, contact Frank Carreras, Aviation Safety Engineer, FAA, 2200 South 216th St., Des Moines, WA 98198; phone: 206–231–3539; email: Frank.Carreras@faa.gov.

(2) For Airbus material identified in this AD that is not incorporated by reference, contact Airbus SAS, Airworthiness Office—EIAS, Rond-Point Emile Dewoitine No: 2,

31700 Blagnac Cedex, France; telephone +33 5 61 93 36 96; fax +33 5 61 93 44 51; email account.airworth-eas@airbus.com; website airbus.com.

(k) Material Incorporated by Reference

(1) The Director of the Federal Register approved the incorporation by reference (IBR) of the material listed in this paragraph under 5 U.S.C. 552(a) and 1 CFR part 51.

(2) You must use this material as applicable to do the actions required by this AD, unless this AD specifies otherwise.

(3) The following material was approved for IBR on August 29, 2025 (90 FR 39102, August 14, 2025; corrected August 22, 2025 (90 FR 40964)).

(i) European Union Aviation Safety Agency (EASA) AD 2025–0096, dated April 28, 2025.

(ii) [Reserved]

(4) For EASA material identified in this AD, contact EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; telephone +49 221 8999 000; email ADs@easa.europa.eu. You may find this material on the EASA website at ad.easa.europa.eu.

(5) You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195.

(6) You may view this material at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, visit www.archives.gov/federal-register/cfr/ibr-locations or email fr.inspection@nara.gov.

Issued on April 24, 2026.

Brian Knaup,

Acting Deputy Director, Integrated Certificate Management Division, Aircraft Certification Service.

[FR Doc. 2026–08290 Filed 4–28–26; 8:45 am]

BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA–2026–3872; Project Identifier MCAI–2025–01421–T]

RIN 2120–AA64

Airworthiness Directives; Bombardier, Inc., Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: The FAA proposes to adopt a new airworthiness directive (AD) for certain Bombardier, Inc., Model BD–700–2A12 airplanes. This proposed AD was prompted by reports of missing or under torqued fasteners on the slat 2 cove rib 6 brackets. This proposed AD would require a general visual

inspection (GVI) of affected fasteners on slat 2 cove rib 6 brackets to determine if all fasteners are installed and applicable on-condition actions. The FAA is proposing this AD to address the unsafe condition on these products.

DATES: The FAA must receive comments on this proposed AD by June 15, 2026.

ADDRESSES: You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- *Federal eRulemaking Portal:* Go to [regulations.gov](https://www.regulations.gov). Follow the instructions for submitting comments.

- *Fax:* 202-493-2251.

- *Mail:* U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE, Washington, DC 20590.

- *Hand Delivery:* Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

AD Docket: You may examine the AD docket at [regulations.gov](https://www.regulations.gov) under Docket No. FAA-2026-3872; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the mandatory continuing airworthiness information (MCAI), any comments received, and other information. The street address for Docket Operations is listed above.

Material Incorporated by Reference:

- For Transport Canada material identified in this proposed AD, contact Transport Canada, Transport Canada National Aircraft Certification, 159 Cleopatra Drive, Nepean, Ontario K1A 0N5, Canada; telephone 888-663-3639; email TC.AirworthinessDirectives-Consignesdenavigabilite.TC@tc.gc.ca. You may find this material on the Transport Canada website at tc.canada.ca/en/aviation. It is also available at [regulations.gov](https://www.regulations.gov) under Docket No. FAA-2026-3872.

- You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206-231-3195.

FOR FURTHER INFORMATION CONTACT: Brenda Buitrago Perez, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone: 516-228-7300; email: 9-avs-nyaco-cos@faa.gov.

SUPPLEMENTARY INFORMATION:

Comments Invited

The FAA invites you to send any written relevant data, views, or arguments about this proposal. Send

your comments using a method listed under the **ADDRESSES** section. Include “Docket No. FAA-2026-3872; Project Identifier MCAI-2025-01421-T” at the beginning of your comments. The most helpful comments reference a specific portion of the proposal, explain the reason for any recommended change, and include supporting data. The FAA will consider all comments received by the closing date and may amend this proposal because of those comments.

Except for Confidential Business Information (CBI) as described in the following paragraph, and other information as described in 14 CFR 11.35, the FAA will post all comments received, without change, to [regulations.gov](https://www.regulations.gov), including any personal information you provide. The agency will also post a report summarizing each substantive verbal contact received about this NPRM.

Confidential Business Information

CBI is commercial or financial information that is both customarily and actually treated as private by its owner. Under the Freedom of Information Act (FOIA) (5 U.S.C. 552), CBI is exempt from public disclosure. If your comments responsive to this NPRM contain commercial or financial information that is customarily treated as private, that you actually treat as private, and that is relevant or responsive to this NPRM, it is important that you clearly designate the submitted comments as CBI. Please mark each page of your submission containing CBI as “PROPIN.” The FAA will treat such marked submissions as confidential under the FOIA, and they will not be placed in the public docket of this NPRM. Submissions containing CBI should be sent to Brenda Buitrago Perez, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone: 516-228-7300; email: 9-avs-nyaco-cos@faa.gov. Any commentary that the FAA receives which is not specifically designated as CBI will be placed in the public docket for this rulemaking.

Background

Transport Canada, which is the aviation authority for Canada, has issued Transport Canada AD CF-2025-46, dated September 2, 2025 (Transport Canada AD CF-2025-46) (also referred to as the MCAI), to correct an unsafe condition for certain Bombardier, Inc., Model BD-700-2A12 airplanes. The MCAI states that there have been reports of missing or under torqued fasteners on the slat 2 cove rib 6 bracket, which are common to both the left-hand side (LHS) and right-hand side (RHS). The

MCAI states that if fasteners are missing or under torqued, the bracket may lose some load carrying capabilities. Stress analysis has determined that missing cove rib 6 load path may lead to reduced safety margins and subsequent loss of structural redundancy. The FAA is proposing this AD to address the unsafe condition on these products.

You may examine the MCAI in the AD docket at [regulations.gov](https://www.regulations.gov) under Docket No. FAA-2026-3872.

Material Incorporated by Reference Under 1 CFR Part 51

Transport Canada AD CF-2025-46 specifies procedures for a GVI of affected fasteners on slat 2 cove rib 6 brackets to determine if the fasteners are installed and applicable on-condition actions. On-condition actions include making sure that the fasteners are torqued from 20 to 25 lbf in., performing a GVI for signs of damage (damage includes but is not limited to permanent deformation, distortion, cracking, or other visible structural anomalies), repairing any damage found, and, if there is no damage, installing and torquing new fasteners.

This material is reasonably available because the interested parties have access to it through their normal course of business or by the means identified in the **ADDRESSES** section.

FAA’s Determination

These products have been approved by the civil aviation authority of another country and are approved for operation in the United States. Pursuant to the FAA’s bilateral agreement with this State of Design Authority, that authority has notified the FAA of the unsafe condition described in the MCAI referenced above. The FAA is issuing this NPRM after determining that the unsafe condition described previously is likely to exist or develop in other products of the same type design.

Proposed AD Requirements in This NPRM

This proposed AD would require accomplishing the actions specified in Transport Canada AD CF-2025-46 described previously, except for any differences identified as exceptions in the regulatory text of this proposed AD.

Explanation of Required Compliance Information

In the FAA’s ongoing efforts to improve the efficiency of the AD process, the FAA developed a process to use some civil aviation authority (CAA) ADs as the primary source of information for compliance with requirements for corresponding FAA

ADs. The FAA has been coordinating this process with manufacturers and CAAs. As a result, the FAA proposes to incorporate Transport Canada AD CF–2025–46 by reference in the FAA final rule. This proposed AD would, therefore, require compliance with Transport Canada AD CF–2025–46 in its entirety through that incorporation,

except for any differences identified as exceptions in the regulatory text of this proposed AD. Material required by Transport Canada AD CF–2025–46 for compliance will be available at *regulations.gov* under Docket No. FAA–2026–3872 after the FAA final rule is published.

Costs of Compliance

The FAA estimates that this AD, if adopted as proposed, would affect 36 airplanes of U.S. registry. The FAA estimates the following costs to comply with this proposed AD:

ESTIMATED COSTS FOR REQUIRED ACTIONS

Labor cost	Parts cost	Cost per product	Cost on U.S. operators
5 work-hours × \$85 per hour = \$425	\$0	\$425	\$15,300

The FAA estimates the following costs to do any necessary on-condition actions that would be required based on

the results of any required actions. The FAA has no way of determining the

number of aircraft that might need this on-condition action:

ESTIMATED COSTS OF ON-CONDITION ACTIONS

Labor cost	Parts cost	Cost per product
2 work-hours × \$85 per hour = \$170	\$99	\$269

The FAA has included all known costs in its cost estimate. According to the manufacturer, however, some or all of the costs of this proposed AD may be covered under warranty, thereby reducing the cost impact on affected operators.

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA’s authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. Subtitle VII: Aviation Programs, describes in more detail the scope of the Agency’s authority.

The FAA is issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701: General requirements. Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

Regulatory Findings

The FAA determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national government and the States, or

on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

- (1) Is not a “significant regulatory action” under Executive Order 12866,
- (2) Would not affect intrastate aviation in Alaska, and
- (3) Would not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

- 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

- 2. The FAA amends § 39.13 by adding the following new airworthiness directive:

Bombardier, Inc.: Docket No. FAA–2026–3872; Project Identifier MCAI–2025–01421–T.

(a) Comments Due Date

The FAA must receive comments on this airworthiness directive (AD) by June 15, 2026.

(b) Affected ADs

None.

(c) Applicability

This AD applies to Bombardier, Inc., Model BD–700–2A12 airplanes, certificated in any category, as identified in Transport Canada AD CF–2025–46, dated September 2, 2025 (Transport Canada AD CF–2025–46).

(d) Subject

Air Transport Association (ATA) of America Code 57, Wings

(e) Unsafe Condition

This AD was prompted by reports of missing or under torqued fasteners on the slat 2 cove rib 6 bracket. The FAA is issuing this AD to address the unsafe condition, which if not addressed, could potentially result in the loss of some load carrying capabilities, which could result in reduced safety margins and subsequent loss of structural redundancy.

(f) Compliance

Comply with this AD within the compliance times specified, unless already done.

(g) Requirements

Except as specified in paragraphs (h) and (i) of this AD: Comply with all required actions and compliance times specified in, and in accordance with, Transport Canada AD CF–2025–46.

(h) Exception to Transport Canada AD CF–2025–46

(1) Where Transport Canada AD CF–2025–46 refers to its effective date, this AD requires using the effective date of this AD.

(2) Where paragraph B. of Transport Canada AD CF–2025–46 specifies “If fasteners are installed,” for this AD, replace that text with “If fasteners are installed, before further flight.”

(3) Where paragraph C. of Transport Canada AD CF–2025–46 specifies “If fasteners are missing,” for this AD, replace that text with “If fasteners are missing, before further flight.”

(i) No Reporting Requirement

Although the material referenced in Transport Canada AD CF–2025–46 specifies to submit certain information to the manufacturer, this AD does not include that requirement.

(j) Additional AD Provisions

The following provisions also apply to this AD:

(1) *Alternative Methods of Compliance (AMOCs)*: The Manager, International Validation Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or responsible Flight Standards Office, as appropriate. If sending information directly to the manager of the International Validation Branch, send it to the attention of the person identified in paragraph (k) of this AD and email to: AMOC@faa.gov. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the responsible Flight Standards Office.

(2) *Contacting the Manufacturer*: For any requirement in this AD to obtain instructions from a manufacturer, the instructions must be accomplished using a method approved by the Manager, International Validation Branch, FAA; or Transport Canada; or Bombardier, Inc.’s Transport Canada Design Approval Organization (DAO). If approved by the DAO, the approval must include the DAO-authorized signature.

(k) Additional Information

For more information about this AD, contact Brenda Buitrago Perez, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone: 516–228–7300; email: 9-avs-nyaco-cos@faa.gov.

(l) Material Incorporated by Reference

(1) The Director of the Federal Register approved the incorporation by reference of the material listed in this paragraph under 5 U.S.C. 552(a) and 1 CFR part 51.

(2) You must use this material as applicable to do the actions required by this AD, unless this AD specifies otherwise.

(i) Transport Canada AD CF–2025–46, dated September 2, 2025.

(ii) [Reserved]

(3) For Transport Canada material identified in this AD, contact Transport Canada, Transport Canada National Aircraft Certification, 159 Cleopatra Drive, Nepean, Ontario K1A 0N5, Canada; telephone 888–663–3639; email TC.AirworthinessDirectives.Consignesdenavigabilite.TC@tc.gc.ca. You may find this material on the Transport Canada website at tc.canada.ca/en/aviation.

(4) You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195.

(5) You may view this material at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, visit www.archives.gov/federal-register/cfr/ibr-locations or email fr.inspection@nara.gov.

Issued on April 24, 2026.

Steven W. Thompson,

Acting Deputy Director, Compliance & Airworthiness Division, Aircraft Certification Service.

[FR Doc. 2026–08291 Filed 4–28–26; 8:45 am]

BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA–2026–3869; Project Identifier MCAI–2025–00429–R]

RIN 2120–AA64

Airworthiness Directives; Leonardo S.p.a. Helicopters

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: The FAA proposes to adopt a new airworthiness directive (AD) for all Leonardo S.p.a. Model AW189 helicopters. This proposed AD was prompted by reports of cracking on the ejector ducts. This proposed AD would require repetitively inspecting the left-hand (LH) side and right-hand (RH) side ejector ducts, including the exhaust bracket reinforcements and reinforcement plates, and, depending on the results, replacing any affected ejector duct. The FAA is proposing this AD to address the unsafe condition on these products.

DATES: The FAA must receive comments on this NPRM by June 15, 2026.

ADDRESSES: You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- *Federal eRulemaking Portal:* Go to regulations.gov. Follow the instructions for submitting comments.

- *Fax:* (202) 493–2251.

- *Mail:* U.S. Department of Transportation, Docket Operations, M–30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE, Washington, DC 20590.

- *Hand Delivery:* Deliver to Mail address above between 9 a.m. and 5

p.m., Monday through Friday, except Federal holidays.

AD Docket: You may examine the AD docket at regulations.gov under Docket No. FAA–2026–3869; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the mandatory continuing airworthiness information (MCAI), any comments received, and other information. The street address for Docket Operations is listed above.

Material Incorporated by Reference:

- For European Union Aviation Safety Agency (EASA) material identified in this AD, contact EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; phone: +49 221 8999 000; email: ADS@easa.europa.eu; website: easa.europa.eu. You may find this material on the EASA website at ad.easa.europa.eu.

- You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 10101 Hillwood Parkway, Fort Worth, TX 76177. For information on the availability of this material at the FAA, call (817) 222–5110

FOR FURTHER INFORMATION CONTACT:

David Enns, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone: (316) 946–4147; email: david.enns@faa.gov.

SUPPLEMENTARY INFORMATION:

Comments Invited

The FAA invites you to send any written relevant data, views, or arguments about this proposal. Send your comments using a method listed under **ADDRESSES**. Include “Docket No. FAA–2026–3869; Project Identifier MCAI–2025–00429–R” at the beginning of your comments. The most helpful comments reference a specific portion of the proposal, explain the reason for any recommended change, and include supporting data. The FAA will consider all comments received by the closing date and may amend this proposal because of those comments.

Except for Confidential Business Information (CBI) as described in the following paragraph, and other information as described in 14 CFR 11.35, the FAA will post all comments received, without change, to regulations.gov, including any personal information you provide. The agency will also post a report summarizing each substantive verbal contact received about this NPRM.

Confidential Business Information

CBI is commercial or financial information that is both customarily and